

Republic of the Philippines East Avenue, Diliman, Quezon City NCR NORTH DIVISION

8th floor SSS Bldg. East Ave. Diliman QC Tel. No. 922-3453 Fax No. 435-9827





May 3, 2022

CANVASS

REQ 2022-014

Gentlemen :

Please furnish us with your **sealed quotation** on or before **May 6**, **2022** for the proposed reduction of office space for the conversion of SSS North Caloocan Branch to Service Office:

Item No.		DESCRIPTION	Qty.	Unit	Unit Cost	Total Cost
Ι	Gene	eral Requirements				
	1.00	Permits, Signed and Sealed As Built Plans	1.00	lot		
		TOTAL COST – GENERAL REQUIREMENTS				
II		Preparation				
	1.00	Temporary Facilities (Board Up/Site Enclosure)	1.00	lot		
	2.00	Demolition of existing dry wall affected as indicated in the plan	5.62	sqm		
	3.00	Demolition of existing glass door and glass panel as indicated in the plan	5.79	sqm		
		TOTAL COST – SITE PREPARATION				
III	Carp	entry Works				
	1.00	Supply and Installation of double wall partitions.				
		6.0mm thk Fiber Cement Board				
		Metal Tracks (Top & Bottom), 50mm x 75mm x				
		0.60mm x 3.0m				
		Metal Studs (0.60m O.C. Ver & Hor), 35mm x 76mm x	58.94	0.000		
		0.60mm x 3.0m	50.94	sqm		
		Fiber Glass Mesh Tape, 2"x250ft/roll				
		Fiber Cement Screw				
		Blind Rivets, 1/8" x 3/8"				
		Screw with tox				
	2.00	Installation of 16mm THK Acoustic Ceiling Board on				
		CMT Suspended Ceiling System (All affected areas due				
		to new drywall partition, reuse existing acoustic board)				
		Rectification of existing 16mm Fissured Acoustic				
		Ceiling Board and CMT - Cross Tee (Reuse)	00.40			
		CMT - Wall Angle, 1" x 1" x 10' L	22.43	sqm		
		Threaded Bolt, 1/4" x 3m				
		Expansion Shield, 1/4 "				
		Twisted Hanger				
		Concrete Nails, 1"	-			
	3.00	Supply and Installation of 6mm moisture resistant fiber				
		cement board Ceiling	2.38	sqm		
		6mm THK moisture resistant Fiber Cement Board,				

	1.4	Embossed Acrylic "SOCIAL SECURITY SYSTEM" (2765mm x 150mm x 50mm) Embossed Acrylic Branch Name (70mm x 1850mm x 50mm)	4.46	sq.ft		
	14		4 46	sa ft	+	
	i .			'		
	1.3	700mm (W) x 3500mm (L) x 100mm (thk.)	1.79	sq.ft		
	1.2	(W) x 3500mm (L) x 100mm (thk.) Aluminum Sub-framing and Accessories -	2.45	sq.m	<u> </u>	
	Signa 1.1	ge 4mm thk. Aluminum Composite Panel - 700mm	2.45	sq.m		
1.00	Supp	ly and Installation of Storefront/Horizontal			1	1
Spec	ialtv V	Norks				+
		IUTAL CUST - DOURS AND WINDOWS			<u> </u>	
	1.2	frosted stickers as shown on plans (Storefront Main Entrance)	3.19	sq.m		
		GP-01, 12mm thk tempered, framless clear				
	1.1	GD-01, Frameless Single Leaf Door w/ Transom 12mm thk Tempered Clear Glass w/ Stainless Steel Door Handles Complete w/ Patch Fittings, Hardwares & Accessories, w/ Vinyl Frosted Sticker as Shown on Plans (Main Entrance)	1.00	Set		
1.00	all ha	rdwares, accessories, stickers, etc. as seen on				
Door	s and	Windows				
		TOTAL COST – PAINTING WORKS				
	Kuller	raii				
7" Paint Roller (Cloth) 2" Paint Brush						
	Gyps	um Putty	71.31	sqm		
	ceilin Prepa	g board at Lacation Area (Including Surface aration)				
Pain 1.00						
		TOTAL COST – CARPENTRY WORKS				
	Blind	Rivets, 1/8" x 3/8"				
	Hang	er Rod, #8				
	5m					
	1.00 Door 1.00	Carry Doub Sm Wall Doub Suspe Hang Steel Powe Fiber Conci Blind Paintise No 1.00 Paintise Prime Semi Prime Semi Semi Semi Semi Semi Supp Sand Rags 7" Pa Sup 1.00 Supp 1.00 Sup 1.00 Sup 1.00 Sup 1.10 Sup 1.10 Signa 1.1	Wall Angle, 25mm x 25mm x 0.40mm x 2.4m Double Furring Clip Suspension Clip & Rod Joiner #8 Hanger Rod, #8 Steel Angle Power Load & Drive Pin (Threaded) Fiber Cement Screw Concrete Nail, 1" Blind Rivets, 1/8" x 3/8" Output Painting Works 1.00 Painting of New Drywall partition and fiber cement ceiling board at Lacation Area (Including Surface Preparation) Primer Latex Paint, 1 Coat Semi Gloss Latex Paint, 2 Coats Gypsum Putty Sand Paper, # 120 Rags 7" Paint Roller (Cloth) 2" Paint Brush Roller Pan TOTAL COST – PAINTING WORKS Doors and Windows 1.00 Supply and Installation Doors and windows, including all hardwares, accessories, stickers, etc. as seen on plans. 1.01 GD-01, Frameless Single Leaf Door w/ Transom 12mm thk Tempered Clear Glass w/ Stainless Steel Door Handles Complete w/ Patch Fittings, Hardwares & Accessories, w/ Vinyl Frosted Sticker as Shown on Plans. (Main Entrance) TOTAL COST – DOORS AND WINDOWS Specialty Works 1.00 Supply and Installatio	Carrying Channel, 12mm x 38mm x 0.80mm x 5m Double Furring Channel, 19mm x 50mm x 0.40mm x Sm Wall Angle, 25mm x 25mm x 0.40mm x 2.4m Double Furring Clip Suspension Clip & Rod Joiner #8 Hanger Rod, #8 Steel Angle Power Load & Drive Pin (Threaded) Fiber Cement Screw Concrete Nail, 1" Blind Rivets, 1/8" x 3/8" Image: Semi Gloss Latex Paint, 2 Coats Semi Gloss Latex Paint, 2 Coats Gypsum Putty Sand Paper, # 120 Rags 7" Paint Roller (Cloth) 2" Paint Brush Roller Pan TOTAL COST – PAINTING WORKS Doors and Windows Supply and Installation Doors and windows, including all hardwares, accessories, stickers, etc. as seen on plans. 1.00 Il ardwares, accessories, w/ Vinyl Frosted Sticker as Shown on Plans. (Main Entrance) Supply and Installation Doors AND WINDOWS Steel Door Handles Complete w/ Patch Fittings, Hardwares & Accessories, w/ Vinyl Frosted Sticker as Shown on plans. (Main Entrance) 1.1 GP-01, 12mm thk tempered, framless clear glass on FD 100, powder coated finish w/ vinyl frosted stickers as shown on plans (Storefront Main Entrance) <td>Carrying Channel, 12mm x 38mm x 0.80mm x 5m Double Furing Channel, 19mm x 50mm x 0.40mm x 5m Wall Angle, 25mm x 25mm x 0.40mm x 2.4m Double Furing Clip Suspension Clip & Rod Joiner #8 Hanger Rod, #8 Hanger Rod, #8 Steel Angle Power Load & Drive Pin (Threaded) Fiber Cement Screw Concrete Nail, 1" Blind Rivets, 1/8" x 3/8" Blind Rivets, 1/8" x 3/8" TOTAL COST - CARPENTRY WORKS Painting Works 7131 1.00 Painting of New Drywall partition and fiber cement ceiling board at Lacation Area (Including Surface Preparation) Primer Latex Paint, 1 Coat Semi Gloss Latex Paint, 2 Coats Gypsum Putty 7" Paint Roller (Cloth) 7" Paint Roller (Cloth) 2" Paint Brush Rags 7 Roller Pan TOTAL COST - PAINTING WORKS 1.00 Supply and Installation Doors and windows, including all hardwares, accessories, stickers, etc. as seen on plans. 1.00 Set 1.01 Steel Door Handles Complete w/ Patch Fittings, Hardwares & Accessories, w/ Vinyl Frosted Sticker as Shown on Plans (Main Entrance) 1.00 Set 1.2 GP-01, 12mm thk tempered, framless clear glass on FD 100, powder coated finish w/ vinyl frosted Stickers as shown on plans (Storefront Main Entrance) 3.10 sqm <!--</td--><td>Carrying Channel, 12mm x 38mm x 0.80mm x 5m Double Furring Channel, 19mm x 50mm x 0.40mm x Sm Wall Angle, 25mm x 25mm x 0.40mm x 2.4m Double Furring Clip Suspension Clip & Rod Joiner #8 Hanger Rod, #8 Steel Angle Power Load & Drive Pin (Threaded) Fiber Cement Screw Concrete Nail, 1" Blind Rivets, 1/8" x 3/8" Painting Works Painting of New Drywall partition and fiber cement ceiling board at Lacation Area (Including Surface Preparation) Primer Latex Paint, 1 Coat Semi Gloss Latex Paint, 2 Coats Gypsum Putty Sand Paper, # 120 Rags 7" Paint Roller (Cloth) 2" Paint Brush Roller Pan Obors and Windows Supply and Installation Doors and windows, including all hardwares, accessories, stickers, etc. as seen on plans. GD-01, Frameless Single Leaf Door w/ Transom 1.10 GP-01, Prameless Single Leaf Door w/ Transom plans. GP-01, 12mm thk tempered, framless clear glass on FD 100, powder coated finish w/ vinyl frosted stickers as Shown on plans. (Storefront Main Entrance) 1.00 Supply and Installation of Storefront/Horizontal Signage 1.01 Supply and Installation of Stor</td></td>	Carrying Channel, 12mm x 38mm x 0.80mm x 5m Double Furing Channel, 19mm x 50mm x 0.40mm x 5m Wall Angle, 25mm x 25mm x 0.40mm x 2.4m Double Furing Clip Suspension Clip & Rod Joiner #8 Hanger Rod, #8 Hanger Rod, #8 Steel Angle Power Load & Drive Pin (Threaded) Fiber Cement Screw Concrete Nail, 1" Blind Rivets, 1/8" x 3/8" Blind Rivets, 1/8" x 3/8" TOTAL COST - CARPENTRY WORKS Painting Works 7131 1.00 Painting of New Drywall partition and fiber cement ceiling board at Lacation Area (Including Surface Preparation) Primer Latex Paint, 1 Coat Semi Gloss Latex Paint, 2 Coats Gypsum Putty 7" Paint Roller (Cloth) 7" Paint Roller (Cloth) 2" Paint Brush Rags 7 Roller Pan TOTAL COST - PAINTING WORKS 1.00 Supply and Installation Doors and windows, including all hardwares, accessories, stickers, etc. as seen on plans. 1.00 Set 1.01 Steel Door Handles Complete w/ Patch Fittings, Hardwares & Accessories, w/ Vinyl Frosted Sticker as Shown on Plans (Main Entrance) 1.00 Set 1.2 GP-01, 12mm thk tempered, framless clear glass on FD 100, powder coated finish w/ vinyl frosted Stickers as shown on plans (Storefront Main Entrance) 3.10 sqm </td <td>Carrying Channel, 12mm x 38mm x 0.80mm x 5m Double Furring Channel, 19mm x 50mm x 0.40mm x Sm Wall Angle, 25mm x 25mm x 0.40mm x 2.4m Double Furring Clip Suspension Clip & Rod Joiner #8 Hanger Rod, #8 Steel Angle Power Load & Drive Pin (Threaded) Fiber Cement Screw Concrete Nail, 1" Blind Rivets, 1/8" x 3/8" Painting Works Painting of New Drywall partition and fiber cement ceiling board at Lacation Area (Including Surface Preparation) Primer Latex Paint, 1 Coat Semi Gloss Latex Paint, 2 Coats Gypsum Putty Sand Paper, # 120 Rags 7" Paint Roller (Cloth) 2" Paint Brush Roller Pan Obors and Windows Supply and Installation Doors and windows, including all hardwares, accessories, stickers, etc. as seen on plans. GD-01, Frameless Single Leaf Door w/ Transom 1.10 GP-01, Prameless Single Leaf Door w/ Transom plans. GP-01, 12mm thk tempered, framless clear glass on FD 100, powder coated finish w/ vinyl frosted stickers as Shown on plans. (Storefront Main Entrance) 1.00 Supply and Installation of Storefront/Horizontal Signage 1.01 Supply and Installation of Stor</td>	Carrying Channel, 12mm x 38mm x 0.80mm x 5m Double Furring Channel, 19mm x 50mm x 0.40mm x Sm Wall Angle, 25mm x 25mm x 0.40mm x 2.4m Double Furring Clip Suspension Clip & Rod Joiner #8 Hanger Rod, #8 Steel Angle Power Load & Drive Pin (Threaded) Fiber Cement Screw Concrete Nail, 1" Blind Rivets, 1/8" x 3/8" Painting Works Painting of New Drywall partition and fiber cement ceiling board at Lacation Area (Including Surface Preparation) Primer Latex Paint, 1 Coat Semi Gloss Latex Paint, 2 Coats Gypsum Putty Sand Paper, # 120 Rags 7" Paint Roller (Cloth) 2" Paint Brush Roller Pan Obors and Windows Supply and Installation Doors and windows, including all hardwares, accessories, stickers, etc. as seen on plans. GD-01, Frameless Single Leaf Door w/ Transom 1.10 GP-01, Prameless Single Leaf Door w/ Transom plans. GP-01, 12mm thk tempered, framless clear glass on FD 100, powder coated finish w/ vinyl frosted stickers as Shown on plans. (Storefront Main Entrance) 1.00 Supply and Installation of Storefront/Horizontal Signage 1.01 Supply and Installation of Stor

	2.00	incluc	ation of existing Indoor Directional Signage ding miscellaneous materials need to finish the lation (Hanger, screws, chain, etc.) (Verify on	1.00	lot	
		FIGIIS	TOTAL COST – SPECIALTY WORKS			
VII	Flect	rical \	Works			
•••		incui i				
	1.00	Feede	er Line from existing MDP to new DP/ SSS			
		1.10	Service Entrance to EE room			
		1.1.1	32mmØ PVC pipe with coupling	10	L	
		1.1.2	32mmØ PVC Locknut with Bushing	10	pairs	
		1.1.3	32mmØ PVC Elbow	4	ea	
		1.1.4	5.5mm ² THHN/ THWN stranded wire, Lead Free	5	m	
		1.1.5	8.0mm ² THHN/ THWN stranded wire, Lead Free	40	m	
		1.1.6	30.0mm ² THHN/ THWN stranded wire, Lead Free	90	m	
		1.1.7	Pull Box with cover, (150x150x100)mm, G#14, Gray Paint	4	еа	
		1.1.8	Digital Watt-hour Meter, self-contained, 3 phase, 250VAC, 60Hz., complete with meter box, and standard accessories	1	set	
		1.1.9	Distribution Panel (DP)	1	set	
			Main: 100AT, Three Phase, 230 VAC, 60Hz., 25KAIC			
			Branches:			
			1 - 50AT, 2P, 230VAC, 60Hz., 20kAIC			
			3 - 40AT, 2P, 230VAC, 60Hz., 20kAIC			
			6 - 20AT, 2P, 230VAC, 60Hz., 10kAIC			
			2 – Space			
			Surface Mounted, Bolt-on, Industrial Type, w/ grounding terminal block, powder coated gray paint			
		1.20	Dismantling and re-installation of the existing UPS Distribution Panel from basement to new location including its essential wiring system and	1	lot	
			standard accessories (Note: seek assistance from BSSD)			
			Main: 50AT, Single Phase, 230 VAC, 60Hz., 18KAIC			
			Branches:			
			4- 20AT, 2P, 230VAC, 60Hz., 10kAIC			
			Surface Mounted, Bolt-on, Industrial Type, w/ grounding terminal block, powder coated gray paint			
		1.30	Rigid support/ hanger/ bracket with angle bar & u-bolt for the service entrance feeder line to electrical room	1	lot	
			Other incidental items/ consumable materials and other related works/ activities to complete the installation			

	2.00 2.10 2.1.1 2.1.2 2.1.3 2.1.4 2.20 2.2.1 2.2.2 2.3.1 2.3.1 2.3.2 2.3.3 2.3.3 2.3.4 2.3.4 2.3.5		28 52 1 20 6 22 3 6 8 8 1 1	L Sets L Gea	
	2.1.2 2.1.3 2.1.4 2.20 2.2.1 2.2.2 2.3.0 2.3.1 2.3.2 2.3.3 2.3.3 2.3.4 2.3.4 2.3.4 2.3.5	20mmØ PVC Adapter with locknut & bushing Aluminum Threshold (3" x 6m/ length) Plastic Moulding (25mm x 2.4m/ length) Boxes / Gutters with cover Utility Box, Surface mounted (Tailee box) Junction Box Deep type GA # 16 Wires / Cables 3.5mm ² THHN/ THWN stranded wire, Lead Free Convenience Outlet, Duplex, 15A, 230V, 3- prong w/ grounding, flush mounted, parallel slot, complete with plate and cover Convenience Outlet, Duplex, 15A, 230V, 2- prong, flush mounted, parallel slot, complete with plate and cover Re-utilize existing Three Gang Switch installed at the main entrance, complete with plate and cover Supply and installation of electrical materials for the relocation, re-alignment and re-circuiting of the existing lighting fixtures, outlet and other devices that may be affected in new layout/ renovation Dismantling of all fixtures, devices and other	52 1 20 6 22 3 6 8 1 1	sets L L L Gea ea ea ea roll sets sets l lot lot lot	
	2.1.3 2.1.4 2.20 2.2.1 2.2.2 2.30 2.3.1 2.3.2 2.3.3 2.3.3 2.3.4 2.3.4 2.3.5	Aluminum Threshold (3" x 6m/ length) Plastic Moulding (25mm x 2.4m/ length) Boxes / Gutters with cover Utility Box, Surface mounted (Tailee box) Junction Box Deep type GA # 16 Wires / Cables 3.5mm ² THHN/ THWN stranded wire, Lead Free Convenience Outlet, Duplex, 15A, 230V, 3- prong w/ grounding, flush mounted, parallel slot, complete with plate and cover Convenience Outlet, Duplex, 15A, 230V, 2- prong, flush mounted, parallel slot, complete with plate and cover Re-utilize existing Three Gang Switch installed at the main entrance, complete with plate and cover Supply and installation of electrical materials for the relocation, re-alignment and re-circuiting of the existing lighting fixtures, outlet and other devices that may be affected in new layout/ renovation Dismantling of all fixtures, devices and other	1 20 6 22 3 6 8 1 1	L L L L L L L L L L L L L L L L L L L	
	2.1.4 2.20 2.2.1 2.2.2 2.30 2.3.1 2.3.2 2.3.3 2.3.3 2.3.4 2.3.4 2.3.5	Plastic Moulding (25mm x 2.4m/ length) Boxes / Gutters with cover Utility Box, Surface mounted (Tailee box) Junction Box Deep type GA # 16 Wires / Cables 3.5mm ² THHN/ THWN stranded wire, Lead Free Convenience Outlet, Duplex, 15A, 230V, 3- prong w/ grounding, flush mounted, parallel slot, complete with plate and cover Convenience Outlet, Duplex, 15A, 230V, 2- prong, flush mounted, parallel slot, complete with plate and cover Re-utilize existing Three Gang Switch installed at the main entrance, complete with plate and cover Supply and installation of electrical materials for the relocation, re-alignment and re-circuiting of the existing lighting fixtures, outlet and other devices that may be affected in new layout/ renovation Dismantling of all fixtures, devices and other	20 6 22 3 6 8 1 1	L ea ea ea roll sets sets lot lot	
	2.20 2.2.1 2.2.2 2.30 2.3.1 2.3.2 2.3.2 2.3.3 2.3.4 2.3.4 2.3.5	Boxes / Gutters with cover Utility Box, Surface mounted (Tailee box) Junction Box Deep type GA # 16 Wires / Cables 3.5mm ² THHN/ THWN stranded wire, Lead Free Convenience Outlet, Duplex, 15A, 230V, 3- prong w/ grounding, flush mounted, parallel slot, complete with plate and cover Convenience Outlet, Duplex, 15A, 230V, 2- prong, flush mounted, parallel slot, complete with plate and cover Re-utilize existing Three Gang Switch installed at the main entrance, complete with plate and cover Supply and installation of electrical materials for the relocation, re-alignment and re-circuiting of the existing lighting fixtures, outlet and other devices that may be affected in new layout/ renovation Dismantling of all fixtures, devices and other	6 22 3 6 8 1 1	ea ea ea roll sets sets sets lot	
	2.2.1 2.2.2 2.30 2.3.1 2.3.2 2.3.3 2.3.3 2.3.4 2.3.4 2.3.5	Utility Box, Surface mounted (Tailee box) Junction Box Deep type GA # 16 Wires / Cables 3.5mm ² THHN/ THWN stranded wire, Lead Free Convenience Outlet, Duplex, 15A, 230V, 3- prong w/ grounding, flush mounted, parallel slot, complete with plate and cover Convenience Outlet, Duplex, 15A, 230V, 2- prong, flush mounted, parallel slot, complete with plate and cover Re-utilize existing Three Gang Switch installed at the main entrance, complete with plate and cover Supply and installation of electrical materials for the relocation, re-alignment and re-circuiting of the existing lighting fixtures, outlet and other devices that may be affected in new layout/ renovation Dismantling of all fixtures, devices and other	22 3 6 8 1 1	ea roll sets sets sets lot	
	2.2.1 2.2.2 2.30 2.3.1 2.3.2 2.3.3 2.3.3 2.3.4 2.3.4 2.3.5	Utility Box, Surface mounted (Tailee box) Junction Box Deep type GA # 16 Wires / Cables 3.5mm ² THHN/ THWN stranded wire, Lead Free Convenience Outlet, Duplex, 15A, 230V, 3- prong w/ grounding, flush mounted, parallel slot, complete with plate and cover Convenience Outlet, Duplex, 15A, 230V, 2- prong, flush mounted, parallel slot, complete with plate and cover Re-utilize existing Three Gang Switch installed at the main entrance, complete with plate and cover Supply and installation of electrical materials for the relocation, re-alignment and re-circuiting of the existing lighting fixtures, outlet and other devices that may be affected in new layout/ renovation Dismantling of all fixtures, devices and other	22 3 6 8 1 1	ea roll sets sets sets lot	
	2.2.2 2.30 2.3.1 2.3.2 2.3.3 2.3.3 2.3.4 2.3.4 2.3.5 2.3.5	Junction Box Deep type GA # 16 Wires / Cables 3.5mm ² THHN/ THWN stranded wire, Lead Free Convenience Outlet, Duplex, 15A, 230V, 3- prong w/ grounding, flush mounted, parallel slot, complete with plate and cover Convenience Outlet, Duplex, 15A, 230V, 2- prong, flush mounted, parallel slot, complete with plate and cover Re-utilize existing Three Gang Switch installed at the main entrance, complete with plate and cover Supply and installation of electrical materials for the relocation, re-alignment and re-circuiting of the existing lighting fixtures, outlet and other devices that may be affected in new layout/ renovation Dismantling of all fixtures, devices and other	22 3 6 8 1 1	ea roll sets sets sets lot	
	2.30 2.3.1 2.3.2 2.3.3 2.3.3 2.3.4 2.3.4 2.3.5 2.3.5	Wires / Cables 3.5mm ² THHN/ THWN stranded wire, Lead Free Convenience Outlet, Duplex, 15A, 230V, 3- prong w/ grounding, flush mounted, parallel slot, complete with plate and cover Convenience Outlet, Duplex, 15A, 230V, 2- prong, flush mounted, parallel slot, complete with plate and cover Re-utilize existing Three Gang Switch installed at the main entrance, complete with plate and cover Supply and installation of electrical materials for the relocation, re-alignment and re-circuiting of the existing lighting fixtures, outlet and other devices that may be affected in new layout/ renovation Dismantling of all fixtures, devices and other	6 8 1 1	sets sets lot	
	2.3.1 2.3.2 2.3.3 2.3.4 2.3.4 2.3.5 2.3.5	3.5mm ² THHN/ THWN stranded wire, Lead Free Convenience Outlet, Duplex, 15A, 230V, 3- prong w/ grounding, flush mounted, parallel slot, complete with plate and cover Convenience Outlet, Duplex, 15A, 230V, 2- prong, flush mounted, parallel slot, complete with plate and cover Re-utilize existing Three Gang Switch installed at the main entrance, complete with plate and cover Supply and installation of electrical materials for the relocation, re-alignment and re-circuiting of the existing lighting fixtures, outlet and other devices that may be affected in new layout/ renovation Dismantling of all fixtures, devices and other	6 8 1 1	sets sets lot	
	2.3.2 2.3.3 2.3.4 2.3.5 2.3.5 2.3.5	3.5mm ² THHN/ THWN stranded wire, Lead Free Convenience Outlet, Duplex, 15A, 230V, 3- prong w/ grounding, flush mounted, parallel slot, complete with plate and cover Convenience Outlet, Duplex, 15A, 230V, 2- prong, flush mounted, parallel slot, complete with plate and cover Re-utilize existing Three Gang Switch installed at the main entrance, complete with plate and cover Supply and installation of electrical materials for the relocation, re-alignment and re-circuiting of the existing lighting fixtures, outlet and other devices that may be affected in new layout/ renovation Dismantling of all fixtures, devices and other	6 8 1 1	sets sets lot	
	2.3.3 2.3.4 2.3.5 2.3.5 2.3.6	Convenience Outlet, Duplex, 15A, 230V, 3- prong w/ grounding, flush mounted, parallel slot, complete with plate and cover Convenience Outlet, Duplex, 15A, 230V, 2- prong, flush mounted, parallel slot, complete with plate and cover Re-utilize existing Three Gang Switch installed at the main entrance, complete with plate and cover Supply and installation of electrical materials for the relocation, re-alignment and re-circuiting of the existing lighting fixtures, outlet and other devices that may be affected in new layout/ renovation Dismantling of all fixtures, devices and other	8	sets sets	
	2.3.4	prong, flush mounted, parallel slot, complete with plate and cover Re-utilize existing Three Gang Switch installed at the main entrance, complete with plate and cover Supply and installation of electrical materials for the relocation, re-alignment and re-circuiting of the existing lighting fixtures, outlet and other devices that may be affected in new layout/ renovation Dismantling of all fixtures, devices and other	1	lot	
	2.3.5	at the main entrance, complete with plate and cover Supply and installation of electrical materials for the relocation, re-alignment and re-circuiting of the existing lighting fixtures, outlet and other devices that may be affected in new layout/ renovation Dismantling of all fixtures, devices and other	1	lot	
	2.3.6	for the relocation, re-alignment and re-circuiting of the existing lighting fixtures, outlet and other devices that may be affected in new layout/ renovation Dismantling of all fixtures, devices and other			
		Dismantling of all fixtures, devices and other	1	le+	
	2.3.7			lot	
		Conduits/ supports, other incidental miscellaneous items and consumable materials including chipping works and other related works/ activities to complete the installation. TOTAL COST – ELECTRICAL WORKS	1	lot	
VIII S	Structured	I Cabling Works			
1	1.00 Cabli	and Common with			
	1.1	ng Components	22.00	Pcs.	
		Cat5E Information Outlet	22.00	Pcs.	
	1.2	Cat5E Patch Panel 24 Ports	11.00	PCS.	
	1.3	Modular Faceplate 2 ganged	4.00	Spool	
		Cat5E UTP Cable 4-Pair Solid, 24WG		(305m)	
	1.5	8RU 19" Wall mounted network cabinet	1.00	unit	
	200 -				
	2.00 Roug 2.1	hing-ins PVC Pipes, Junction/square/pullbox/plastic box, angle bar, anchor bolt, connectors, couplings, and Labor in re-routing the entrance facility.	1.00	lot	
	2.2	and Labor in re-routing the entrance facility Others (medical expenses COVID19 requirements)	1.00	lot	
	 	DTAL COST – STRUCTURED CABLING WORKS			
		TOTAL COST – STRUCTURED CABLING WORKS TOTAL PROJECT COST			

	BOQ, specifically in the formula for computation, given quantity and inclusive pay items. Any deviation from the format shall be a ground for disqualification of bid.
2.	Bidders are not allowed to include any pay items that were not indicated in the BOQ Form.
3.	Mark-up or Indirect Cost as indicated in the BOQ shall include: Overhead Expenses such as office expenses, supervision, transportation allowances, and financing costs (premium on CARI, Bid Security, Performance Security, Surety for Advance Payment, Warranty Security, Construction Bond, etc.), Contingencies, Miscellaneous Expenses and Contractor's Profit Margin
4.	Corresponding cost of material and labor must be provided for all items in the BOQ so as not to constitute an incomplete bid which is a ground for disqualification. In cases where material and labor costs are lumped, or no material or labor cost is required, indicate the same or indicate "0" or "N/A" if given free of charge to SSS. Don't leave the spaces for material and labor costs blank, except as indicated.

End User: SSS NORTH CALOOCAN Branch

Total Approved Budget for the Contract: Php591,111.03

Please see attached of the following:

- TECHNICAL SPECIFICATIONS
- APPROVED FLOOR PLAN LAYOUT
- SCOPE OF WORKS/ TERMS OF REFERENCE
- BILL OF QUANTITIES

Note: Please accomplished the attached BILL OF QUANTITIES

1

2

- 1. The winning supplier is required to post a performance bond within three (3) calendar days from receipt of Notice of Award equivalent to 5% Cash, Cashier's/Manager's Check, Bank Guarantee/Draft or 30% Surety Bond callable upon demand, of the contract price.
- 2. The SSS shall withhold the VAT from the amounts payable to the supplier in accordance with the BIR Regulations.

Price Validity: Three (3) months

This is to certify that my firm/company has paid/updated in all SSS Obligations / contribution payments to the Social Security System.

Signature

Name of Owner/Company Rep :

Business Name



Republic of the Philippines Social Security System East Avenue, Diliman, Quezon City NCR NORTH DIVISION



TERMS AND CONDITIONS

- Prospect suppliers are highly advised to conduct site inspection. This is to determine all necessary considerations and include the 1. same in their proposal of any incidentals, materials and activities that are necessary to be furnished and executed to complete the project.
- 2. Price quotation should be made with extra care taking into account the specifications and unit of quantity to avoid errors.
- 3. All bids in excess of the Approved Budget Contract shall be automatically rejected.
- Supplier must present demo units of their offered units on the scheduled inspection, if required. 4
- 5. The offeror binds himself to this quotation.
- Completion period: Thirty (30) calendar days upon receipt of Purchase Order. 6
- 7. Quotations not using the prescribed/official canvass form/ and/ or unsealed shall automatically be disgualified.
- Indicate the correct SSS Number of supplier/contractor in the quotation form. 8.
- 9. Please make certain to affix the signature of the owner, manager or any of its duly authorized representatives in a clear legible manner.
- 10. Prospect supplier shall offer one (1) sealed quotation only. Alternative bids shall be rejected.
- 11. Prospect supplier shall be required to submit a Notarized Omnibus Sworn Statement upon notice by by the BAC Division Secretariat.
- 12. All payments to suppliers/creditors/payees shall be electronically and directly credited to the suppliers/creditors/payees bank accounts. Accounts Information will be requested once the supplier qualifies from the initial evaluation.
- 13. Please send your SEALED QUOTATION/CANVASS to the above address with the following Eligibility Requirements, failure to attach the following legal documents shall be a ground for automatic disqualification of submitted quotation:
 - Valid Registration Certificate from SEC, DTI for sole proprietorship, or CDA for cooperatives, or any proof of such a) registration.
 - b) Valid Mayor's Permit issued by the city or municipality where the principal place of business of the prospective bidder is located.
 - Valid Certificate of PhilGEPS Registration/Number c)
 - Latest Form SSS R5 Contributions Payment d)
 - e) BIR Certificate of Registration (Form 2303)
 - f) Valid Philippine Contractors Accreditation Board (PCAB) license and registration (Category C or D)

Very truly vo GORDOVEZ. Chairperson, BAC Division

PLEASE SIGN YOUR :

NAME	:	
BUSNAME	:	
ADD	:	
SS EMPLOYER ID NO	:	
TIN NO.	:	
TEL/FAX NO.	:	