



SOCIAL SECURITY SYSTEM

PHILIPPINE BIDDING DOCUMENTS

Sixth Edition

Procurement of GOODS

**SUPPLY, DELIVERY AND INSTALLATION
OF AIR – CONDITIONING UNITS FOR
VARIOUS DIVISIONS, BRANCHES, SERVICE
OFFICES, MAKATI BUILDING AND MAIN
OFFICE BUILDING**

LOT 1 – NCR BRANCHES, MAIN AND MAKATI BUILDINGS

LOT 2 – LUZON DIVISION, BRANCHES & SO

LOT 3 – VISAYAS DIVISION, BRANCHES & SO

LOT 4 – MINDANAO DIVISION, BRANCHES 7 SO

ITB-SSS-Goods-2023-028

MAY 2023

Government of the Republic of the Philippines


ANTONIO V. TRINOS, JR
TWG Chairperson

Table of Contents

| | |
|--|-----------|
| Glossary of Acronyms, Terms, and Abbreviations | 3 |
| Section I. Invitation to Bid | 6 |
| Section II. Instructions to Bidders | 10 |
| 1. Scope of Bid | 11 |
| 2. Funding Information | 11 |
| 3. Bidding Requirements | 11 |
| 4. Corrupt, Fraudulent, Collusive, and Coercive Practices | 11 |
| 5. Eligible Bidders | 11 |
| 6. Origin of Goods | 12 |
| 7. Subcontracts | 12 |
| 8. Pre-Bid Conference | 12 |
| 9. Clarification and Amendment of Bidding Documents | 12 |
| 10. Documents comprising the Bid: Eligibility and Technical Components | 13 |
| 11. Documents comprising the Bid: Financial Component | 13 |
| 12. Bid Prices | 13 |
| 13. Bid and Payment Currencies | 14 |
| 14. Bid Security | 14 |
| 15. Sealing and Marking of Bids | 14 |
| 16. Deadline for Submission of Bids | 14 |
| 17. Opening and Preliminary Examination of Bids | 15 |
| 18. Domestic Preference | 15 |
| 19. Detailed Evaluation and Comparison of Bids | 15 |
| 20. Post-Qualification | 16 |
| 21. Signing of the Contract | 16 |
| Section III. Bid Data Sheet | 17 |
| Section IV. General Conditions of Contract | 20 |
| 1. Scope of Contract | 21 |
| 2. Advance Payment and Terms of Payment | 21 |
| 3. Performance Security | 21 |
| 4. Inspection and Tests | 21 |
| 5. Warranty | 21 |
| 6. Liability of the Supplier | 22 |
| Section V. Special Conditions of Contract | 23 |
| Section VI. Schedule of Requirements | 51 |
| Section VII. Technical Specifications | 52 |
| Section VIII. Checklist of Technical and Financial Documents | 66 |

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means “delivered duty paid.”

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – “Free Carrier” shipping point.

FOB – “Free on Board” shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.


SLCC – Single Largest Completed Contract.

SSS – Social Security System

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid



REPUBLIC OF THE PHILIPPINES
SOCIAL SECURITY SYSTEM
East Avenue, Diliman, Quezon City
Tel. Nos. (632)8709-7198*(632)8920-6446
E-mail: member_relations@sss.gov.ph*Website <http://www.sss.gov.ph>

Invitation to Bid
ITB-SSS-Goods-2023-028

**SUPPLY, DELIVERY AND INSTALLATION OF AIR – CONDITIONING UNITS FOR
VARIOUS DIVISIONS, BRANCHES, SERVICE OFFICES, MAKATI BUILDING AND
MAIN OFFICE BUILDING**

| Approved Budget for the Contract (ABC) & Source of Fund | Delivery/ Completion Period | Price of Bid Documents (non- refundable) | Schedule of Activities Date/Time | |
|---|--|---|---|--|
| | | | Pre-bid Conference | Deadline of submission and receipt of bids |
| ₱ 90,663,100.00 Broken down as follows: | One Hundred Eighty (180) Calendar Days upon receipt of Notice to Proceed and Signed Contract | | June 1, 2023 (Thursday) 2:30pm | June 15, 2023 (Thursday) 2:00pm |
| Lot 1 – NCR Branches and Main and Makati Buildings ₱ 29,302,025.00 | | ₱ 15,000.00 | | |
| Lot 2 - Luzon Division, Branches and Service Offices ₱ 40,130,700.00 | | ₱ 22,500.00 | | |
| Lot 3 – Visayas Division, Branches and Service Offices ₱ 10,062,950.00 | | ₱ 11,500.00 | | |
| Lot 4 – Mindanao Division, Branches and Service Offices ₱ 11,167,425.00 | | ₱ 11,500.00 | | |
| Approved 2023 Corporate Operating Budget – MOOE and Capital Outlay (CO) included in the Update for the month of April (12 th update) with Code PAP 2023-0168 of the Annual Procurement Plan (APP) | | | | |

1. The **SOCIAL SECURITY SYSTEM** now invites Bids for the above item. Delivery of the Goods is required within the period specified above. **Bidders should have completed within five (5) years prior to the date of submission and receipt of bids**, a contract similar to the Project. The description of an eligible Bidder is contained in the Bidding Documents, particularly, in Section II - Instruction to Bidders.
2. Bids received in excess of the ABC shall be automatically rejected at bid opening.
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary pass/fail criterion as specified in the 2016 Revised Implementing Rules and Regulations (RIRR) of Republic Act 9184 (RA) 9184, otherwise known as the “Government Procurement Reform Act”.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.

4. Interested bidders may obtain further information from the SSS and inspect the Bidding Documents at the address in the last item of the ITB from Monday to Friday, 8:00 a.m. to 5:00 p.m.
5. A complete set of Bidding Documents may be acquired by interested bidders starting **24 May 2023 up to the scheduled submission & receipt of bids** from the address stated in the last item of the ITB and upon payment of the applicable fee for the Bidding Documents in the amount specified above.

The mode of payment will be on a cash basis payable at the SSS Cash Department, Ground Floor, SSS Main Bldg., upon accomplishment of SSS Form R-6. The Bidding Documents shall be received personally by the prospective Bidder or his authorized representative.

It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the SSS, provided that Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.

6. The SSS will hold a Pre-Bid Conference on the date and time specified above at the Bidding Room, 2nd Floor, SSS Main Bldg., East Avenue, Diliman, Quezon City which shall be open to prospective bidders, but attendance shall not be mandatory. To ensure completeness and compliance of bids, bidders are advised to send their authorized technical and/or administrative representatives who will prepare the bid documents.

The Pre-Bid Conference will be conducted through online conference using Microsoft Teams. Kindly e-mail us on or before 31 May 2023, through e-mail address bac@sss.gov.ph, the following:

- a. Name of the representative and e-mail address; and
 - b. Technical and administrative queries.
7. Bids must be duly received by the BAC Secretariat at the Bidding Room, 2nd Floor, SSS Main Building, East Avenue, Diliman, Quezon City on the deadline specified above. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in the ITB Clause 14.

Bid opening shall be on the date and time specified above at the Bidding Room, 2nd Floor, SSS Main Building, East Avenue, Diliman, Quezon City. Bids will be opened in the presence of the bidders' representatives who choose to attend at the address above. Late bids shall not be accepted.
8. References to the dates and times shall be based on Philippine Standard time. Should any of the above dates fall on a holiday, the deadline shall be extended to the same time of the immediately succeeding business day in Quezon City.
9. The SSS reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
10. The SSS assumes no obligation to compensate or indemnify parties for any expense or loss that they may incur as a result of their participation in the procurement process, nor does SSS guarantee that an award will be made as a result of this invitation. Furthermore, the SSS reserves the right to waive any defects or formality in the responses to the eligibility requirements and to this invitation and reserves the right to accept the proposal most advantageous to the agency.

11. For further information, please refer to:

Bids & Awards Committee

The Secretariat

2nd Flr., SSS Main Bldg., East Ave., Diliman, Q.C.

Tel # (632) 8922-1070; 8709-7198 local 5492/6382

Email – bac@sss.gov.ph

12. Bidding Documents may be downloaded from PROCUREMENT tab at www.sss.gov.ph starting **24 May 2023**.


THE CHAIRPERSON
BIDS & AWARDS COMMITTEE

ref.: itb-sss-goods-2023-028- SDI of Air – Conditioning Units for Various Divisions/Units

Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, *Social Security System* wishes to receive Bids for the Supply, Delivery and Installation of Air – Conditioning Units for Various Divisions, Branches, Service Offices, Makati Building and Main Office Building with identification number *ITB-SSS-Goods-2023-028*.

The Procurement Project (referred to herein as “Project”) is composed of *four (4) lots*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for *CY2023* in the amount of Ninety Million Six Hundred Sixty – Three Thousand One Hundred Pesos (P 90,663,100.00).
- 2.2. The source of funding is: Approved 2023 Corporate Operating Budget – MOOE and Capital Outlay (CO) included in the Update for the month of April (12th update) with Code PAP 2023-0168 of the APP.
(MOOE – ₱1,381,200.00 and CO – ₱89,281,900.00)

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
 - a. Foreign ownership exceeding those allowed under the rules may participate pursuant to:

- i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
 - b. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
- a. The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

- 7.1. The Procuring Entity has prescribed that Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address **Bidding Room, 2nd Floor, SSS Main Bldg., East Avenue, Diliman, Quezon City** and/or through online conference using **Microsoft Teams** as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **the last five years** prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in the **BDS**.

b. For Goods offered from abroad:

- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
- ii. The price of other (incidental) services, if any, as listed in the **BDS**.

13. Bid and Payment Currencies

13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

13.2. Payment of the contract price shall be made in Philippine Pesos.

14. Bid Security

14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.

14.2. The Bid and bid security shall be valid for **One Hundred Twenty (120) Calendar Days from the Date of the Bid Opening.** Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 7 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.

- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 14 shall be submitted for each lot or item separately.

- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

- 19.4. The Project shall be awarded as follows:

One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.

- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

- 20.1. *[Include if Framework Agreement will be used:]* For multi-year Framework Agreement, all bidders initially determined to be eligible and financially compliant shall be subject to initial post-qualification. The BAC shall then recommend the execution of a Framework Agreement among all eligible, technically and financially compliant bidders and the Procuring Entity and shall be issued by HoPE a Notice to Execute Framework Agreement. The determination of the Lowest Calculated Bid (LCB) shall not be performed by the BAC until a Mini-Competition is conducted among the bidders who executed a Framework Agreement. When a Call for Mini-Competition is made, the BAC shall allow the bidders to submit their best financial proposals on such pre-scheduled date, time and place to determine the bidder with the LCB.
- 20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Bid Data Sheet

| ITB Clause | | | | | | | | | | |
|---|---|----------------------|---|---|---|---|---|--|--|-----------------|
| 5.3 | <p>For this purpose, contracts similar to the Project shall be:</p> <p>a. Supply, Delivery and Installation of Packaged Type Air – Conditioning Units</p> <p>b. Completed within five (5) years prior to the deadline for the submission and receipt of bids.</p> | | | | | | | | | |
| 7.1 | Not Applicable | | | | | | | | | |
| 12 | The price of the Goods shall be quoted DDP. Delivery sites are stated in GCC Clause no.1 of Section V. Special Conditions of Contract | | | | | | | | | |
| 14.1 | <p>The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</p> <table><tr><th>Form of Bid Security</th><th>Amount of Bid Security (Not less than the Percentage of the ABC)</th></tr><tr><td>Cash or cashier’s/manager’s check issued by a Universal or Commercial Bank.</td><td rowspan="2">Two percent (2%) or <i>Lot 1: ₱ 586,040.50</i> <i>Lot 2: ₱ 802,614.00</i> <i>Lot 3: ₱ 201,259.00</i> <i>Lot 4: ₱ 223,348.50</i></td></tr><tr><td>Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank.</td></tr><tr><td>Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.</td><td>Five percent (5%) or <i>Lot 1: ₱ 1,465,101.25</i> <i>Lot 2: ₱ 2,006,535.00</i> <i>Lot 3: ₱ 503,147.50</i> <i>Lot 4: ₱ 558,371.25</i></td></tr></table> <p>* Bank issued securities must be issued by a universal/commercial bank.</p> <p>* Surety Bonds must be accompanied by a certification from Insurance Commission that issuer is authorized to issue such security.</p> <p>* Bid Securing Declaration must be notarized by a duly commissioned Notary Public.</p> | Form of Bid Security | Amount of Bid Security (Not less than the Percentage of the ABC) | Cash or cashier’s/manager’s check issued by a Universal or Commercial Bank. | Two percent (2%) or <i>Lot 1: ₱ 586,040.50</i> <i>Lot 2: ₱ 802,614.00</i> <i>Lot 3: ₱ 201,259.00</i> <i>Lot 4: ₱ 223,348.50</i> | Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank. | Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security. | Five percent (5%) or <i>Lot 1: ₱ 1,465,101.25</i> <i>Lot 2: ₱ 2,006,535.00</i> <i>Lot 3: ₱ 503,147.50</i> <i>Lot 4: ₱ 558,371.25</i> | | |
| Form of Bid Security | Amount of Bid Security (Not less than the Percentage of the ABC) | | | | | | | | | |
| Cash or cashier’s/manager’s check issued by a Universal or Commercial Bank. | Two percent (2%) or <i>Lot 1: ₱ 586,040.50</i> <i>Lot 2: ₱ 802,614.00</i> <i>Lot 3: ₱ 201,259.00</i> <i>Lot 4: ₱ 223,348.50</i> | | | | | | | | | |
| Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank. | | | | | | | | | | |
| Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security. | Five percent (5%) or <i>Lot 1: ₱ 1,465,101.25</i> <i>Lot 2: ₱ 2,006,535.00</i> <i>Lot 3: ₱ 503,147.50</i> <i>Lot 4: ₱ 558,371.25</i> | | | | | | | | | |
| 19.3 | <p>The ABC of ₱ 90,663,100.00, broken down as follows:</p> <table><tr><th>Lot No.</th><th>Offices Covered</th><th>ABC</th></tr><tr><td>1</td><td>NCR Branches and Main and Makati Buildings</td><td>₱ 29,302,025.00</td></tr><tr><td>2</td><td>Luzon Division, Branches and Service Offices</td><td>₱ 40,130,700.00</td></tr></table> | Lot No. | Offices Covered | ABC | 1 | NCR Branches and Main and Makati Buildings | ₱ 29,302,025.00 | 2 | Luzon Division, Branches and Service Offices | ₱ 40,130,700.00 |
| Lot No. | Offices Covered | ABC | | | | | | | | |
| 1 | NCR Branches and Main and Makati Buildings | ₱ 29,302,025.00 | | | | | | | | |
| 2 | Luzon Division, Branches and Service Offices | ₱ 40,130,700.00 | | | | | | | | |

98

| | | | |
|------|---|---|-----------------|
| | 3 | Visayas Division, Branches and Service Offices | ₱ 10,062,950.00 |
| | 4 | Mindanao Division, Branches and Service Offices | ₱ 11,167,425.00 |
| | Any bid with a financial component exceeding the amount per lot shall not be accepted. | | |
| 20.1 | Not Applicable. | | |
| 20.2 | <p>The Lowest Calculated Bidder shall submit the following:</p> <ol style="list-style-type: none"> 1. Registration certificate from Securities and Exchange Commission (SEC) for corporation including Articles of Incorporation and General Information Sheet (GIS), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document 2. Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas; 3. Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR) 4. Latest Audited Financial Statements 5. Latest income tax return corresponding to the Audited Financial Statements submitted, filed electronically (EFPS); 6. Quarterly VAT (business tax returns) per Revenue Regulations 3-2005 for the last six (6) months prior to the submission & opening of bids filed electronically (EFPS); | | |
| 21.1 | Not Applicable | | |

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. Advance Payment and Terms of Payment

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section VII (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Special Conditions of Contract

| | |
|------------|---|
| GCC Clause | |
| 1 | <p><u>SUPPLY, DELIVERY, AND INSTALLATION OF AIR – CONDITIONING UNITS – LOTS 1 TO 4</u></p> <p>GENERAL CONDITIONS</p> <p>The work to be done consists of complete in all details, of the Electrical and Mechanical Works, at the subject premises, and all work and materials incidental to the proper completion of the mechanical work. All works shall be in accordance with the governing Codes and Regulations and with the Specifications, except where the same shall conflict with such Codes, etc., which shall then govern. The requirements in regard to materials and workmanship specify the required standards for the furnishing of all labor, materials, and appliances necessary for the complete installation of the work specified herein and indicated on the drawings. These specifications are intended to provide a broad outline of the required services, but are not limited to include all details of design.</p> <p>In case of deviation of the given design specification and modifications and correction shall be at the look out of the contractor to make the necessary adjustment such that the desired cooling requirement can be delivered in order to attain the sufficient provision of air-conditioning system to cool the area and satisfy the operation.</p> <p>A. MECHANICAL</p> <ol style="list-style-type: none"> 1. All Indoor and Outdoor Units and its refrigerant and electrical lines shall be installed in accordance with the manufacturer’s recommendations. 2. All refrigerant line installations shall be properly welded and secured against leaks and shall be also provided with insulators, appropriate rigid supports to secure the equipment against movement that may cause any from damages to its supporting components/ parts and equipment itself. 3. All necessary accessories shall be provided to system installations to ensure safe and proper operation of the equipment. 4. All suction and discharge lines shall be insulated with Rubber Insulation Size 25mm minimum thickness. 5. Provision of Rubber Insulation with polyethylene tape for all piping lines. 6. Connect Air-conditioning Unit drains to the nearest floor drain with 25mm dia. minimum size or install new floor drain line connections, if necessary. 7. Provision of Rubber Insulation pad to the mounting of the equipment/ unit to minimize and eliminate vibrations. <p>B. ELECTRICAL</p> <ol style="list-style-type: none"> 1. All electrical materials shall be approved type and application. 2. All electrical materials shall be in accordance with the plans, specification and in compliance with the Philippine National Standards (PNS), latest edition of the Philippine Electrical Code (PEC) and applicable Local Codes/ Regulations/ Laws. 3. All roughing – in layout shall be concealed with PVC or RSC or IMC. 4. All electrical pipe-fittings and insulation shall be provided with appropriate lock nut and bushing and appropriate supports with standards intervals. 5. Feeder and sub-feeder wiring shall be provided with adequate wire marker. Panels shall be provided with directory. 6. Testing, commissioning and proper documentations shall be made prior to turn-over of the completed project. |

98

| | |
|--|---|
| | <p>VISIT TO SITE</p> <p>The Contractor is required to conduct the site inspection in order for them/him to be familiar with the existing local conditions and include all necessary incidental works and materials that will be needed on the completion of the project. The proposal shall include all necessary considerations that may affect in the execution of all works. Subsequent claim(s) on the ground of inadequate or insufficient information shall not be entertained.</p> <p>All permits required for this work shall be obtained by and at the expense of the Contractor. The Contractor shall furnish the SSS the certificates of inspection and approval from the proper government authorities after the completion of the work. The Contractor shall prepare all as-built plans and all other paperwork required by the approving authorities.</p> <p>COORDINATION</p> <p>The Contractor shall coordinate in every work with all other Contractors to whose apparatus he shall connect part of his work, and also provide in his work connections and facilities for the connection of their work. The Contractor is hereby called upon to prepare such drawings of details of his equipment, location of sleeves, inserts and supports as may be required for the assistance, and the coordination of his work with that of the existing installation. Upon demand, he shall furnish these drawings in adequate numbers for the information to all parties concerned, and shall coordinate the preparation of these drawings by consultation with other trades involved, before submitting them. The approval of such drawings will not relieve Contractor in any way from the responsibility of proper location and coordinating his work with the SSS.</p> <p>MINOR MODIFICATIONS</p> <p>The plans are diagrammatic and do not necessarily show all fittings, etc., necessary to fit the building conditions. The locations of equipment/apparatus and appliances shown on them are approximate. The Contractor shall be responsible for the proper location in order to make them fit with electrical details and instruction from the SSS at the site.</p> <p>WORKMANSHIP</p> <p>The work shall be executed in the best and most thorough manner under the direction of and to the satisfaction of the Engineers, who will jointly interpret the meaning of the drawings and specifications and shall have the power to reject any work and materials in their judgments, are not in full accordance therewith.</p> <p>The Contractor shall have on file, for ready access and reference, a set of drawings indicating all work as actually installed incorporating in same all changes and additions. Open the termination of the Contract, he shall prepare set of tracings indication therein the electrical work as actually and finally installed. These drawings shall be turned over to the SSS.</p> <p>STANDARD OF MATERIALS</p> <p>All materials shall be new and shall conform with the standards of Philippine National Standards, (PNS) or the following; Underwriter's Laboratories, Inc., ASA, IEEE, NEMA, IPCEA and ASTM in every case where such a standard has been established for the particular type of materials in question. All materials on all system shall comply with the specifications, unless specifically exempted and all materials where not specified shall be of the best of their respective kind. Samples of any materials shall be submitted for approval as required by the Owner's Representative.</p> <p>PROTECTION</p> <p>Contractor shall protect his own work from damage during and, as may be necessary after the installation; and he shall likewise protect adjoining existing installation from damage resulting from installation of this work.</p> |
|--|---|

| <p>CLEANING UP</p> <p>The Contractor shall remove all dirt, debris, rubbish and waste materials caused by him in the process of his work. He shall also remove all tools, temporary power installation, scaffolding and surplus materials after completion and acceptance of his work.</p> | | | | | | | | | | | | | | | |
|--|---|---|---------------|---|-------------------|--|--|--|--|--|--|---|---|--------------------------------------|--------------------------|
| <table border="1"> <thead> <tr> <th>Other Accessories (Materials for approval during project implementation)</th><th>Specification</th></tr> </thead> <tbody> <tr> <td>1. Pipe Insulation Rubber Insulation to all suction and discharge lines</td><td>25mmØ Thick</td></tr> <tr> <td>2. Piping accessories and consumable materials a. Insulation Tape b. Adhesive c. Welding works</td><td>White tape size 4” Contact Cement Oxy-acetylene and Silfus Rod</td></tr> <tr> <td>3. Drainage System PVC pipe and fittings</td><td>1” diameter (minimum), shall be provided with clean-out for maintenance purposes</td></tr> <tr> <td>4. Mounting Platform, Hangers and Supports a. Mounting Platform b. Hangers and Supports</td><td>Angle bar, 2” x 2” x 1/8” thick Shall be installed 6feet apart (minimum)</td></tr> <tr> <td>5. Conduits & Fittings a. 1/2inØ, 3/4inØ b. 1/2inØ, 3/4inØ</td><td>PVC Conduit for wiring connections from FCU to ACCU Liquid Tight Flexible Conduit, for wiring connections from ACCU wiring port to ECB</td></tr> <tr> <td>6. Boxes / Gutters with cover</td><td>Steel Sheet Gauge No. 16</td></tr> </tbody> </table> | | Other Accessories (Materials for approval during project implementation) | Specification | 1. Pipe Insulation Rubber Insulation to all suction and discharge lines | 25mmØ Thick | 2. Piping accessories and consumable materials a. Insulation Tape b. Adhesive c. Welding works | White tape size 4” Contact Cement Oxy-acetylene and Silfus Rod | 3. Drainage System PVC pipe and fittings | 1” diameter (minimum), shall be provided with clean-out for maintenance purposes | 4. Mounting Platform, Hangers and Supports a. Mounting Platform b. Hangers and Supports | Angle bar, 2” x 2” x 1/8” thick Shall be installed 6feet apart (minimum) | 5. Conduits & Fittings a. 1/2inØ, 3/4inØ b. 1/2inØ, 3/4inØ | PVC Conduit for wiring connections from FCU to ACCU Liquid Tight Flexible Conduit, for wiring connections from ACCU wiring port to ECB | 6. Boxes / Gutters with cover | Steel Sheet Gauge No. 16 |
| Other Accessories (Materials for approval during project implementation) | Specification | | | | | | | | | | | | | | |
| 1. Pipe Insulation Rubber Insulation to all suction and discharge lines | 25mmØ Thick | | | | | | | | | | | | | | |
| 2. Piping accessories and consumable materials a. Insulation Tape b. Adhesive c. Welding works | White tape size 4” Contact Cement Oxy-acetylene and Silfus Rod | | | | | | | | | | | | | | |
| 3. Drainage System PVC pipe and fittings | 1” diameter (minimum), shall be provided with clean-out for maintenance purposes | | | | | | | | | | | | | | |
| 4. Mounting Platform, Hangers and Supports a. Mounting Platform b. Hangers and Supports | Angle bar, 2” x 2” x 1/8” thick Shall be installed 6feet apart (minimum) | | | | | | | | | | | | | | |
| 5. Conduits & Fittings a. 1/2inØ, 3/4inØ b. 1/2inØ, 3/4inØ | PVC Conduit for wiring connections from FCU to ACCU Liquid Tight Flexible Conduit, for wiring connections from ACCU wiring port to ECB | | | | | | | | | | | | | | |
| 6. Boxes / Gutters with cover | Steel Sheet Gauge No. 16 | | | | | | | | | | | | | | |
| <p><u>SCOPE OF WORK –</u></p> <table border="1"> <thead> <tr> <th colspan="2">FOR LOT 1</th></tr> </thead> <tbody> <tr> <td>A.</td><td>MECHANICAL</td></tr> <tr> <td>1.</td><td>All works shall be properly coordinated with SSS Representative/s</td></tr> <tr> <td>2.</td><td>Any works and materials specification changes shall be discussed prior to the approval of SSS Representative/s</td></tr> <tr> <td>3.</td><td>Dismantling of all air-conditioning units to be replaced and hauling to the designated areas of authorized SSS Representatives. Inventory of pulled out items/materials/devices/equipment shall be prepared and submitted to the SSS representative/s as part of the service reports documentations.</td></tr> <tr> <td>4.</td><td>Supply, delivery and installation of Thirty – Four (34) 5TR/6HP Floor Mounted Split – type Inverter AC at the following locations: <ul style="list-style-type: none"> - ID Capture, MSS and AMS in New Panaderos Branch (3 sets) - MEC, PACD and Teller Section in Pasig – Pioneer Branch (3 sets) - Seating Area, MSS Backroom MSS and Teller Section in Manila Branch (4 sets) - Admin Section in Tondo Branch (1 set) - AMS and Admin Section in Welcome Branch (2 sets) - AMS in Makati – Gil Puyat Branch (1 set) - Makati PC in Makati Building (3 sets) </td></tr> </tbody> </table> | | FOR LOT 1 | | A. | MECHANICAL | 1. | All works shall be properly coordinated with SSS Representative/s | 2. | Any works and materials specification changes shall be discussed prior to the approval of SSS Representative/s | 3. | Dismantling of all air-conditioning units to be replaced and hauling to the designated areas of authorized SSS Representatives. Inventory of pulled out items/materials/devices/equipment shall be prepared and submitted to the SSS representative/s as part of the service reports documentations. | 4. | Supply, delivery and installation of Thirty – Four (34) 5TR/6HP Floor Mounted Split – type Inverter AC at the following locations: <ul style="list-style-type: none"> - ID Capture, MSS and AMS in New Panaderos Branch (3 sets) - MEC, PACD and Teller Section in Pasig – Pioneer Branch (3 sets) - Seating Area, MSS Backroom MSS and Teller Section in Manila Branch (4 sets) - Admin Section in Tondo Branch (1 set) - AMS and Admin Section in Welcome Branch (2 sets) - AMS in Makati – Gil Puyat Branch (1 set) - Makati PC in Makati Building (3 sets) | | |
| FOR LOT 1 | | | | | | | | | | | | | | | |
| A. | MECHANICAL | | | | | | | | | | | | | | |
| 1. | All works shall be properly coordinated with SSS Representative/s | | | | | | | | | | | | | | |
| 2. | Any works and materials specification changes shall be discussed prior to the approval of SSS Representative/s | | | | | | | | | | | | | | |
| 3. | Dismantling of all air-conditioning units to be replaced and hauling to the designated areas of authorized SSS Representatives. Inventory of pulled out items/materials/devices/equipment shall be prepared and submitted to the SSS representative/s as part of the service reports documentations. | | | | | | | | | | | | | | |
| 4. | Supply, delivery and installation of Thirty – Four (34) 5TR/6HP Floor Mounted Split – type Inverter AC at the following locations: <ul style="list-style-type: none"> - ID Capture, MSS and AMS in New Panaderos Branch (3 sets) - MEC, PACD and Teller Section in Pasig – Pioneer Branch (3 sets) - Seating Area, MSS Backroom MSS and Teller Section in Manila Branch (4 sets) - Admin Section in Tondo Branch (1 set) - AMS and Admin Section in Welcome Branch (2 sets) - AMS in Makati – Gil Puyat Branch (1 set) - Makati PC in Makati Building (3 sets) | | | | | | | | | | | | | | |

48

| | |
|-----|---|
| | <ul style="list-style-type: none">- RM Hall (4), CDPRD, MSD (3), Library (4), Musuem (4) and Diliman PC (2) in Main Office (17 sets) |
| 5. | Supply, delivery and installation of Forty – Five (45) 3TR/4HP Floor Mounted Split – type Inverter AC at the following locations: <ul style="list-style-type: none">- PACD, ID Capture and MSS (2) in Batasan Hills Branch (4 sets)- MSS and AMS (2) in Deparo Branch (3 sets)- MSS and Teller Section in Fairview Branch (2 sets)- Replacement of all units in Navotas Branch (7 sets)- AMS and MSS in Mandaluyong – Shaw Branch (2 sets)- AMS (2) and Corporate Lane in New Panaderos Branch (3 sets)- Seating Area (2), SSSET and MSS Backroom in Tanay Branch (4 sets)- MEC in Manila Branch- MSS in Pasay – Taft Branch (2 sets)- AMS in Tondo Branch- MSS in Alabang – Zapote Branch (2 sets)- AMS and Teller Section in Makati – Chino Roces Branch (2 sets)- AMS and Teller Section in Makati – JP Rizal Branch (2 sets)- ID Capture, e – Center, AMS and Seating Area (2) in Parañaque Branch (5 sets)- EFMD, Makati PC (2), OVP – NCR South Division and 11th Floor in SSS Makati Building (5 sets) |
| 6. | Supply, delivery and installation of Three (3) 3TR/4HP Ceiling Mounted Split – type Inverter AC at 12 th Floor in Makati Building |
| 7. | Supply, delivery and installation of Ten (10) 2TR/2.5HP Ceiling Mounted Split – type Inverter AC at 11 th and 12 th Floors of Makati Building |
| 8. | Supply, delivery and installation of Six (6) 2.5HP Wall Mounted Split – type Inverter AC at the following locations: <ul style="list-style-type: none">- AMS and MSS Backroom in Pasig Pioneer Branch (2 sets)- 11th and 12th Floor in Makati Building (2 sets)- DCOD and OSVP – ITMG in Main Office Building (2 sets) |
| 9. | Supply, delivery and installation of Eight (8) 2HP Wall Mounted Split – type Inverter AC at the following locations: <ul style="list-style-type: none">- OBH and Conference Room in Navotas Branch (2 sets)- OBH and Conference Room in Tanay Branch (2 sets)- OBH in Manila Branch- OBH in Makati – JP Rizal- OBH and Conference Room in Parañaque Branch (2 sets) |
| 10. | Supply, delivery and installation of One Hundred Eight (108) 2HP Window-type Inverter Room AC at the following locations: <ul style="list-style-type: none">- Pateros Service Office- Teller Section in Pasay – Taft Branch- EE Room in Alabang – Muntinlupa Branch- EFMD in Makati Building (5 sets)- Main Office Building (100 sets) |
| 11. | The ACCU and FCU shall be properly installed on a steel pedestal/platform base complete with vibration isolating medium like neoprene rubber pad |
| 12. | Supply and installation of brand new refrigerant pipes, rubber insulation, suitable valves and fittings, rigid supports and other standard accessories essential to the piping system |

| | | |
|--|-----------|--|
| | 13. | Thoroughly flush and purge the system using refrigerant flushing agents appropriate for the desired application. Leak testing the refrigerant piping system as recommended by the manufacturer. |
| | 14. | The refrigerant system must be applied with pressure (-) 30mm Hg before charging it with refrigerant per manufacturer's instruction |
| | 15. | Final charging of the refrigerant must be applied to the system up to 250psig at high side and 60psig at low side or as manufacturer's recommendation |
| | 16. | Pipe runs shall be supported with rigid supports every two (2) meter interval (minimum) with appropriate brackets, rubber bushing and hangers, suitable for the installation and anchored with U-bolt fittings |
| | 17. | Replacement of exposed drain lines from the Fan Coil Units and shall be tapped to the existing drain lines. De-clogging shall be done to eliminate foreign objects in the existing drain lines. For brand new units, drain lines to be installed shall be embedded and shall be with independent discharge headers dedicated for air-con drain only. Brand new drain lines may be tapped to the nearest rain drainage system. All drain system shall be equipped with appropriate clean-out and fittings, rigidly anchored with independent hangers and supports. |
| | 18. | Supply and installation of other essential, miscellaneous and incidental materials to complete the project |
| | 19. | All areas affected during implementation of the project by chipping, dismantling works and other related activities shall be restored to original aesthetic condition at the owner's satisfaction and to the sole account of the contractor |
| | 20. | Tools, testing equipment and instruction manuals and reference materials shall be provided prior to the proper Testing and Commissioning of the completed system. Test result shall be submitted to the Building Owner Representative. |
| | 21. | The supplier shall be responsible for repairs, periodic maintenance including semi – annual cleaning and servicing, check – up of the supplied A/C units for the entire duration of the warranty period. |
| | 22. | Preparation and submission of delivery receipts, sales invoice, original JO/ PO, as-built plans, installation and operation manuals, brochures, and the start-up test result and other documents required in the project. The submitted as-built plans showing the mechanical load schedule, and the start-up test result, shall be used as cross references in validating the actual length of refrigerant piping with complementary peripherals accessories installed the same shall be the basis of establishing the proportionate calculation of the applicable additive and or deductive complementary to the provision under SCC 2.2,3, page 29 of this PBD. |
| | B. | ELECTRICAL |
| | 1. | All works shall be properly coordinated with BSSD or SSS representative/s |
| | 2. | Supply and installation of the new feeder line from Air-Cooled Condensing Units (ACCU) to Air-con Power Panel for proposed units and from Enclosed Circuit Breakers (ECB) to ACCU for replacement units. |
| | 3. | Supply and installation of wiring and roughing-ins for power circuits and corresponding field wiring and controls from indoor to outdoor units including its controller switch for all units. |
| | 4. | Supply and installation of brand new ECB's and circuit breakers (CB) for the following: <ul style="list-style-type: none"> - ECB for all Split – Type AC units - CB for One (1) 3TR/4HP AC unit at Mandaluyong – Shaw Branch - CB for Ten (10) 5TR/6HP AC units at Main Office Building |

98

| | |
|-----|--|
| 5. | Use Liquid Tight Flexible conduit with appropriate wiring, fittings and supports from ECB towards the ACCU terminal/tapping lines |
| 6. | Electrical panels/enclosures, conduits, boxes shall be designed according to its intended design/purpose and application with appropriate supports and fittings and shall be rigidly secured using appropriate materials. Panel directory shall be properly labeled. |
| 7. | All areas affected during implementation of the project by chipping, dismantling works and other related activities shall be restored to original condition at the owner's satisfaction and to the sole account of the contractor |
| 8. | Perform megger testing of new and old lines to ensure safety against grounding or fault condition and submit test results. Implement rectification or troubleshooting if lines are found faulty |
| 9. | All dismantled equipment, materials, refrigerant piping and conduit layout, wiring and other essential accessories shall be properly turned over to the owner for proper safe keeping or disposition |
| 10. | The bidders are encouraged to conduct site inspection to verify the actual site condition and the proposed location of ACCUs and FCUs. |

SCOPE OF WORKS –

| FOR LOT 2 | |
|-----------|--|
| A. | MECHANICAL |
| 1. | All works shall be properly coordinated with SSS Representative/s |
| 2. | Any works and materials specification changes shall be discussed prior to the approval of SSS Representative/s |
| 3. | Dismantling of all air-conditioning units to be replaced and hauling to the designated areas of authorized SSS Representatives. Inventory of pulled out items/materials/devices/equipment shall be prepared and submitted to the SSS representative/s as part of the service reports documentations. |
| 4. | Supply, delivery and installation of Four (4) 7.5TR Floor Mounted Split – type AC of the following locations: <ul style="list-style-type: none"> - Info Counter and ID Capture in San Pablo Branch (2 sets) - Teller Section and RIMS in Naga Branch (2 sets) |
| 5. | Supply, delivery and installation of Thirty – Five (35) 5TR/6HP Floor Mounted Split – type Inverter AC of the following locations: <ul style="list-style-type: none"> - AMS, ID Capture Area and Teller Section in La Union Branch (3 sets) - MSS in Alaminos Branch (2 sets) - MEC, Teller Section, Seating Area and MSS in Dagupan Branch (4 sets) - Legal Department (2), Admin Section and HAAMS in Tarlac Branch (4 sets) - e – Center in Meycauayan Branch - Teller Section and e – Center in Pampanga Branch (2 sets) - MSS Backroom and Teller Section in Bacoor Branch (2 sets) - MSS and Backroom Calamba Branch (2 sets) - MEC, MSS (4) Teller Section in Lucena Branch (6 sets) - MSS (2), PACD, Conference Room and AGAS in San Pablo Branch (5 sets) - MSS and Seating Area in Batangas Branch (2 sets) - MSS in Legazpi Branch (2 sets) |

98

| | | | |
|--|-----|---|--|
| | 6. | <p>Supply, delivery and installation of One Hundred Nine (109) 3TR/4HP Floor Mounted Split – type Inverter AC of the following locations:</p> <ul style="list-style-type: none"> - MSS in Bangued Branch - AMS in Bontoc Branch - MSS (2) and AMS in Laoag Branch (3 sets) - SSSET, OVP (2), Legal Department (2), AMS and MSS (2) in Cauayan Branch (8 sets) - e – Center in Ilagan Branch - MSS (3) and AMS (2) in Alaminos Branch (5 sets) - e – Center and MSS (2) in Balanga Branch (3 sets) - MSS Backroom, Corporate Lane, AMS (2) and Admin Section in Dagupan Branch (5 sets) - MSS and Teller Section in Iba Branch (2 sets) - Teller Section, e – Center and ID Capture in Tarlac Branch (3 sets) - ABH Area and Teller Section in Malolos Branch (2 sets) - Admin Section in Meycauayan Branch - MSS, MEC and MSS Backroom in Olongapo Branch (3 sets) - MEC in Pampanga Branch - Teller Section and MSS Backroom in Sta. Maria Branch (2 sets) - MSS (2), ID Capture and MSS Lobby in Biñan Branch (4 sets) - Admin Section in Calamba Branch - AMS, MSS (2), Info Counter and e – Center in Dasmariñas Branch (5 sets) - MSS in Infanta Branch - AMS (2), e – Center and ABH Area in Lucena Branch (4 sets) - MSS (2), AMS and MSS Backroom in Rosario Branch (4 sets) - MSS in San Pablo Branch - AMS and MSS (2) in Tagaytay Branch (3 sets) - Seating Area (3), MSS, Teller Section, Admin (2) and OVP in Batangas Branch (8 sets) - Admin Section and Seating Area in Boac Branch (2 sets) - Replacement of all units in Lemery Branch (7 sets) - AMS and Teller Section in Odiongan Branch (2 sets) - MOD, Info Counter, e – Center, MSS Backroom, Seating Area (3), AMS, Admin Section in Puerto Princesa Branch (9 sets) - Replacement of all units in Daet Branch (7 sets) - Lobby in Goa Service Office - Jose Panganiban Service Office (2 sets) - MSS in Legazpi Branch - MSS in Ligao Service Office - ABH Area and Processing Center in Naga Branch (2 sets) - Admin Section and AMS in Sorsogon Branch (2 sets) - Teller Section in Virac Branch | |
| | 7. | Supply, delivery and installation of Five (5) 3TR/4HP Ceiling Cassette Split – type Inverter at MSS in Urdaneta Branch | |
| | 8. | Supply, delivery and installation of One (1) 2.5TR/3HP Ceiling Mounted Split – type Inverter AC at Seating Area of Balanga Branch | |
| | 9. | Supply, delivery and installation of One (1) 2.5TR/3HP Wall Mounted Split – type Inverter AC at MSS of San Pablo Branch | |
| | 10. | <p>Supply, delivery and installation of Four (4) 2TR/2.5HP Ceiling Mounted Split – type Inverter AC at the following locations:</p> <ul style="list-style-type: none"> - MEC in Lucena Branch - MEC and OBH (2) in San Pablo Branch (3 sets) | |

| | | |
|--|-----|--|
| | 11. | Supply, delivery and installation of Twenty (20) 2.5HP Wall Mounted Split-type Inverter AC at the following locations: <ul style="list-style-type: none"> - Legal Department (3), COA and 4th Floor (2) in Baguio Branch (6 sets) - OBH in Candon Branch - MEC in Laoag Branch - OBH in San Carlos, Pangasinan Branch - MSS in Pampanga Branch - MSS, MEC and OVP Conference Room in Batangas Branch (3 sets) - AMS and Teller Section in Boac Branch (2 sets) - OBH, Conference Room and Electrical Room in Lemery Branch (3 sets) - Admin Section in Odiongan Branch - MSS Head in Masbate Branch |
| | 12. | Supply, delivery and installation of One (1) 2HP Ceiling Mounted Split-type Inverter AC at MEC in Balanga Branch |
| | 13. | Supply, delivery and installation of Ten (10) 2HP Wall Mounted Split-type Inverter AC at the following locations: <ul style="list-style-type: none"> - Legal Department and OBH in Tarlac Branch (2 sets) - Conference Room and OBH in Meycauayan Branch (2 sets) - ARMS in Pampanga Branch - Conference Room and OBH in Puerto Princesa Branch (2 sets) - Teller Section in Masbate Branch - e – Center and OBH in Tabaco Branch (2 sets) |
| | 14. | Supply, delivery and installation of Seven (7) 1.5HP Wall Mounted Split-type Inverter AC at the following locations: <ul style="list-style-type: none"> - Conference Room in Cauayan Branch - Conference Room and OBH in Alaminos Branch (2 sets) - OBH in Dagupan Branch - Electrical Room in Bacoar Branch - OBH in Daet Branch - OBH in Naga Branch |
| | 15. | Supply, delivery and installation of One (1) 2.5HP Window-type Inverter Room AC at Teller Section of Balanga Branch |
| | 16. | Supply, delivery and installation of Twenty – Five (25) 2HP Window-type Inverter Room AC at the following locations: <ul style="list-style-type: none"> - Aparri Service Office - Sanchez Mira Service Office - Dasol Service Office - Teller Section in Balanga Branch - MEC and OBH in Cabanatuan Branch (2sets) - Electrical Room in Dagupan Branch - Conference Room and OBH in Iba Branch (2 sets) - MSS and Info Counter in Infanta Branch (2 sets) - OBH in Boac Branch - Bongabong Service Office - Brooke’s Point Service Office - Taytay Service Office - AMS in Goa Service Office - Lobby and AMS in Iriga Branch (2 sets) - OBH, ABH Area, OVP and MSS Backroom in Legazpi Branch (4 sets) - Conference Room in Naga Branch (2) - Sta. Elena Service Office |
| | 17. | The ACCU and FCU shall be properly installed on a steel pedestal/platform base complete with vibration isolating medium like neoprene rubber pad |
| | 18. | Supply and installation of brand new refrigerant pipes, rubber insulation, suitable valves and fittings, rigid supports and other standard accessories essential to the |

| | | |
|-----------|--|---------------|
| | | piping system |
| 19. | Thoroughly flush and purge the system using refrigerant flushing agents appropriate for the desired application. Leak testing the refrigerant piping system as recommended by the manufacturer | |
| 20. | The refrigerant system must be applied with pressure (-) 30mm Hg before charging it with refrigerant per manufacturer's instruction | |
| 21. | Final charging of the refrigerant must be applied to the system up to 250psig at high side and 60psig at low side or as manufacturer's recommendation | |
| 22. | Pipe runs shall be supported with rigid supports every two (2) meter interval (minimum) with appropriate brackets, rubber bushing and hangers, suitable for the installation and anchored with U-bolt fittings | |
| 23. | Replacement of exposed drain lines from the Fan Coil Units and shall be tapped to the existing drain lines. De-clogging shall be done to eliminate foreign objects in the existing drain lines. For brand new units, drain lines to be installed shall be embedded and shall be with independent discharge headers dedicated for air-con drain only. Brand new drain lines may be tapped to the nearest rain drainage system. All drain system shall be equipped with appropriate clean-out and fittings, rigidly anchored with independent hangers and supports. | |
| 24. | Supply and installation of other essential, miscellaneous and incidental materials to complete the project | |
| 25. | All areas affected during implementation of the project by chipping, dismantling works and other related activities shall be restored to original aesthetic condition at the owner’s satisfaction and to the sole account of the contractor | |
| 26. | Tools, testing equipment and instruction manuals and reference materials shall be provided prior to the proper Testing and Commissioning of the completed system. Test result shall be submitted to the Building Owner Representative. | |
| 27. | The supplier shall be responsible for repairs, periodic maintenance including semi – annual cleaning and servicing, check – up of the supplied A/C units for the entire duration of the warranty period | |
| 28. | Preparation and submission of delivery receipts, sales invoice, original JO/ PO, as-built plans, installation and operation manuals, brochures, and the start-up test result and other documents required in the project. The submitted as-built plans showing the mechanical load schedule, and the start-up test result, shall be used as cross references in validating the actual length of refrigerant piping with complementary peripherals accessories installed the same shall be the basis of establishing the proportionate calculation of the applicable additive and or deductive complementary to the provision under SCC 2.2,3, page 29 of this PBD. | |
| B. | ELECTRICAL | |
| 1. | All works shall be properly coordinated with SSS representative/s | |
| 2. | Supply and installation of the new feeder line from Air-Cooled Condensing Units (ACCU) to Air-con Power Panel for proposed units and from Enclosed Circuit Breakers (ECB) to ACCU for replacement units | |
| 3. | Supply and installation of wiring and roughing-ins for power circuits and corresponding field wiring and controls from indoor to outdoor units including its controller switch for all units | |

98

| | |
|-----|---|
| 4. | Supply and installation of brand new ECB's and circuit breakers (CB) for the following: <ul style="list-style-type: none"> - ECB for all Split – Type AC units - CB for One (1) 5TR/6HP AC unit at Pampanga Branch - CB for Five (5) 3TR/4HP AC units at Urdaneta Branch - CB for Fifteen (15) 2.5HP AC units at Baguio, Laoag, Pampanga, Batangas and Boac Branches - CB for One (1) 1.5HP AC unit at Bacoor Branch |
| 5. | Use Liquid Tight Flexible conduit with appropriate wiring, fittings and supports from ECB towards the ACCU terminal/tapping lines |
| 6. | Electrical panels/enclosures, conduits, boxes shall be designed according to its intended design/purpose and application with appropriate supports and fittings and shall be rigidly secured using appropriate materials. Panel directory shall be properly labeled. |
| 7. | All areas affected during implementation of the project by chipping, dismantling works and other related activities shall be restored to original condition at the owner's satisfaction and to the sole account of the contractor |
| 8. | Perform megger testing of new and old lines to ensure safety against grounding or fault condition and submit test results. Implement rectification or troubleshooting if lines are found faulty |
| 9. | All dismantled equipment, materials, refrigerant piping and conduit layout, wiring and other essential accessories shall be properly turned over to the owner for proper safe keeping or disposition |
| 10. | The bidders are encouraged to conduct site inspection to verify the actual site condition and the proposed location of ACCUs and FCUs. |

SCOPE OF WORKS –

| FOR LOT 3 | |
|-----------|--|
| A. | MECHANICAL |
| 1. | All works shall be properly coordinated with SSS Representative/s |
| 2. | Any works and materials specification changes shall be discussed prior to the approval of SSS Representative/s |
| 3. | Dismantling of all air-conditioning units to be replaced and hauling to the designated areas of authorized SSS representatives. Inventory of pulled out items/materials/devices/equipment shall be prepared and submitted to the SSS representative/s as part of the service reports documentations. |
| 4. | Supply, delivery and installation of Three (3) 7.5TR Ceiling Concealed Split – type AC including connection to the existing ducting system at MEC, Teller Section and Cebu Processing Center (PC) |
| 5. | Supply, delivery and installation of One (1) 5TR/6HP Ceiling Concealed Inverter Split – type AC including connection to the existing ducting system at RIMS in Cebu Branch |
| 6. | Supply, delivery and installation of Two (2) 5TR/6HP Floor Mounted Split – type Inverter AC at Teller Section and e – Center in Tagbilaran Branch |
| 7. | Supply, delivery and installation of One (1) 4TR/5HP Ceiling Mounted Split – type Inverter AC at the Chapel of Cebu Branch |

48

| | |
|-----|---|
| 8. | Supply, delivery and installation of Eleven (11) 3TR/4HP Floor Mounted Split – type Inverter AC at the following locations: <ul style="list-style-type: none"> - PACD and MSS in Talisay Branch (2 sets) - Admin Section, PACD and MSS in Toledo Branch (3 sets) - Second Floor of Maasin Branch (2 sets) - AMS in Tacloban Branch - MSS in Antique Branch (2 sets) - Boracay Service Office |
| 9. | Supply, delivery and installation of Two (2) 3TR/4HP Ceiling Mounted Split – type Inverter AC at the OBH and Admin Section in Lapu – Lapu Branch |
| 10. | Supply, delivery and installation of Nineteen (19) 3TR Floor Mounted Split – type AC at the following locations: <ul style="list-style-type: none"> - MSS (2), OVP, Annex Building (3), e – Center, ARMS and RIMT in Bacolod Branch (9 sets) - Backroom in Bayawan Service Office - MSS (3), ID Capture and AMS in Sagay Branch (5 sets) - MSS (3) and Admin Section in Victorias Branch (4 sets) |
| 11. | Supply, delivery and installation of Four (4) 3TR/4HP Ceiling Cassette Split – type Inverter AC at the following locations: <ul style="list-style-type: none"> - Cebu PC (2 sets) - MSS and e – Center in Iloilo – Central Branch (2 sets) |
| 12. | Supply, delivery and installation of Two (2) 3TR Ceiling Mounted Split – type AC at MSS and MEC in Sagay Branch |
| 13. | Supply, delivery and installation of Three (3) 2.5HP Wall Mounted Inverter Split – type AC at the following locations: <ul style="list-style-type: none"> - AMS in Cebu Branch - OBH and Conference Room in Roxas Branch (2 sets) |
| 14. | Supply, delivery and installation of One (1) 2.5HP Ceiling Cassette Inverter Split – type AC at the Conference Room in Lapu – Lapu Branch |
| 15. | Supply, delivery and installation of One (1) 2.5HP Wall Mounted Split – type AC at the OVP in Bacolod Branch |
| 16. | Supply, delivery and installation of Five (5) 2HP Wall Mounted Inverter Split – type AC at the following locations: <ul style="list-style-type: none"> - OBH in Maasin Branch - OBH, Admin Section, ABH Room and MSS Head in Tacloban Branch (4 sets) |
| 17. | Supply, delivery and installation of Three (3) 2HP Wall Mounted Split – type AC at the following locations: <ul style="list-style-type: none"> - MSS in Bacolod Branch - OBH and Conference Room in Bacolod East Branch (2 sets) |
| 18. | Supply, delivery and installation of One (1) 2.5HP Window – type Inverter Room AC at Bogo Branch |
| 19. | Supply, delivery and installation of One (1) 2HP Window – type Inverter Room AC at Electrical Room in Ormoc Branch |
| 20. | Supply, delivery and installation of Two (2) 2HP Window – type Room AC at OBH and Conference Room in Sagay Branch |
| 21. | The ACCU and FCU shall be properly installed on a steel pedestal/platform base complete with vibration isolating medium like neoprene rubber pad |

| | | |
|--|-----------|--|
| | 22. | Supply and installation of brand new refrigerant pipes, rubber insulation, suitable valves and fittings, rigid supports and other standard accessories essential to the piping system |
| | 23. | Thoroughly flush and purge the system using refrigerant flushing agents appropriate for the desired application. Leak testing the refrigerant piping system as recommended by the manufacturer. |
| | 24. | The refrigerant system must be applied with pressure (-) 30mm Hg before charging it with refrigerant per manufacturer's instruction |
| | 25. | Final charging of the refrigerant must be applied to the system up to 250psig at high side and 60psig at low side or as manufacturer's recommendation |
| | 26. | Pipe runs shall be supported with rigid supports every two (2) meter interval (minimum) with appropriate brackets, rubber bushing and hangers, suitable for the installation and anchored with U-bolt fittings |
| | 27. | Replacement of exposed drain lines from the Fan Coil Units and shall be tapped to the existing drain lines. De-clogging shall be done to eliminate foreign objects in the existing drain lines. For brand new units, drain lines to be installed shall be embedded and shall be with independent discharge headers dedicated for air-con drain only. Brand new drain lines may be tapped to the nearest rain drainage system. All drain system shall be equipped with appropriate clean-out and fittings, rigidly anchored with independent hangers and supports. |
| | 28. | Supply and installation of other essential, miscellaneous and incidental materials to complete the project |
| | 29. | All areas affected during implementation of the project by chipping, dismantling works and other related activities shall be restored to original aesthetic condition at the owner's satisfaction and to the sole account of the contractor |
| | 30. | Tools, testing equipment and instruction manuals and reference materials shall be provided prior to the proper Testing and Commissioning of the completed system. Test result shall be submitted to the Building Owner Representative. |
| | 31. | The supplier shall be responsible for repairs, periodic maintenance including semi – annual cleaning and servicing, check – up of the supplied A/C units for the entire duration of the warranty period |
| | 32. | Preparation and submission of delivery receipts, sales invoice, original JO/ PO, as-built plans, installation and operation manuals, brochures, and the start-up test result and other documents required in the project. The submitted as-built plans showing the mechanical load schedule, and the start-up test result, shall be used as cross references in validating the actual length of refrigerant piping with complementary peripherals accessories installed the same shall be the basis of establishing the proportionate calculation of the applicable additive and or deductive complementary to the provision under SCC 2.2,3, page 29 of this PBD. |
| | B. | ELECTRICAL |
| | 1. | All works shall be properly coordinated with EFMD or SSS representative/s |
| | 2. | Supply and installation of the new feeder line from Air-Cooled Condensing Units (ACCU) to Air-con Power Panel for proposed units and from Enclosed Circuit Breakers (ECB) to ACCU for replacement units |
| | 3. | Supply and installation of wiring and roughing-ins for power circuits and corresponding field wiring and controls from indoor to outdoor units including its controller switch for all units |
| | 4. | Supply and installation of brand new ECB's and circuit breakers (CB) for the following: |

48

| | |
|-----|--|
| | <ul style="list-style-type: none"> - ECB for all Split – Type AC units - CB for Two (2) 3TR/4HP AC units - CB for Two (2) 2.5HP AC units - CB for Two (2) 2HP AC units |
| 5. | Use Liquid Tight Flexible conduit with appropriate wiring, fittings and supports from ECB towards the ACCU terminal/tapping lines |
| 6. | Electrical panels/enclosures, conduits, boxes shall be designed according to its intended design/purpose and application with appropriate supports and fittings and shall be rigidly secured using appropriate materials. Panel directory shall be properly labeled. |
| 7. | All areas affected during implementation of the project by chipping, dismantling works and other related activities shall be restored to original condition at the owner’s satisfaction and to the sole account of the contractor |
| 8. | Perform megger testing of new and old lines to ensure safety against grounding or fault condition and submit test results. Implement rectification or troubleshooting if lines are found faulty |
| 9. | All dismantled equipment, materials, refrigerant piping and conduit layout, wiring and other essential accessories shall be properly turned over to the owner for proper safe keeping or disposition |
| 10. | The bidders are encouraged to conduct site inspection to verify the actual site condition and the proposed location of ACCUs and FCUs. |

SCOPE OF WORKS –

| FOR LOT 4 | |
|-----------|---|
| A. | MECHANICAL |
| 1. | All works shall be properly coordinated with SSS Representative/s |
| 2. | Any works and materials specification changes shall be discussed prior to the approval of SSS Representative/s |
| 3. | Dismantling of all air-conditioning units to be replaced and hauling to the designated areas of authorized SSS Representatives. Inventory of pulled out items/materials/devices/equipment shall be prepared and submitted to the SSS representative/s as part of the service reports documentations. |
| 4. | Supply, delivery and installation of Four (4) 5TR/6HP Floor Mounted Split – type Inverter AC at the following locations: <ul style="list-style-type: none"> - MEC in Cagayan de Oro Branch - RIMS, RPD and Seating Area in Davao Branch (3 sets) |
| 5. | Supply, delivery and installation of Thirty – Three (33) 3TR/4HP Floor Mounted Split – type Inverter AC at the following locations: <ul style="list-style-type: none"> - AMS, Teller Section (3) and MSS (2) in Butuan Branch (6 sets) - ABH Room and UPS Room in Cagayan de Oro Branch (2 sets) - SSSET, e – Center, ID Capture, Seating Area (3) AMS and Admin Section in CDO – Lapasan Branch (8 sets) - Marawi Service Office - Replacement of all units in San Francisco, Agusan Branch (6 sets) - RIMS, RIMS PC and ID Capture in Davao Branch (3 sets) - MSS in Davao – Ilustre Branch (2 sets) - AMS and Corporate Lane in Tagum Branch (2 sets) - MSS, e – Center and AMS in General Santos City Branch (3 sets) |

48

| | | |
|--|-----|--|
| | 6. | Supply, delivery and installation of Nine (9) 3TR Floor Mounted Split-type AC at the following locations: <ul style="list-style-type: none"> - Basilan Service Office (2 sets) - Jolo Service Office (2 sets) - Tawi – Tawi Service Office - MSS (3) and AGAS in Zamboanga Branch (4 sets) |
| | 7. | Supply, delivery and installation of One (1) 2HP Wall Mounted Inverter Split – type AC at MEC in Cagayan de Oro Branch |
| | 8. | Supply, delivery and installation of Two (2) 2HP Wall Mounted Split – type AC at Dipolog Branch |
| | 9. | Supply, delivery and installation of Two (2) 1.5HP Wall Mounted Inverter Split – type AC at the following locations: <ul style="list-style-type: none"> - Teller Head in Cagayan de Oro Branch - ID Records Room in Davao Branch |
| | 10. | Supply, delivery and installation of Ten (10) 2.5HP Window – type Room AC at the following locations: <ul style="list-style-type: none"> - Jolo Service Office - Tawi – Tawi Service Office (2 sets) - Teller Section (2), Conference Room, OVP (3) and Legal Department in Zamboanga Branch (7 sets) |
| | 11. | Supply, delivery and installation of Four (4) 2HP Window – type Inverter Room AC at the following locations: <ul style="list-style-type: none"> - Admin Section and Panabo Branch (2 sets) - Maragusan Service Office - MSS Head in Koronadal Branch |
| | 10. | Supply, delivery and installation of Twenty – Nine (29) 2HP Window – type Room AC at the following locations: <ul style="list-style-type: none"> - Basilan Service Office (3 sets) - Dipolog Branch Office (4 sets) - MSS, ID Capture, e – Center, AMS (3), Admin Section, UPS Room, MEC, RIMT (3), OVP, AGAS (3), HAAMS (2), RIMS (3), Legal Department in Zamboanga Branch (22 sets) |
| | 11. | The ACCU and FCU shall be properly installed on a steel pedestal/platform base complete with vibration isolating medium like neoprene rubber pad |
| | 12. | Supply and installation of brand new refrigerant pipes, rubber insulation, suitable valves and fittings, rigid supports and other standard accessories essential to the piping system |
| | 13. | Thoroughly flush and purge the system using refrigerant flushing agents appropriate for the desired application. Leak testing the refrigerant piping system as recommended by the manufacturer |
| | 14. | The refrigerant system must be applied with pressure (-) 30mm Hg before charging it with refrigerant per manufacturer's instruction |
| | 15. | Final charging of the refrigerant must be applied to the system up to 250psig at high side and 60psig at low side or as manufacturer's recommendation |
| | 16. | Pipe runs shall be supported with rigid supports every two (2) meter interval (minimum) with appropriate brackets, rubber bushing and hangers, suitable for the installation and anchored with U-bolt fittings |

| | | |
|--|-----------|--|
| | 17. | Replacement of exposed drain lines from the Fan Coil Units and shall be tapped to the existing drain lines. De-clogging shall be done to eliminate foreign objects in the existing drain lines. For brand new units, drain lines to be installed shall be embedded and shall be with independent discharge headers dedicated for air-con drain only. Brand new drain lines may be tapped to the nearest rain drainage system. All drain system shall be equipped with appropriate clean-out and fittings, rigidly anchored with independent hangers and supports. |
| | 18. | Supply and installation of other essential, miscellaneous and incidental materials to complete the project |
| | 19. | All areas affected during implementation of the project by chipping, dismantling works and other related activities shall be restored to original aesthetic condition at the owner's satisfaction and to the sole account of the contractor |
| | 20. | Tools, testing equipment and instruction manuals and reference materials shall be provided prior to the proper Testing and Commissioning of the completed system. Test result shall be submitted to the Building Owner Representative. |
| | 21. | The supplier shall be responsible for repairs, periodic maintenance including semi – annual cleaning and servicing, check – up of the supplied A/C units for the entire duration of the warranty period |
| | 22. | Preparation and submission of delivery receipts, sales invoice, original JO/ PO, as-built plans, installation and operation manuals, brochures, and the start-up test result and other documents required in the project. The submitted as-built plans showing the mechanical load schedule, and the start-up test result, shall be used as cross references in validating the actual length of refrigerant piping with complementary peripherals accessories installed the same shall be the basis of establishing the proportionate calculation of the applicable additive and or deductive complementary to the provision under SCC 2.2,3, page 29 of this PBD. |
| | B. | ELECTRICAL |
| | 1. | All works shall be properly coordinated with SSS representative/s |
| | 2. | Supply and installation of the new feeder line from Air-Cooled Condensing Units (ACCU) to Air-con Power Panel for proposed units and from Enclosed Circuit Breakers (ECB) to ACCU for replacement units |
| | 3. | Supply and installation of wiring and roughing-ins for power circuits and corresponding field wiring and controls from indoor to outdoor units including its controller switch for all units |
| | 4. | Supply and installation of brand new ECB's and circuit breakers (CB) for the following: <ul style="list-style-type: none"> - ECB for all Split –Type AC units - CB for One (1) 5TR/6HP AC unit - CB for Three (3) 3TR/4HP AC units |
| | 5. | Use Liquid Tight Flexible conduit with appropriate wiring, fittings and supports from ECB towards the ACCU terminal/tapping lines |
| | 6. | Electrical panels/enclosures, conduits, boxes shall be designed according to its intended design/purpose and application with appropriate supports and fittings and shall be rigidly secured using appropriate materials. Panel directory shall be properly labeled. |

48

| | |
|-----|---|
| 7. | All areas affected during implementation of the project by chipping, dismantling works and other related activities shall be restored to original condition at the owner’s satisfaction and to the sole account of the contractor |
| 8. | Perform megger testing of new and old lines to ensure safety against grounding or fault condition and submit test results. Implement rectification or troubleshooting if lines are found faulty |
| 9. | All dismantled equipment, materials, refrigerant piping and conduit layout, wiring and other essential accessories shall be properly turned over to the owner for proper safe keeping or disposition |
| 10. | The bidders are encouraged to conduct site inspection to verify the actual site condition and the proposed location of ACCUs and FCUs. |

Delivery and Documents –

For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:

The delivery of air – conditioning units shall be at the following:

LOT 1

| Offices/Branches | Address |
|---------------------------|---|
| Main Office | SSS Building, East Avenue, Diliman, Quezon City |
| Makati Office | 6782 Ayala Avenue corner V.A. Rufino St., Makati City |
| Batasan Hills Branch | Diliman Commercial Center Bldg., 46 Commonwealth Ave., Brgy. Batasan Hills, Quezon City |
| Deparo Branch | NC Jeam Bldg., 31 Dalia St. cor. Susano Road, Celia Subd., Brgy. 168, Deparo, Caloocan City |
| Fairview Branch | GEM Bldg., Regalado Ave., Brgy. North Fairview, Quezon City |
| Navotas Branch | Philippine Mariner Bldg., Brgy. North Bay Blvd. South, Navotas City |
| Mandaluyong – Shaw Branch | 2F, 500 Shaw Zentrum, Shaw Blvd. cor. Laurel St., Brgy. Pleasant Hills, Mandaluyong City |
| New Panaderos Branch | 2F & 3F, Tuazon Bldg., New Panaderos cor. San Roque St., Mandaluyong City |
| Pasig – Pioneer Branch | 2F, Cromagen Bldg., 8007 Pioneer St., Brgy. Kapitolyo, Pasig City |
| Pateros Service Office | Pateros Municipal Hall, Brgy. Aguho, Pateros |
| Tanay Branch | Km. 54, Manila East Road, Brgy. Tandang Kutyo, anay, Rizal |
| Manila Branch | C-201, 2F, Zen Tower 2, 1111 Natividad A. Lopez St., Brgy. 659, Ermita, Manila |
| Pasay – Taft Branch | ERL Investment Corp. Bldg., 2532 Taft Ave., Brgy. 93, Pasay City |
| Tondo Branch | ST Condominium, 1480 G. Masangkay St. cor. Bambang St., Brgy. 261, Tondo, Manila |

48

| | | |
|--------------|-----------------------------|--|
| | Welcome Branch | España Tower Condominium, España Blvd., cor. Josefina St., Brgy. 512, Sampaloc, Manila |
| | Alabang – Muntinlupa Branch | GF & 2F, Norfil Bldg., 22 National Highway, Brgy. Putatan, Muntinlupa City |
| | Alabang – Zapote Branch | 2F, Estrellita Center, Alabang-Zapote Road, Brgy. New Alabang, Muntinlupa City |
| | Makati – Chino Roces Branch | 2F, Makati Central Square, 2130 Chino Roces Ave., Brgy. Pio Del Pilar, Makati City |
| | Makati – Gil Puyat Branch | ECC Bldg., 355 Gil Puyat Ave., Brgy. Bel-Air, Makati City |
| | Makati – JP Rizal Branch | 3F, KBC Bldg. 353 J.P. Rizal St., Brgy. Olympia, Makati City |
| | Parañaque Branch | 2F, Puregold Sucat, Dr. A. Santos Ave., Brgy. San Isidro, Sucat, Parañaque City |
| LOT 2 | | |
| | Offices/Branches | Address |
| | Baguio Branch | SSS Bldg., Harrison Road, Brgy. Harrison-Claudio Carantes, Baguio City |
| | Bangued Branch | Seares Bldg., Rizal Street, Zone 5 Bangued, Abra |
| | Bontoc Branch | A. Kiat-Ong Bldg., Loc-Ong St., Brgy. Poblacion, Bontoc |
| | Candon Branch | San Nicolas, Candon, Ilocos Sur |
| | Laoag Branch | RT Bueno Bldg., Don E. Ruiz St., Brgy. No. 18, San Quirino (Pob.), Laoag City, Ilocos Norte |
| | La Union Branch | SSS Bldg., Government Center, Brgy. Sevilla, San Fernando City, La Union |
| | Cauayan Branch | 2F, Puregold Cauayan, Don Juan Dacanay St., Brgy. San Fermin, Cauayan City, Isabela |
| | Ilagan Branch | 2/F North Star Mall, Alibagu, Ilagan City, Isabela |
| | Aparri Service Office | Cartagena Bldg., Quirino cor. R.F. Balisi Sts., Aparri, Cagayan |
| | Sanchez Mira Service Office | Sanchez Mira, Municipal Hall Bldg., Sanchez Mira, Cagayan |
| | Alaminos Branch | AMA Bldg., Marcos Ave., Brgy. Palamis, Alaminos, Pangasinan |
| | Dasol Service Office | 2F, Dasol Municipal Hall, Dasol, Pangasinan |
| | Balanga Branch | G/F. Wong Chun Kar Bldg., Rotary Avenue, Tenejero, Balanga City, Bataan |
| | Cabanatuan Branch | NE Pacific Shopping Center, Km. 111, Maharlika Highway, Brgy. Hermogenes C. Concepcion Sr., Cabanatuan City, Nueva Ecija |
| | Dagupan Branch | East Gate Plaza, AB Fernandez Ave., Brgy. Mayombo, Dagupan City, Pangasinan |
| | Iba Branch | ACM Bldg. II, National Highway, Palanginan, Iba, Zambales |

98

| | | | |
|--|-------------------------------|--|--|
| | San Carlos, Pangasinan Branch | 2F, San Carlos Town Center, Rizal Ave. cor. Zamora St., Brgy. Rizal (Pob.), San Carlos City, Pangasinan | |
| | Tarlac Branch | SSS Bldg., Macabulos Drive, San Vicente, Tarlac City, Tarlac | |
| | Urdaneta Branch | 3/F Government Center, CB Mall, Mc Arthur Hiway, Nancayasan, Urdaneta City, Pangasinan | |
| | Malolos Branch | GF & 2F, N-4 Bldg., The Cabanas, Mc Arthur Highway, Brgy. Longos, Malolos City, Bulacan | |
| | Meycauayan Branch | 2F, Esperanza Mall, Mac Arthur Highway, Brgy. Calvario, Meycauayan City, Bulacan | |
| | Olongapo Branch | Wung Chun Kar Bldg., 35 Gordon Avenue, Brgy. Pag-Asa, Olongapo City, Zambales | |
| | Pampanga Branch | SSS Bldg., Brgy. Maimpis, San Fernando City, Pampanga | |
| | Sta. Maria Branch | NEM Bldg. Gov. Fortunato Halil Ave., Brgy. Bagbagin, Sta. Maria, Bulacan | |
| | Bacoor Branch | Jolly Home Apartelle, Aguinaldo Highway corner Coastal Road, Talaba 7, Bacoor City | |
| | Biñan Branch | 3rd Level Central Mall Biñan, Malvar St., San Vicente, Biñan, Laguna | |
| | Offices/Branches | Address | |
| | Calamba Branch | SSS Bldg., National Highway, Brgy. Parian, Calamba City, Laguna | |
| | Dasmariñas Branch | 2F, Central Mall Annex, Km. 28, Salitran Road cor. Aguinaldo Highway, Brgy. Salitran II, Dasmariñas City, Cavite | |
| | Infanta Branch | CNV Business Hub, 311 Gen. Luna St., Brgy. Poblacion 39, Infanta, Quezon | |
| | Lucena Branch | Lucena Grand Central Terminal Bldg., Diversion Road, Ilayang Dupay, Lucena City | |
| | Rosario Branch | Abutin Bldg., Brgy. Tejeros Convention, Rosario, Cavite | |
| | San Pablo Branch | SSS Bldg., Balagtas Blvd. cor. M. Paulino St., Brgy. III-A (Pob.). San Pablo City, Laguna | |
| | Tagaytay Branch | LGF, Primark Town Center, Brgy. Maharlika East, Tagaytay City | |
| | Batangas Branch | SSS Bldg., National Highway, Brgy. Kumintang Ilaya, Batangas City | |
| | Boac Branch | 10 De Oktubre St., Brgy. Malusak, Boac, Marinduque | |
| | Bongabong Service Office | Atienza Bldg., P. Burgos cor. Mabini Sts., Brgy. Poblacion, Bongabong, Oriental Mindoro | |
| | Lemery Branch | Xentro Mall, Ilustre Ave., Brgy. Malinis, Lemery, Batangas | |
| | Odiongan Branch | FLH Promenade Suite, Plaridel St., Sitio Cocoville, Brgy. Dapawan, Odiongan, Romblon | |
| | Puerto Princesa Branch | GF, Grandway Bldg., Eastville City Walk, San Pedro, Puerto Princesa City, Palawan | |
| | Brooke's Point Service Office | Brooke's Point Municipal Hall, Brooke's Point, Palawan | |

98

| | | | |
|--|--------------------------------|---|--|
| | Taytay Service Office | Taytay Municipal Hall Building, Taytay, Palawan | |
| | Daet Branch | Ching Bldg., Merchant St., Central Plaza Complex, Brgy. Lagon, Daet, Camarines Norte | |
| | Goa Service Office | Uy Bldg., Scout Fuentebella St., Poblacion, Goa, Camarines Sur | |
| | Iriga Branch | Cerillo Bldg., No. 272 National Highway, Brgy. San Nicolas, Iriga City, Camarines Sur | |
| | Jose Panganiban Service Office | GF, Jose Panganiban Legislative Bldg., Jose Panganiban, Camarines Norte | |
| | Legazpi Branch | Morante Bldg., Imperial Court Subd., Phase II, Brgy. 23 (Imperial Court Subd.), Legazpi City | |
| | Ligao Service Office | 2F, Ligao Municipal Hall Bldg., McKinley St., Brgy. Guilid, Ligao City | |
| | Masbate Branch | GF & 2F, KLM De Luna Bldg., 30 Mabini St., Brgy. Centro (Pob.), Masbate City, Masbate | |
| | Naga Branch | SSS Bldg., Concepcion, Pequeña, Naga City | |
| | Sta. Elena Service Office | GF, DSWD Bldg., Poblacion, Sta. Elena, Camarines Norte | |
| | Sorsogon Branch | Jomil Enterprises Bldg., Quezon St., Brgy. Polvorista, Sorsogon City | |
| | Tabaco Branch | GF, Lao Bldg., Bocalbos St., Brgy. Basud, Tabaco City | |
| | Virac Branch | P. Araojo Shopping Arcade, Cavinitan, Virac, Catanduanes | |
| | LOT 3 | | |
| | Offices/Branches | Address | |
| | Bogo Branch | Osing Bldg., Sim Bogo Business Park, P. Rodriguez St., Brgy. La Purisima Concepcion, Bogo City, Cebu | |
| | Cebu Branch | SSS Bldg., Osmeña Blvd., Brgy. Kalubihan, Cebu City, Cebu | |
| | Lapu – Lapu Branch | GF, Annex Bldg., Gaisano Mactan Island Mall, Brgy. Pajo, Lapu-Lapu City, Mactan, Cebu | |
| | Tagbilaran Branch | 2F, Galleria Luisia Bldg., Gov. Celestino Gallares St., Brgy. Poblacion 2, Tagbilaran City, Bohol | |
| | Talisay Branch | 2F, Rosalie Bldg., Gaisano Grand Fiesta Mall, Highway, Brgy. Tabunok, Talisay City, Cebu | |
| | Toledo Branch | 2F, TE Bldg., Diosdado Macapagal Highway, Brgy. Sangi, Toledo City, Cebu | |
| | Maasin Branch | JQD Bldg., Kangleon St., Brgy. Manhattan (Pob.), Maasin City, Southern Leyte | |
| | Ormoc Branch | GF, Yuvallos Bldg., D. Veloso Ave., Brgy. Punta, Ormoc City, Leyte | |
| | Tacloban Branch | GF & 2F, Caroline Cordiel Bldg., 103 Lopez Jaena St. cor. M.H. Del Pilar St., Brgy. 2, Tacloban City, Leyte | |
| | Bacolod Branch | SSS Bldg., Lacson St., Brgy. 17 (Pob.), Bacolod City, Negros Occidental | |

98

| | | |
|--|------------------------------|--|
| | Bacolod East Branch | East One Atrium Bldg., Burgos Ext., Brgy. Villamonte, Bacolod City, Negros Occidental |
| | Bayawan Service Office | MM Kho Bldg., Romero Highway, Brgy. Bagacay, Dumaguete City, Negros Oriental |
| | Sagay Branch | GF, Square and Circle's Bldg., Brgy. Old Sagay, Sagay City, Negros Occidental |
| | Victorias Branch | GF, Redkey Bldg., Osmeña Ave., Brgy. 5, Victorias City, Negros Occidental |
| | Antique Branch | Eagle's Place Dalipe Bldg., Trade Town Dalipe, Brgy. Funda-Dalipe, San Jose de Buenavista, Antique |
| | Iloilo – Central Branch | 3F & 4F, TTW Bldg., cor. JM Basa and Mapa Sts., Brgy. Ortiz, Iloilo City, Iloilo |
| | Boracay Service Office | 2F, Barangay Hall, Brgy. Manoc-Manoc, Boracay, Malay, Aklan |
| | Roxas Branch | City Mall Roxas Annex Bldg., Arnaldo Blvd., Brgy. Baybay, Roxas City, Capiz |
| | LOT 4 | |
| | Offices/Branches | Address |
| | Butuan Branch | Rudy Tiu Bldg., A.D. Curato St., Brgy. Rajah Soliman Pob. (Brgy. 4), Butuan City, Agusan del Norte |
| | Cagayan de Oro Branch | SSS Bldg., Carmen Patag Road, Carmen, Cagayan de Oro City, Misamis Oriental |
| | CDO – Lapan Branch | G/F Market City and East Bound Integrated Terminal, Agora, Lapan, CDO |
| | Marawi Service Office | To be determined |
| | San Francisco, Agusan Branch | Alexander Bldg., Purok IV, Brgy. Hubang, San Francisco, Agusan del Sur |
| | Davao Branch | SSS Bldg., J.P. Laurel Ave., Brgy. 20-B (Pob.), Davao City, Davao Del Sur |
| | Davao – Ilustre Branch | Gaisano Grand Citimall Davao, Ilustre St., Brgy. 30-A, Davao City, Davao Del Sur |
| | Panabo Branch | Door 5 Centino Bldg., Quezon Blvd., Brgy. Sto. Niño, Panabo City |
| | Tagum Branch | Level 2, Gaisano Grand Mall, Apokon Road, Brgy. Apokon, Tagum City |
| | Maragusan Service Office | Municipality of Maragusan, Compostella Valley |
| | General Santos City Branch | SSS Bldg., Macar Highway, Brgy. Labangal, General Santos City |
| | Koronadal Branch | 2F, Gaisano Grand Mall, Gen. Santos Drive, Brgy. Sto. Niño (Bo. 2), Koronadal City, South Cotabato |
| | Basilan Service Office | NFK Bldg., Sunrise Village, Isabela City, Basilan |

48

| | |
|----------------------------|---|
| Dipolog Branch | Ramos Bldg., Rizal Ave., Brgy. Central (Pob.), Dipolog City, Zamboanga Del Norte |
| Jolo Service Office | Sulu Masonic Bldg., Bus-Bus St., Brgy. Walled City (Pob.), Jolo, Sulu |
| Tawi – Tawi Service Office | GF, Nationwide Telephone Systems, Inc. Bldg., National Road, Brgy. Tubig-Boh, Bongao, Tawi-Tawi |
| Zamboanga Branch | PHIDCO Bldg., Veterans Ave., Brgy. Camino Nuevo, Zamboanga City, Zamboanga del Sur |

Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods from *Designated Project-in-Charge from Branch Support Services Department (BSSD) for Lots 1 – 4 and Engineering and Facilities Management Department (EFMD) for Lot 1.*

Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).

For purposes of this Clause the Procuring Entity’s Representative is *Designated Project-in-Charge from Branch Support Services Department (BSSD) with telephone number (02) 87097198 locals 6119, 5939 and 5942 and Engineering and Facilities Management Department (EFMD) with telephone number (02) 87097198 locals 5532, 5535 and 6303.*

Incidental Services –

The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:

- performance or supervision of on-site assembly and/or start-up of the supplied Goods;
- furnishing of tools required for assembly and/or maintenance of the supplied Goods;
- furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
- performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
- training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Spare Parts –

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

- such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- in the event of termination of production of the spare parts:

- i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
- ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of *thirty (30) calendar days*.

Spare parts or components shall be supplied as promptly as possible, but in any case, within two (2) months of placing the order.

Packaging –

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity

Name of the Supplier

Contract Description

Final Destination

Gross weight

Any special lifting instructions

Any special handling instructions

Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

Transportation –

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

78

| | |
|-----|--|
| | <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p>Intellectual Property Rights –</p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p> <p>PERFORMANCE & TESTINGS –</p> <p>Site Inspection and Tests (Point of Delivery Performance & Testing)</p> <p>Upon installation, perform the necessary adjustments and calibrations to set the tolerance within the allowable and acceptable limits and in accordance with the standard manufacturer’s recommendations.</p> <p>The performance data of the completely delivered, installed and fully functional air – conditioning equipment must be inspected and tested, results must satisfactorily comply with the required contract specifications and approved product standards for the safety, quality, energy performance and commercial application.</p> <p>Tests results must be within the acceptable limits, and must be checked with cross references to the manufacturer’s standards and recommendations, production data sheets, and actual test results gathered during the final tests and commissioning of all equipment.</p> <p>All tests shall be witnessed by SSS authorized representative/s.</p> |
| 2.2 | <p>The terms of payment shall be as follows:</p> <p>First payment – at least 50% completed delivery and installation of air – conditioning units per lot;</p> <p>Second payment – upon 100% completion of the project</p> <p>The following requirements must also be complied with:</p> <ol style="list-style-type: none">1. Testing and inspection of the units;2. Submission of complete documents (Delivery Receipts, Sales Invoice, signed & sealed As-built plans, Operation and Installation Manuals, Brochures, and Start-up test results and other documents required in the project.3. Refrigerant pipes: The first 10ft. is included in the initial installation cost. <p>In case the total length of actual installed refrigerant pipes is either less or more than 10% of the given quantity in the Bill of Quantities, proportionate cost adjustment shall be applied as deductive and/or additive.</p> |

98

| | |
|-----|--|
| | <p>Note: Applicable cost adjustment for this particular item shall be applied even without the necessary issuance of amendment to order.</p> <p>In case the total length of actual installed refrigerant pipes is within (+/-) 10% as compared with the given lengths in the Bill of Quantities, no cost adjustment shall be imposed.</p> <p>4. Issuance of Certificate of Completion and Acceptance by the implementing unit.</p> <p>Payment shall be credited to the LANDBANK or DBP or any choice of bank account subject to applicable bank charges of the winning bidder.</p> <p>The payment shall be subject to retention of Withholding Tax and other applicable taxes in accordance with existing Laws and BIR Rules and Regulations, to be remitted directly to the BIR by the SSS.</p> <p>Payment using Letter of Credit is not allowed.</p> |
| 4 | Not Applicable |
| 5.1 | <p>Warranty</p> <p>Warranty Period for all brand new air-conditioning units is one (1) year for parts and services. SEMI ANNUALLY service and maintenance shall be undertaken by the winning bidder within the warranty period.</p> |
| 5.2 | Correction of defects in the warranty period shall be done <u>within three (3) days</u> after notification of defect was first communicated (verbally or in writing) by SSS to the Supplier. |
| 6 | <p>Liability of the Supplier</p> <p>1. CONFIDENTIALITY. Neither party shall, without the prior written consent of the other, disclose or make available to any person, make public, or use directly or indirectly, except for the performance and implementation of the works, any confidential information, acquired from an information holder in connection with the performance of this Contract, unless: (i) the information is known to the disclosing party, as evidenced by its written records, prior to obtaining the same from the information holder and is not otherwise subject to disclosure restrictions on the disclosing party, (ii) the information is disclosed to the disclosing party by a third party who did not receive the same, directly or indirectly, from an information holder, and who has no obligation of secrecy with respect thereto, or (iii) required to be disclosed by law.</p> <p>The obligation of confidentiality by both parties, as provided herein, shall survive the termination of the Agreement.</p> <p>2. MERGER AND CONSOLIDATION. In case of merger, consolidation or change of ownership of the SUPPLIER with other company, it is the responsibility of the surviving company/consolidated company/acquiring entity to inform SSS of the change in corporate structure/ownership. Failure to do so shall translate in such company assuming all liabilities of the acquired/merged company under the Agreement.</p> <p>3. FORCE MAJEURE. SUPPLIER shall not be liable for forfeiture of its performance security, liquidated damages, or termination for default if and to the extent that SUPPLIER's delay in performance or other failure to perform its obligations under this Agreement is the result of a force majeure.</p> |

| | |
|--|---|
| | <p>For purposes of this Agreement the terms "force majeure" and "fortuitous event" may be used interchangeably. In this regard, a fortuitous event or force majeure shall be interpreted to mean an event which SUPPLIER could not have foreseen, or which though foreseen, was inevitable. It shall not include ordinary unfavorable weather conditions; and any other cause the effects of which could have been avoided with the exercise of reasonable diligence by SUPPLIER. Such events may include, but not limited to, acts of SSS in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.</p> <p>If a force majeure situation arises, SUPPLIER shall promptly notify SSS in writing of such condition and the cause thereof. Unless otherwise directed by SSS in writing, SUPPLIER shall continue to perform its obligations under this Agreement as far as is reasonably practical and shall seek all reasonable alternative means for performance not prevented by the force majeure.</p> <p>4. NON-ASSIGNMENT. SUPPLIER shall not assign its rights or obligations under this Agreement, in whole or in part, except with SSS's prior written consent. SUPPLIER shall not subcontract in whole or in part the PROJECT and deliverables subject of this Agreement without the written consent of SSS.</p> <p>5. WAIVER. Failure by either party to insist upon the other strict performance of any of the terms and conditions hereof shall not be deemed a relinquishment or waiver of any subsequent breach or default of the terms and conditions hereof, which can only be deemed made if expressed in writing and signed by its duly authorized representative. No such waiver shall be construed as modification of any of the provisions of the Agreement or as a waiver of any past or future default or breach hereof, except as expressly stated in such waiver.</p> <p>6. CUMULATIVE REMEDIES. Any and all remedies granted to the parties under the applicable laws and the Contract shall be deemed cumulative and may therefore, at the sole option and discretion, be availed of by the aggrieved party simultaneously, successively, or independently.</p> <p>7. NO EMPLOYER-EMPLOYEE RELATIONSHIP. It is expressly and manifestly understood and agreed upon that the employees of SUPPLIER assigned to perform the PROJECT are not employees of SSS. Neither is there an employer-employee relationship between SSS and SUPPLIER.</p> <p>The Agreement does not create an employer-employee relationship between SSS and the SUPPLIER including its personnel; that the services rendered by the personnel assigned by SUPPLIER to SSS in the performance of its obligation under the contract do not represent government service and will not be credited as such; that its personnel assigned to SSS are not entitled to benefits enjoyed by SSS' officials and employees such as Personal Economic Relief Allowance (PERA), Representation and Transportation Allowance (RATA), ACA, etc.; that these personnel are not related within the third degree of consanguinity or affinity to the contracting officer and appointing authority of SSS; that they have not been previously dismissed from the government service by reason of an administrative case; that they have not reached the compulsory retirement age of sixty-five (65); and that they possess the education, experience and skills required to perform the job. The SUPPLIER hereby acknowledges that no authority has been given by SSS to hire any person as an employee of the latter. Any instruction given by SSS or any of its personnel to SUPPLIER's employees are to be construed merely as a measure taken by the former to ensure and enhance the quality of project performed hereunder. The SUPPLIER shall, at all times, exercise supervision and control over its employees in the performance of its obligations under the contract.</p> |
|--|---|

| | |
|--|--|
| | <p>8. PARTNERSHIP. Nothing in the contract shall constitute a partnership between the parties. No party or its agents or employees shall be deemed to be the agent, employee or representative of any other party.</p> <p>9. COMPLIANCE WITH SS LAW. SUPPLIER shall report all its employees to SSS for coverage and their contributions, as well as, all amortizations for salary/education/calamity and other SSS loans shall be updated. Should SUPPLIER fail to comply with its obligations under the provisions of the SS Law and Employees' Compensation Act, SSS shall have the authority to deduct any unpaid SS and EC contributions, salary, educational, emergency and/or calamity loan amortizations, employer's liability for damages, including interests and penalties from SUPPLIER's receivables under this Agreement.</p> <p>Further, prescription does not run against SSS for its failure to demand SS contributions or payments from SUPPLIER. Moreover, SUPPLIER shall forever hold in trust SS contributions or payments of its employees until the same is fully remitted to SSS.</p> <p>10. COMPLIANCE WITH LABOR LAWS. SUPPLIER, as employer of the personnel assigned to undertake the PROJECT, shall comply with all its obligations under existing laws and their implementing rules and regulations on the payment of minimum wage, overtime pay, and other labor-related benefits as well as remittances or payment of the appropriate amount or contributions/payment (SSS, EC, Pag-IBIG, PhilHealth and taxes) with concerned government agencies/offices.</p> <p>It is agreed further, that prior to the release of any payment by SSS to SUPPLIER, its President or its duly authorized representative, shall submit a sworn statement that all monies due to all its employees assigned to the PROJECT as well as benefits by law and other related labor legislation have been paid by SUPPLIER and that he/she assumed full responsibility thereof.</p> <p>11. COMPLIANCE WITH TAX LAWS. SUPPLIER shall, in compliance with tax laws, pay the applicable taxes in full and on time and shall regularly present to SSS within the duration of the Contract, tax clearance from the Bureau of Internal Revenue (BIR) as well as copy of its income and business tax returns duly stamped by the BIR and duly validated with the tax payments made thereon. Failure by SUPPLIER to comply with the foregoing shall entitle SSS to suspend payment of the Contract Price.</p> <p>As required under Executive Order (EO) 398, s. 2005, SUPPLIER shall submit income and business tax returns duly stamped and received by the BIR, before entering and during the duration of this Agreement. SUPPLIER, through its responsible officer, shall also certify under oath that it is free and clear of all tax liabilities to the government. SUPPLIER shall pay taxes in full and on time and that failure to do so will entitle SSS to suspend or terminate this Agreement.</p> <p>12. LIQUIDATED DAMAGES. If SUPPLIER fails to satisfactorily deliver any or all of the Goods and/or to perform the Services within the period(s) specified in the PBD inclusive of duly granted time extensions if any, SSS shall, without prejudice to its other remedies under this Agreement and under the applicable law, deduct from the Contract Price, as liquidated damages, the applicable rate of one tenth (1/10) of one (1) percent of the cost of the unperformed portion for every day of delay until actual delivery or performance. Once the amount of liquidated damages reaches ten percent (10%), SSS may rescind or terminate this Agreement, without prejudice to other courses of action and remedies open to it.</p> |
|--|--|

| | |
|--|---|
| | <p>13. HOLD FREE and HARMLESS. SUPPLIER agrees to defend, indemnify, and hold SSS free and harmless from any and all claims, damages, expenses, fines, penalties and/or liabilities of whatever nature and kind, whether in law or equity, that may arise by reason of the implementation of the Agreement. In addition, SUPPLIER agrees to indemnify SSS for any damage as a result of said implementation.</p> <p>SUPPLIER hereby assumes full responsibility for any injury, including death, loss or damage which may be caused to SSS’ employees or property or third person due to SUPPLIER’s employees’ fault or negligence, and further binds itself to hold SSS free and harmless from any of such injury or damage. SSS shall not be responsible for any injury, loss or damage which SUPPLIER or any of its employees may sustain in the performance of SUPPLIER’s obligations under this Agreement.</p> <p>14. SETTLEMENT OF DISPUTES. If any dispute or difference of any kind whatsoever shall arise between SSS and SUPPLIER in connection with or arising out of this Agreement, the Parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.</p> <p>If after thirty (30) days, the Parties have failed to resolve their dispute or difference by such mutual consultation, then either SSS or SUPPLIER may give notice to the other Party of its intention to commence arbitration, in accordance with RA No. 876, otherwise known as the “Arbitration Law” and RA No. 9285, otherwise known as the “Alternative Dispute Resolution Act of 2004,” in order to settle their disputes.</p> <p>No arbitration in respect of this matter may be commenced unless such notice is given.</p> <p>Notwithstanding any reference to arbitration herein, the Parties shall continue to perform their respective obligations under this Agreement unless they otherwise agree.</p> <p>15. VENUE OF ACTIONS. In the event court action is necessary in order to promote Arbitration, such action shall be filed only before the proper courts of Quezon City, to the exclusion of all other venues.</p> <p>16. GOVERNING LAW. The Agreement shall be governed by and interpreted according to the laws of the Republic of the Philippines.</p> <p>17. AMENDMENTS. This Agreement may be amended only in writing and executed by the parties or their duly authorized representatives.</p> <p>18. SEPARABILITY. If any one or more of the provisions contained in the contract or any document executed in connection herewith shall be invalid, illegal or unenforceable in any respect under any applicable law, then: (i) the validity, legality and enforceability of the remaining provisions contained herein or therein shall not in any way be affected or impaired and shall remain in full force and effect; and (ii) the invalid, illegal or unenforceable provision shall be replaced by the parties immediately with a term or provision that is valid, legal and enforceable and that comes closest to expressing the intention of such invalid illegal or unenforceable term of provision.</p> <p>19. BINDING EFFECT. The Agreement shall be binding upon the Parties hereto, their assignee/s and successor/s-in-interest.</p> |
|--|---|

98

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

| Item No. | Description | Quantity | Delivered, Weeks/Months |
|----------|--|-----------|---|
| I. | SUPPLY, DELIVERY AND INSTALLATION OF AIR – CONDITIONING UNITS FOR VARIOUS DIVISIONS, BRANCHES, SERVICE OFFICES, MAKATI BUILDING AND MAIN OFFICE BUILDING | | |
| A. | LOT 1: NCR BRANCHES AND MAIN AND MAKATI BUILDINGS | 214 units | 180 calendar days upon receipt of Notice to Proceed and Signed Contract |
| B. | LOT 2: LUZON DIVISIONS, BRANCHES AND SERVICE OFFICES | 223 units | |
| C. | LOT 3: VISAYAS DIVISIONS, BRANCHES AND SERVICE OFFICES | 62 units | 120 calendar days upon receipt of Notice to Proceed and Signed Contract |
| D. | LOT 4: MINDANAO DIVISIONS, BRANCHES AND SERVICE OFFICES | 94 units | |

98

Section VII. Technical Specifications

Technical Specifications

| Item | Specification | Statement of Compliance | Annex |
|--|--|-------------------------|-------|
| Lot 1: Supply, Delivery and Installation of Two Hundred Thirteen (214) Air – Conditioning Units for NCR Branches and Makati and Main Buildings | | | |
| <i>Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.</i> | | | |
| A. Mechanical Works and Equipment | | | |
| All Mechanical Works shall be done in accordance with the Standard Manufacturer’s recommendation for the material specification and workmanship execution. | | | |
| <i>All Air – Conditioner brochures submitted as supporting documents must be verifiable in manufacturer’s official website.</i> | | | |
| 1. Mechanical Equipment | | | |
| a. 5TR/6HP Floor Mounted Inverter Split – type (can offer unit with capacity of 5TR or 6HP) | Floor Mounted, Inverter, Split Type AC Nominal Cooling Capacity (min – max): 14.0kW (6.2 – 15.5kW) Refrigerant: R – 32 Power Consumption: 5.7 – 5.8kW Electrical Data: 230V, Single Phase, 60Hz COP/EER: 2.45 (minimum) Can accommodate 50 meters piping length | | |
| b. 3TR/4HP Floor Mounted Inverter Split – type (can offer unit with capacity of 3TR or 4HP) | Floor Mounted, Inverter, Split Type AC Nominal Cooling Capacity (min – max): 10.0kW (5.0 – 11.2kW) Refrigerant: R – 32 Power Consumption: 3.4 – 3.5 kW Electrical Data: 230V, Single Phase, 60Hz COP/EER: 2.87 (minimum) Can accommodate 50 meters piping length | | |
| c. 3TR/4HP Ceiling Mounted Inverter Split – type (can offer unit with capacity of 3TR or 4HP) | Ceiling Mounted, Inverter, Split Type AC Nominal Cooling Capacity (min – max): 10.0kW (5.0 – 11.2kW) Refrigerant: R – 32 Power Consumption: 3.2 – 3.3 kW Electrical Data: 230V, Single Phase, 60Hz COP/EER: 3.09 (minimum) Can accommodate 50 meters piping length | | |
| d. 2TR/2.5HP Ceiling Mounted Inverter Split – type (can offer unit with | Ceiling Mounted, Inverter, Split Type AC Nominal Cooling Capacity (min – max): 6.0kW (3.2 – 6.0kW) Refrigerant: R – 32 | | |

48

| Item | Specification | Statement of Compliance | Annex |
|---|--|-------------------------|-------|
| capacity of 2TR or 2.5HP) | Power Consumption: 1.5 – 1.6 kW Electrical Data: 230V, Single Phase, 60Hz COP/EER: 3.92 (minimum) Can accommodate 50 meters piping length | | |
| e. 2.5HP Wall Mounted Inverter Split – type | Wall Mounted, Inverter, Split Type AC Nominal Cooling Capacity (min – max): 6.0kW (1.2 – 7.1kW) Refrigerant: R – 32 Power Consumption: 1.5 - 1.7kW Electrical Data: 230V, Single Phase, 60Hz COP/EER: 3.75 (minimum) Can accommodate 30 meters piping length | | |
| f. 2HP Wall Mounted Inverter Split – type | Wall Mounted, Inverter, Split Type AC Nominal Cooling Capacity (min – max): 5.2kW (1.2 – 6.2kW) Refrigerant: R – 32 Power Consumption: 1.3 – 1.4kW Electrical Data: 230V, Single Phase, 60Hz COP/EER: 3.94 (minimum) Can accommodate 30 meters piping length | | |
| g. 2HP Window Type Inverter RAC | Window Type Inverter Room Air – Conditioner with wireless remote control Cooling Capacity: 18750 kJ/Hr Refrigerant: R – 32 Power Consumption: 1.50 – 1.60 kW EER: 12.3 kJ/Hr – W Electrical Data: 230V, single phase, 60Hz | | |
| 2. Pipes and Fittings Refer to manufacturer’s recommendations for pipes and fittings size requirement | Hard-drawn Copper Tube for all Split-type air-conditioning system | | |
| 3. Wires/ Cables a. 2.0mm ² , 3.5mm ² 5.5mm ² , 8.0mm ² b. Royal Cord | THHN/THWN stranded wire PVC insulated, nylon jacketed, Moisture and Heat Resistant, 600V, 90°C max. operating temperature, Lead-free 4-core, #14 | | |
| 4. Circuit Breakers/ Panel a. Enclosed Circuit Breaker | For 5TR/6HP: 50A, 2P, 230V, 60Hz, 20kAIC, Bolt-on, Industrial type, Surface Mounted, NEMA3R Enclosure For 3TR/4HP: 40A, 2P, 230V, 60Hz, 20kAIC, Bolt-on, Industrial type, Surface Mounted, NEMA3R Enclosure | | |

98

| Item | Specification | Statement of Compliance | Annex |
|---|---|-------------------------|-------|
| b. Circuit Breakers | <p>For 2TR/2.5HP and 2HP: 30A, 2P, 230V, 60Hz, 20kAIC, Bolt-on, Industrial type, Surface Mounted, NEMA3R Enclosure</p> <p>For 3TR/4HP: 40A, 2P, 230V, 60Hz, 10kAIC, Bolt-on type</p> <p>For 2.5HP and 2HP: 30A, 2P, 230V, 60Hz, 10kAIC, Bolt-on type</p> | | |
| Lot 2: Supply, Delivery and Installation of Two Hundred Twenty – Three (223) Air – Conditioning Units for Luzon Divisions, Branches and Service Offices | | | |
| A. Mechanical Works and Equipment All Mechanical Works shall be done in accordance with the Standard Manufacturer’s recommendation for the material specification and workmanship execution. <i>All Air – Conditioner brochures submitted as supporting documents must be verifiable in manufacturer’s official website.</i> | | | |
| 1. Mechanical Equipment | | | |
| a. 7.5TR Floor Mounted Split – type | Floor Mounted, Split Type AC Cooling Capacity: 90000 BTU/Hr Refrigerant: R – 410a Power Consumption: 12 – 13kW Electrical Data: 230V, Three Phase, 60Hz EER: 9.6 BTU/W – Hr Can accommodate 30 meters piping length | | |
| b. 5TR/6HP Floor Mounted Inverter Split-type (can offer unit with capacity of 5TR or 6HP) | Floor Mounted, Inverter, Split Type AC Nominal Cooling Capacity (min – max): 14.0kW (6.2 – 15.5kW) Refrigerant: R – 32 Power Consumption: 5.7 – 5.8kW Electrical Data: 230V, Single Phase, 60Hz COP/EER: 2.45 (minimum) Can accommodate 50 meters piping length | | |
| c. 3TR/4HP Floor Mounted Inverter Split – type (can offer unit with capacity of 3TR or 4HP) | Floor Mounted, Inverter, Split Type AC Nominal Cooling Capacity (min – max): 10.0kW (5.0 – 11.2kW) Refrigerant: R – 32 Power Consumption: 3.4 – 3.5 kW Electrical Data: 230V, Single Phase, 60Hz COP/EER: 2.87 (minimum) Can accommodate 50 meters piping length | | |
| d. 3TR/4HP Ceiling Cassette Inverter Split – type (can offer unit with capacity of 3TR or 4HP) | Ceiling Cassette, Inverter, Split Type AC Nominal Cooling Capacity (min – max): 10.0kW (5.0 – 11.2kW) Refrigerant: R – 32 Power Consumption: 2.9 – 3.0 kW Electrical Data: 230V, Single Phase, 60Hz COP/EER: 3.37 (minimum) Can accommodate 50 meters piping length | | |
| e. 2.5TR/3HP Ceiling Mounted | Ceiling Mounted, Inverter, Split Type AC Nominal Cooling Capacity (min – max): 7.1kW | | |

98

| Item | Specification | Statement of Compliance | Annex |
|---|--|-------------------------|-------|
| Inverter Split – type (can offer unit with capacity of 2.5TR or 3HP) | (3.2 – 8.0kW) Refrigerant: R – 32 Power Consumption: 2.2 – 2.4 kW Electrical Data: 230V, Single Phase, 60Hz COP/EER: 3.09 (minimum) Can accommodate 30 meters piping length | | |
| f. 2.5TR/3HP Wall Mounted Inverter Split – type (can offer unit with capacity of 2.5TR or 3HP) | Wall Mounted, Inverter, Split Type AC Nominal Cooling Capacity (min – max): 7.1kW (1.2 – 7.6kW) Refrigerant: R – 32 Power Consumption: 2.1 – 2.2 kW Electrical Data: 230V, Single Phase, 60Hz COP/EER: 3.32 (minimum) Can accommodate 30 meters piping length | | |
| g. 2TR/2.5HP Ceiling Mounted Inverter Split – type (can offer unit with capacity of 2TR or 2.5HP) | Ceiling Mounted, Inverter, Split Type AC Nominal Cooling Capacity (min – max): 6.0kW (3.2 – 6.0kW) Refrigerant: R – 32 Power Consumption: 1.5 – 1.6 kW Electrical Data: 230V, Single Phase, 60Hz COP/EER: 3.92 (minimum) Can accommodate 30 meters piping length | | |
| h. 2.5HP Wall Mounted Inverter Split – type | Wall Mounted, Inverter, Split Type AC Nominal Cooling Capacity (min – max): 6.0kW (1.2 – 7.1kW) Refrigerant: R – 32 Power Consumption: 1.5 - 1.7kW Electrical Data: 230V, Single Phase, 60Hz COP/EER: 3.75 (minimum) Can accommodate 30 meters piping length | | |
| i. 2HP Ceiling Mounted Inverter Split – type | Ceiling Mounted, Inverter, Split Type AC Nominal Cooling Capacity (min – max): 5.0kW (3.2 – 5.6kW) Refrigerant: R – 32 Power Consumption: 1.2 – 1.3kW Electrical Data: 230V, Single Phase, 60Hz COP/EER: 4.17 (minimum) Can accommodate 30 meters piping length | | |
| j. 2HP Wall Mounted Inverter Split – type | Wall Mounted, Inverter, Split Type AC Nominal Cooling Capacity (min – max): 5.2kW (1.2 – 6.2kW) Refrigerant: R – 32 Power Consumption: 1.3 – 1.4kW Electrical Data: 230V, Single Phase, 60Hz COP/EER: 3.94 (minimum) Can accommodate 30 meters piping length | | |
| k. 1.5HP Wall Mounted Inverter Split – type | Wall Mounted, Inverter, Split Type AC Nominal Cooling Capacity (min – max): 3.5kW (1.2 – 4.1kW) Refrigerant: R – 32 Power Consumption: 0.7 – 0.8kW Electrical Data: 230V, Single Phase, 60Hz | | |

98

| Item | Specification | Statement of Compliance | Annex |
|------|--|-------------------------|-------|
| | For 3TR/4HP: 40A, 2P, 230V, 60Hz, 10kAIC, Bolt-on type For 2.5HP and 1.5HP: 30A, 2P, 230V, 60Hz, 10kAIC, Bolt-on type | | |

98

| Item | Specification | Statement of Compliance | Annex |
|--|---|-------------------------|-------|
| Lot 3: Supply, Delivery and Installation of Sixty – Two (62) Air – Conditioning Units for Visayas Divisions, Branches and Service Offices | | | |
| <i>Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.</i> | | | |
| A. Mechanical Works and Equipment All Mechanical Works shall be done in accordance with the Standard Manufacturer’s recommendation for the material specification and workmanship execution. <i>All Air – Conditioner brochures submitted as supporting documents must be verifiable in manufacturer’s official website.</i> | | | |
| 1. Mechanical Equipment | | | |
| a. 7.5TR Ceiling Concealed Split – type (Ducted) | Ceiling Concealed Split Type AC Rated Cooling Capacity: 90000 BTU/Hr Refrigerant: R – 410a Power Consumption: 10.3 – 10.5 kW Electrical Data: 230V, 3 Phase, 60Hz EER: 9.18 kJ/Hr – W Can accommodate 50 meters piping length | | |
| b. 5TR/6HP Ceiling Concealed Inverter Split-type (can offer unit with capacity of 5TR or 6HP) | Ceiling Concealed, Inverter, Split Type AC Nominal Cooling Capacity (min – max): 14.0kW (6.2 – 15.5kW) Refrigerant: R – 32 Power Consumption: 5.6 – 5.8kW Electrical Data: 230V, Single Phase, 60Hz COP/EER: 2.46 (minimum) Can accommodate 30 meters piping length | | |
| c. 5TR/6HP Floor Mounted Inverter Split-type (can offer unit with capacity of 5TR or 6HP) | Floor Mounted, Inverter, Split Type AC Nominal Cooling Capacity (min – max): 14.0kW (6.2 – 15.5kW) Refrigerant: R – 32 Power Consumption: 5.7 – 5.8kW Electrical Data: 230V, Single Phase, 60Hz COP/EER: 2.45 (minimum) Can accommodate 30 meters piping length | | |

98

| Item | Specification | Statement of Compliance | Annex |
|--|---|-------------------------|-------|
| d. 4TR/5HP Ceiling Mounted Inverter Split-type (can offer unit with capacity of 5TR or 6HP) | Ceiling Mounted, Inverter, Split Type AC Nominal Cooling Capacity (min – max): 12.5kW (5.7 – 14.0kW) Refrigerant: R – 32 Power Consumption: 4.2 – 4.3kW Electrical Data: 230V, Single Phase, 60Hz COP/EER: 2.91 (minimum) Can accommodate 50 meters piping length | | |
| e. 3TR/4HP Floor Mounted Inverter Split – type (can offer unit with capacity of 3TR or 4HP) | Floor Mounted, Inverter, Split Type AC Nominal Cooling Capacity (min – max): 10.0kW (5.0 – 11.2kW) Refrigerant: R – 32 Power Consumption: 3.4 – 3.5 kW Electrical Data: 230V, Single Phase, 60Hz COP/EER: 2.87 (minimum) Can accommodate 30 meters piping length | | |
| f. 3TR Floor Mounted Split – type | Floor Mounted, Split Type AC Minimum Cooling Capacity: 36000 BTU/Hr Refrigerant: R – 410a Power Consumption: 3.7 – 3.9 kW Electrical Data: 230V, Single Phase, 60Hz COP/EER: 2.78 (minimum) Can accommodate 50 meters piping length | | |
| g. 3TR/4HP Ceiling Cassette Inverter Split – type (can offer unit with capacity of 3TR or 4HP) | Ceiling Cassette, Inverter, Split Type AC Nominal Cooling Capacity (min – max): 10.0kW (5.0 – 11.2kW) Refrigerant: R – 32 Power Consumption: 2.9 – 3.0 kW Electrical Data: 230V, Single Phase, 60Hz COP/EER: 3.37 (minimum) Can accommodate 30 meters piping length | | |
| h. 3TR/4HP Ceiling Mounted Inverter Split – type (can offer unit with capacity of 3TR or 4HP) | Ceiling Mounted Inverter, Split Type AC Nominal Cooling Capacity (min – max): 10.0kW (5.0 – 11.2kW) Refrigerant: R – 32 Power Consumption: 2.9 – 3.0 kW Electrical Data: 230V, Single Phase, 60Hz COP/EER: 3.37 (minimum) Can accommodate 50 meters piping length | | |
| i. 3TR Ceiling Mounted Split – type | Ceiling Mounted, Split Type AC Minimum Cooling Capacity: 35000 BTU/Hr Refrigerant: R – 410a Power Consumption: 3.70 – 3.90 kW Electrical Data: 230V, Single Phase, 60Hz COP (EER): 2.7 (minimum) Can accommodate 30 meters piping length | | |
| j. 2.5HP Wall Mounted Inverter Split – type | Wall Mounted, Inverter, Split Type AC Nominal Cooling Capacity (min – max): 6.0kW (1.2 – 7.1kW) | | |

98

| Item | Specification | Statement of Compliance | Annex |
|---|--|-------------------------|-------|
| | Refrigerant: R – 32 Power Consumption: 1.5 - 1.7kW Electrical Data: 230V, Single Phase, 60Hz COP/EER: 3.75 (minimum) Can accommodate 30 meters piping length | | |
| k. 2.5HP Ceiling Cassette Inverter Split – type | Ceiling Cassette, Inverter, Split Type AC Nominal Cooling Capacity (min – max): 6.0kW (3.2 – 6.0kW) Refrigerant: R – 32 Power Consumption: 1.5 - 1.6kW Electrical Data: 230V, Single Phase, 60Hz COP/EER: 3.92 (minimum) Can accommodate 30 meters piping length | | |
| l. 2.5HP Wall Mounted Split – type | Wall Mounted, Split Type AC Minimum Cooling Capacity: 22000 BTU/Hr Refrigerant: R – 410a Power Consumption: 2.1 – 2.2 kW Electrical Data: 220V, Single Phase, 60Hz COP/EER: 3.0 (minimum) Can accommodate 30 meters piping length | | |
| m. 2HP Wall Mounted Inverter Split – type | Wall Mounted, Inverter, Split Type AC Nominal Cooling Capacity (min – max): 5.2kW (1.2 – 6.2kW) Refrigerant: R – 32 Power Consumption: 1.3 – 1.4kW Electrical Data: 230V, Single Phase, 60Hz COP/EER: 3.94 (minimum) Can accommodate 30 meters piping length | | |
| n. 2HP Wall Mounted Split – type | Wall Mounted Split Type AC Minimum Cooling Capacity: 18500BTU/Hr Refrigerant: R – 410a Power Consumption: 1.6 – 1.7 kW Electrical Data: 220V, Single Phase, 60Hz COP/EER: 3.25 (minimum) Can accommodate 30 meters piping length | | |
| o. 2.5HP Window Type Inverter RAC | Window Type Inverter Room Air – Conditioner with wireless remote control Cooling Capacity: 23500 kJ/Hr Refrigerant: R – 32 Power Consumption: 1.9 – 2.0 kW EER: 12.3 kJ/Hr – W Electrical Data: 230V, single phase, 60Hz | | |
| p. 2HP Window Type Inverter RAC | Window Type Inverter Room Air – Conditioner with wireless remote control Cooling Capacity: 18750 kJ/Hr Refrigerant: R – 32 Power Consumption: 1.50 – 1.60 kW EER: 12.3 kJ/Hr – W | | |

| Item | Specification | Statement of Compliance | Annex |
|--|--|-------------------------|-------|
| Lot 4: Supply, Delivery & Installation of Ninety – Four (94) Air-Conditioning Units for Mindanao Divisions, Branches and Service Offices | | | |
| <i>Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.</i> | | | |
| A. Mechanical Works and Equipment All Mechanical Works shall be done in accordance with the Standard Manufacturer’s recommendation for the material specification and workmanship execution. <i>All Air – Conditioner brochures submitted as supporting documents must be verifiable in manufacturer’s official website.</i> | | | |
| 1. Mechanical Equipment | | | |
| a. 5TR/6HP Floor Mounted Inverter Split-type (can offer unit with capacity of 5TR or 6HP) | Floor Mounted, Inverter, Split Type AC Nominal Cooling Capacity (min – max): 14.0kW (6.2 – 15.5kW) Refrigerant: R – 32 Power Consumption: 5.7 – 5.8kW Electrical Data: 230V, Single Phase, 60Hz COP/EER: 2.45 (minimum) Can accommodate 50 meters piping length | | |
| b. 3TR/4HP Floor Mounted Inverter Split – type (can offer unit with capacity of 3TR or 4HP) | Floor Mounted, Inverter, Split Type AC Nominal Cooling Capacity (min – max): 10.0kW (5.0 – 11.2kW) Refrigerant: R – 32 Power Consumption: 3.4 – 3.5 kW Electrical Data: 230V, Single Phase, 60Hz COP/EER: 2.87 (minimum) Can accommodate 50 meters piping length | | |
| c. 3TR Floor Mounted Split – type | Floor Mounted, Split Type AC Minimum Cooling Capacity: 36000 BTU/Hr Refrigerant: R – 410a Power Consumption: 3.7 – 3.9 kW Electrical Data: 230V, Single Phase, 60Hz COP/EER: 2.78 (minimum) Can accommodate 30 meters piping length | | |
| d. 2HP Wall Mounted Inverter Split – type | Wall Mounted, Inverter, Split Type AC Nominal Cooling Capacity (min – max): 5.2kW (1.2 – 6.2kW) Refrigerant: R – 32 Power Consumption: 1.3 – 1.4kW Electrical Data: 230V, Single Phase, 60Hz COP/EER: 3.94 (minimum) Can accommodate 30 meters piping length | | |

98

| Item | Specification | Statement of Compliance | Annex |
|---|---|-------------------------|-------|
| e. 2HP Wall Mounted Split – type | Wall Mounted Split Type AC Minimum Cooling Capacity: 18500BTU/Hr Refrigerant: R – 410a Power Consumption: 1.6 – 1.7 kW Electrical Data: 220V, Single Phase, 60Hz COP/EER: 3.25 (minimum) Can accommodate 30 meters piping length | | |
| Item | Specification | Statement of Compliance | Annex |
| f. 1.5HP Wall Mounted Split – type | Wall Mounted, Inverter, Split Type AC Nominal Cooling Capacity (min – max): 3.5kW (1.2 – 4.1kW) Refrigerant: R – 32 Power Consumption: 700 – 800W Electrical Data: 230V, Single Phase, 60Hz COP/EER: 4.43 (minimum) Can accommodate 20 meters piping length | | |
| g. 2.5HP Window – Type RAC | Window Type Room Air Conditioner Minimum Cooling Capacity: 25500 kJ/Hr Refrigerant: R – 32 Power Consumption: 2.60 – 2.70 kW EER: 9.6 kJ/Hr – W Electrical Data: 230V, single phase, 60Hz | | |
| h. 2HP Window Type Inverter RAC | Window Type Inverter Room Air – Conditioner with wireless remote control Cooling Capacity: 18750 kJ/Hr Refrigerant: R – 32 Power Consumption: 1.50 – 1.60 kW EER: 12.3 kJ/Hr – W Electrical Data: 230V, single phase, 60Hz | | |
| i. 2HP Window – Type RAC | Window Type Room Air Conditioner Minimum Cooling Capacity: 19000 kJ/Hr Refrigerant: R – 32 Power Consumption: 1.60 – 1.70 kW EER: 11.6 kJ/Hr – W Electrical Data: 230V, single phase, 60Hz | | |
| 2. Pipes and Fittings Refer to manufacturer’s recommendations for pipes and fittings size requirement | Hard-drawn Copper Tube for all Split-type air-conditioning system | | |
| 3. Wires/ Cables a. 2.0mm ² , 3.5mm ² 5.5mm ² , 8.0mm ² b. Royal Cord | THHN/THWN stranded wire PVC insulated, nylon jacketed, Moisture and Heat Resistant, 600V, 90°C max. operating temperature, Lead-free 4-core, #14 | | |
| 4. Circuit Breakers/ Panel a. Enclosed | | | |

98

| Item | Specification | Statement of Compliance | Annex |
|---------------------|---|-------------------------|-------|
| Circuit Breaker | For 6HP/5TR: 50A, 2P or 3P, 230V, 60Hz, 20kAIC, Bolt-on, Industrial type, Surface Mounted, NEMA3R Enclosure | | |
| | For 3TR and 3TR/4HP: 40A, 2P, 230V, 60Hz, 20kAIC, Bolt-on, Industrial type, Surface Mounted, NEMA3R Enclosure | | |
| | For 2HP and 1.5HP: 30A, 2P, 230V, 60Hz, 20kAIC, Bolt-on, Industrial type, Surface Mounted, NEMA3R Enclosure | | |
| b. Circuit Breakers | For 5TR/6HP: 50A, 2P or 3P, 230V, 60Hz, 10kAIC, Bolt-on type | | |
| | For 3TR/4HP: 40A, 2P, 230V, 60Hz, 10kAIC, Bolt-on type | | |

Section VIII. Checklist of Technical and Financial Documents

CHECKLIST OF TECHNICAL AND FINANCIAL DOCUMENTS

I. TECHNICAL COMPONENT ENVELOPE

Class “A” Documents

Legal Documents

- ☐ (a) Valid PhilGEPS Certificate of Platinum Registration and Membership (Platinum Membership) (all pages);

Technical Documents

- ☐ (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- ☐ (c) Statement of the bidder’s Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within five (5) year period prior to the submission and opening of Bids; **and**
- ☐ (d) Original copy of Bid Security (Cash, Letter of Credit, Surety Bond). If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; **Or** Original copy of Notarized Bid Securing Declaration; **and**
- ☐ (e) Conformity with the Schedule of Requirements (Section VI) and Technical Specifications (Section VII), which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- ☐ (f) Original duly signed Omnibus Sworn Statement (OSS); **and** if applicable, Original Notarized Secretary’s Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder and copy Authority to Notarize issued to the Notary Public by the Regional Trial Court.

Other documentary requirements under RA No. 9184 (as applicable)

For foreign bidders claiming by reason of their country’s extension of reciprocal rights to Filipinos:

- ☐ (g) Copy of Treaty, International or Executive Agreement; **or**
- ☐ (h) Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- ☐ (i) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

Class “B” Documents

- ☐ (j) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
or
duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

Financial Documents

- ☐ (k) The Supplier’s audited financial statements, showing, among others, the Supplier’s total and current assets and liabilities, stamped “received” by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; **and**

- ☐ (l) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);
or
 A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

II. FINANCIAL COMPONENT ENVELOPE

- ☐ (m) Original of duly signed and accomplished Financial Bid Form; and
☐ (n) Original of duly signed and accomplished Price Schedule(s)/Bid Breakdown.

IMPORTANT REMINDERS

- A) Each and every page of the **Bid Forms/Price Schedule(s)/Bid Breakdown**, under Section VIII: Checklist of Technical and Financial Documents hereof, shall be signed by the duly authorized representative/s of the Bidder. Failure to do so shall be a ground for the rejection of the bid.
- B) Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by the duly authorized representative/s of the Bidder.
- C) Bid documents shall be compiled in a folder/binder with the Annexes properly labeled with tabs/separators.
- D) Bidders shall submit their bids through their duly authorized representative enclosed in separate sealed envelopes, which shall be submitted simultaneously:
- a) The first three individually sealed envelopes shall contain the folder/binder of the Eligibility Requirements and Technical Component of the bid; prepared in three copies labeled as follows:
- Envelop (1): ORIGINAL – Eligibility Requirements and Technical Component
 Envelop (2): COPY1 – Eligibility Requirements and Technical Component
 Envelop (3): COPY2 – Eligibility Requirements and Technical Component
- b) The next three individually sealed envelopes shall contain the folder/binder of the Financial Component of the bid; prepared in three copies labeled as follows:
- Envelop (4): ORIGINAL – Financial Component
 Envelop (5): COPY1 – Financial Component
 Envelop (6): COPY2 – Financial Component
- c) Bidders shall enclose, seal and mark the following:
- Envelop (7): Envelope (1) and Envelope (4) enclosed in one sealed envelope marked "ORIGINAL–BID"
- Envelop (8): Envelope (2) and Envelope (5) enclosed in one sealed envelope marked "COPY1–BID"
- Envelop (9): Envelope (3) and Envelope (6) enclosed in one sealed envelope marked "COPY2–BID"

48

- d) Envelopes (7) to (9) shall then be enclosed in a single sealed, signed final/outer envelope/package/box
- e) All envelopes (Envelopes (1) to (9) and the final/outer envelope/package/box) shall indicate the following:
- addressed to the Procuring Entity’s BAC
 - name and address of the Bidder in capital letters
 - name of the contract/project to be bid in capital letters
 - bear the specific identification/reference code of this bidding process
 - bear a warning “DO NOT OPEN BEFORE...” the date and time for the opening of bids

THE CHAIRPERSON

BIDS AND AWARDS COMMITTEE

2ND FLOOR, SSS MAIN BUILDING

EAST AVENUE, DILIMAN, QUEZON CITY

NAME OF BIDDER : _____

ADDRESS : _____

NAME OF PROJECT: _____

ITB REFERENCE NUMBER: _____

DO NOT OPEN BEFORE
(the date and time for the opening of bids)

- E) Bids submitted after the deadline shall only be marked for recording purpose, shall not be included in the opening of bids, and shall be returned to the bidder unopened.
- F) Bidders shall submit a copy of the Authority to Notarize issued by the Regional Trial Court to the Notarial Public.

FORMS

Bid Form for the Procurement of Goods
LOT 1

BID FORM

SUPPLY, DELIVERY AND INSTALLATION OF AIR – CONDITIONING UNITS
FOR VARIOUS DIVISIONS, BRANCHES, SERVICE OFFICES, MAKATI
BUILDING AND MAIN OFFICE BUILDING

Date: _____
Project Identification No.: _____

To: **SOCIAL SECURITY SYSTEM**
East Avenue, Diliman, Quezon City

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to Lot 1: Supply, Delivery and Installation of Two Hundred Thirteen (214) Air – Conditioning Units for NCR Branches and Makati and Main Buildings in conformity with the said PBDs for the sum of [**total Bid amount in words and figures**] or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules/Bid Breakdown attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules/Bid Breakdown,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

| Name and address of agent | Amount | Purpose of Commission or gratuity |
|---------------------------|--------|-----------------------------------|
| _____ | _____ | _____ |
| _____ | _____ | _____ |

(if none, state “None”)

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

98

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices/Bid Breakdown, shall be a ground for the rejection of our bid.

Name: _____

Legal capacity:_____

Signature:_____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____

Bid Form for the Procurement of Goods
LOT 2

BID FORM

SUPPLY, DELIVERY AND INSTALLATION OF AIR – CONDITIONING UNITS
FOR VARIOUS DIVISIONS, BRANCHES, SERVICE OFFICES, MAKATI
BUILDING AND MAIN OFFICE BUILDING

Date: _____
Project Identification No.: _____

To: **SOCIAL SECURITY SYSTEM**
East Avenue, Diliman, Quezon City

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to Lot 2: Supply, Delivery and Installation of Two Hundred Twenty – Three (223) Air – Conditioning Units for Luzon Divisions, Branches and Service Offices in conformity with the said PBDs for the sum of [**total Bid amount in words and figures**] or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules/Bid Breakdown attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules/Bid Breakdown,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

| Name and address of agent | Amount | Purpose of Commission or gratuity |
|---------------------------|--------|-----------------------------------|
| _____ | _____ | _____ |
| _____ | _____ | _____ |
| _____ | _____ | _____ |

(if none, state “None”)

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

98

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices/Bid Breakdown, shall be a ground for the rejection of our bid.

Name: _____

Legal capacity:_____

Signature:_____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____



Bid Form for the Procurement of Goods
LOT 3

BID FORM

SUPPLY, DELIVERY AND INSTALLATION OF AIR – CONDITIONING UNITS
FOR VARIOUS DIVISIONS, BRANCHES, SERVICE OFFICES, MAKATI
BUILDING AND MAIN OFFICE BUILDING

Date: _____
Project Identification No.: _____

To: **SOCIAL SECURITY SYSTEM**
East Avenue, Diliman, Quezon City

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to Lot 3: Supply, Delivery and Installation of Sixty – Two (62) Air – Conditioning Units for Visayas Divisions, Branches and Service Offices in conformity with the said PBDs for the sum of [**total Bid amount in words and figures**] or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules/Bid Breakdown attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules/Bid Breakdown,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

| Name and address of agent | Amount | Purpose of Commission or gratuity |
|---------------------------|--------|-----------------------------------|
| _____ | _____ | _____ |
| _____ | _____ | _____ |
| _____ | _____ | _____ |

(if none, state “None”)

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

98

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices/Bid Breakdown, shall be a ground for the rejection of our bid.

Name: _____

Legal capacity:_____

Signature:_____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____

Bid Form for the Procurement of Goods
LOT 4

BID FORM

SUPPLY, DELIVERY AND INSTALLATION OF AIR – CONDITIONING UNITS
FOR VARIOUS DIVISIONS, BRANCHES, SERVICE OFFICES, MAKATI
BUILDING AND MAIN OFFICE BUILDING

Date: _____
Project Identification No.: _____

To: **SOCIAL SECURITY SYSTEM**
East Avenue, Diliman, Quezon City

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to Lot 4: Supply, Delivery & Installation of Ninety – Four (94) Air-Conditioning Units for Mindanao Divisions, Branches and Service Offices in conformity with the said PBDs for the sum of [**total Bid amount in words and figures**] or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules/Bid Breakdown attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules/Bid Breakdown,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

| Name and address of agent | Amount | Purpose of Commission or gratuity |
|---------------------------|--------|-----------------------------------|
| _____ | _____ | _____ |
| _____ | _____ | _____ |
| _____ | _____ | _____ |

(if none, state “None”)

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

98

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices/Bid Breakdown, shall be a ground for the rejection of our bid.

Name: _____

Legal capacity:_____

Signature:_____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____

FORM-02.1

Price Schedule(s)/Bid Breakdown (Lot 1)

Name of Bidder _____ Invitation to Bid Number _____

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|---|--------------|---------------|------------|
| <p>I. Supply, Delivery and Installation of Brand New 5TR/6HP Floor Mounted Inverter Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at the following locations with approximate distances of FCU and ACCU of each set:</p> <p>- ID Capture (1), MSS (2) and AMS (3) in New Panaderos Branch FCU to ACCU (1): 10.03 meters FCU to ACCU (2): 21.86 meters FCU to ACCU (3): 18.87 meters</p> <p>- MEC (1), PACD (2) and Teller Section (3) in Pasig – Pioneer Branch FCU to ACCU (1): 35.78 meters FCU to ACCU (2): 24.54 meters FCU to ACCU (3): 18.36 meters</p> <p>- Seating Area (1), MSS Backroom (2), MSS (3) and Teller Section (4) in Manila Branch FCU to ACCU (1): 34.82 meters FCU to ACCU (2): 39.38 meters FCU to ACCU (3): 28.97 meters FCU to ACCU (4): 27.20 meters</p> <p>- Admin Section in Tondo Branch FCU to ACCU: 25 meters</p> <p>- AMS (1) and Admin Section (2) in Welcome Branch FCU to ACCU (1): 20 meters FCU to ACCU (2): 25 meters</p> <p>- AMS in Makati – Gil Puyat Branch FCU to ACCU: 40 meters</p> <p>- Makati PC in Makati Building (3 sets) FCU to ACCU (1): 41 meters FCU to ACCU (2): 33 meters FCU to ACCU (3): 30 meters</p> <p>- RM Hall in Main Office (4 sets) FCU to ACCU (1): 40 meters FCU to ACCU (2): 40 meters FCU to ACCU (3): 40 meters FCU to ACCU (4): 40 meters</p> | 34 sets | ₱ | ₱ |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|---|--------------|---------------|------------|
| <ul style="list-style-type: none"> - MSD in Main Office (3 sets) FCU to ACCU (1): 50 meters FCU to ACCU (2): 40 meters FCU to ACCU (3): 30 meters - CDPRD in Main Office FCU to ACCU: 18 meters - Library in Main Office (4 sets) FCU to ACCU (1): 15 meters FCU to ACCU (2): 15 meters FCU to ACCU (3): 25 meters FCU to ACCU (4): 30 meters - Museum in Main Office (4 sets) FCU to ACCU (1): 15 meters FCU to ACCU (2): 30 meters FCU to ACCU (3): 40 meters FCU to ACCU (4): 50 meters - Diliman PC in Main Office FCU to ACCU: 12 meters | | | |
| <p>Installation of units including the following:</p> <ul style="list-style-type: none"> - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | 34 sets | ₱ | ₱ |
| Installation cost in excess of the first ten (10) feet of each unit | 2936 ft | ₱ | ₱ |
| <p>II. Supply, Delivery and Installation of Brand New 3TR/4HP Floor Mounted Inverter Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at the following locations with approximate distances of FCU and ACCU of each set and from ECB to designated power panel for additional unit :</p> <ul style="list-style-type: none"> - PACD (1), ID Capture (2) and MSS (3 - 4) in Batasan Hills Branch FCU to ACCU (1): 30 meters FCU to ACCU (2): 30 meters FCU to ACCU (3): 30 meters FCU to ACCU (4): 30 meters | 45 sets | ₱ | ₱ |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|---|--------------|---------------|------------|
| <ul style="list-style-type: none"> - MSS (1) and AMS (2 - 3) in Deparo Branch FCU to ACCU (1): 18 meters FCU to ACCU (2): 10 meters FCU to ACCU (3): 10 meters - MSS (1) and Teller Section (2) in Fairview Branch FCU to ACCU (1): 15 meters FCU to ACCU (2): 15 meters - All units in Navotas Branch (7 sets) FCU (e – Center) to ACCU (1): 24.55 meters FCU (Info Counter) to ACCU (2): 20.58 m FCU (ID Capture) to ACCU (3): 17.19 meters FCU (MSS) to ACCU (4): 13.68 meters FCU (MSS Backroom) to ACCU (5): 16.04 m FCU (AMS) to ACCU (6): 11.74 meters FCU (Admin Section) to ACCU (7): 10.89 m - AMS (1) and MSS (2) in Mandaluyong – Shaw Branch FCU to ACCU (1): 50 meters FCU to ACCU (2): 50 meters ECB to power panel (2): 50 meters - AMS (1 - 2) and Corporate Lane (3) in New Panaderos Branch FCU to ACCU (1): 22.05 meters FCU to ACCU (2): 26.56 meters FCU to ACCU (3): 10.64 meters - Seating Area (1 -2), SSSET (3) and MSS Backroom (4) in Tanay Branch FCU to ACCU (1): 23.35 meters FCU to ACCU (2): 27.95 meters FCU to ACCU (3): 33.22 meters FCU to ACCU (4): 8.33 meters - MEC in Manila Branch FCU to ACCU: 34.03 meters - MSS in Pasay – Taft Branch (2 sets) FCU to ACCU (1): 16 meters FCU to ACCU (2): 16 meters - AMS in Tondo Branch FCU to ACCU: 25 meters - MSS in Alabang – Zapote Branch (2 sets) FCU to ACCU (1): 33.67 meters FCU to ACCU (2): 28.67 meters - AMS (1) and Teller Section (2) in Makati – Chino Roces Branch FCU to ACCU (1): 50 meters FCU to ACCU (2): 50 meters | | | |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|---|--------------|---------------|------------|
| <ul style="list-style-type: none"> - AMS (1) and Teller Section (2) in Makati – JP Rizal Branch FCU to ACCU (1): 15.24 meters FCU to ACCU (2): 11.89 meters - ID Capture (1), e – Center (2), AMS (3) and Seating Area (4 - 5) in Parañaque Branch FCU to ACCU (1): 39.11 meters FCU to ACCU (2): 41.26 meters FCU to ACCU (3): 36.68 meters FCU to ACCU (4): 38.05 meters FCU to ACCU (5): 26.71 meters - EFMD (1), Makati PC (2 - 3), OVP – NCR South Division (4) and 11th Floor (5) in Makati Building FCU to ACCU (1): 10 meters FCU to ACCU (2): 10 meters FCU to ACCU (3): 10 meters FCU to ACCU (4): 41 meters FCU to ACCU (5): 21 meters | | | |
| <p>Installation of units including the following:</p> <ul style="list-style-type: none"> - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Feeder line wires and conduits from power panel to ECB for proposed unit - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | 45 sets | ₱ | ₱ |
| Installation cost in excess of the first ten (10) feet of each unit | 3188 ft | ₱ | ₱ |
| <p>III. Supply, Delivery and Installation of Brand New 3TR/4HP Ceiling Mounted Inverter Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at 12th Floor in SSS Makati Building with approximate distances of FCU and ACCU of each set:</p> <p>FCU to ACCU (1): 22 meters FCU to ACCU (2): 24 meters FCU to ACCU (3): 34 meters</p> | 3 sets | ₱ | ₱ |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|--|--------------|---------------|------------|
| Installation of units including the following: <ul style="list-style-type: none"> - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | 3 sets | ₱ | ₱ |
| Installation cost in excess of the first ten (10) feet of each unit | 232 ft | ₱ | ₱ |
| IV. Supply, Delivery and Installation of Brand New 2TR/2.5HP Ceiling Mounted Inverter Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at 11 th and 12 th Floor in SSS Makati Building with the following approximate distances of FCU and ACCU of each set: FCU to ACCU (1): 17 meters FCU to ACCU (2): 22 meters FCU to ACCU (3): 38 meters FCU to ACCU (4): 29 meters FCU to ACCU (5): 29 meters FCU to ACCU (6): 25 meters FCU to ACCU (7): 24 meters FCU to ACCU (8): 23 meters FCU to ACCU (9): 33 meters FCU to ACCU (10): 10 meters | 10 sets | ₱ | ₱ |
| Installation of units including the following: <ul style="list-style-type: none"> - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | 10 sets | ₱ | ₱ |
| Installation cost in excess of the first ten (10) feet of each unit | 687 ft | ₱ | ₱ |
| V. Supply, Delivery and Installation of Brand New 2.5HP Wall Mounted Inverter Split Type Air – | 6 sets | ₱ | ₱ |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|---|--------------|---------------|------------|
| <p>Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at the following locations with approximate distances of FCU and ACCU of each set:</p> <ul style="list-style-type: none"> - AMS (1) and MSS Backroom (2) in Pasig Pioneer Branch FCU to ACCU (1): 23 meters FCU to ACCU (2): 28 meters - 11th (1) and 12th (2) Floor in Makati Building FCU to ACCU (1): 30 meters FCU to ACCU (2): 29 meters - DCOD (1) and OSVP – ITMG (2) in Main Office Building FCU to ACCU (1): 30 meters FCU to ACCU (2): 30 meters | | | |
| <p>Installation of units including the following:</p> <ul style="list-style-type: none"> - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | 6 sets | ₱ | ₱ |
| Installation cost in excess of the first ten (10) feet of each unit | 498 ft | ₱ | ₱ |
| <p>VI. Supply, Delivery and Installation of Brand New 2HP Wall Mounted Inverter Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breaker (ECB) at the following locations with approximate distances of FCU and ACCU of each set:</p> <ul style="list-style-type: none"> - OBH (1) and Conference Room (2) in Navotas Branch FCU to ACCU (1): 9.24 meters FCU to ACCU (2): 8.59 meters - OBH (1) and Conference Room (2) in Tanay Branch FCU to ACCU (1): 16.6 meters FCU to ACCU (2): 16.4 meters | 8 sets | ₱ | ₱ |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|---|--------------|---------------|------------|
| - OBH in Manila Branch FCU to ACCU: 6.75 meters - OBH in Makati – JP Rizal FCU to ACCU: 10.37 meters - OBH (1) and Conference Room (2) in Parañaque Branch FCU to ACCU (1): 15.51 meters FCU to ACCU (2): 13.81 meters | | | |
| Installation of units including the following: - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | 8 sets | ₱ | ₱ |
| Installation cost in excess of the first ten (10) feet of each unit | 239 ft | ₱ | ₱ |
| VII. Supply, Delivery & Installation of Brand New 2HP Window Type Inverter Room Air – Conditioner at the following locations: - Pateros Service Office - Teller Section in Pasay – Taft Branch - EE Room in Alabang – Muntinlupa Branch - EFMD in Makati Building (5) - Main Office Building (100) | 108 sets | ₱ | ₱ |
| TOTAL | ₱ | | |

Kindly refer to Section V. Special Conditions of Contract under GCC Clause item 1 for General Conditions and Scope of Works

Note:

- Any bid exceeding the ABC of **₱ 29,302,025.00** shall not be accepted.
- Fill up all required items/field in the bid breakdown. Failure to indicate any of the following shall mean outright disqualification since bid is considered Non-Responsive.
 - If the item is given for free, indicate dash (-), zero (0) or free
 - If the item is not applicable, indicate N/A
- Please use the softcopy of the Bid Breakdown provided to the bidders.
- All documents shall be signed, and each and every page thereof shall be initialed, by the duly authorized representative/s of the Bidder.

98

- 5. Bid proposal must be inclusive of all applicable taxes.
- 6. Warranty requirement is at no cost to SSS.

Name: _____

Legal capacity:_____

Signature:_____

Duly authorized to sign the Bid for and behalf of: _____

98

FORM-02.2

Price Schedule(s)/Bid Breakdown (Lot 2)

Name of Bidder _____ Invitation to Bid Number _____

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|--|--------------|---------------|------------|
| I. Supply, Delivery and Installation of Brand New 7.5TR Floor Mounted Split Type Air – Conditioner with Vertical Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at the following locations with approximate distances of FCU and ACCU of each set: - Info Counter (1) and ID Capture (2) in San Pablo Branch FCU to ACCU (1): 7 meters FCU to ACCU (2): 8 meters - Teller Section (1) and RIMS (2) in Naga Branch FCU to ACCU (1): 20 meters FCU to ACCU (2): 8 meters | 4 sets | ₱ | ₱ |
| Installation of units including the following: - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | 4 sets | ₱ | ₱ |
| Installation cost in excess of the first ten (10) feet of each unit | 101 ft | ₱ | ₱ |
| II. Supply, Delivery and Installation of Brand New 5TR/6HP Floor Mounted Inverter Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at the following locations with approximate distances of FCU and ACCU of each set and from ECB to designated power panel for additional units: - AMS (1), ID Capture Area (2) and Teller Section (3) in La Union Branch FCU to ACCU (1): 20 meters ECB to power panel (1): 24 meters | 35 sets | ₱ | ₱ |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|--|--------------|---------------|------------|
| FCU to ACCU (2): 10 meters ECB to power panel (2): 14 meters FCU to ACCU (3): 8 meters ECB to power panel (3): 9 meters - MSS (1 – 2) in Alaminos Branch FCU to ACCU (1): 35 meters FCU to ACCU (2): 35 meters - MEC (1), Teller Section (2), Seating Area (3) and MSS (4) in Dagupan Branch FCU to ACCU (1): 17.08 meters FCU to ACCU (2): 24.86 meters FCU to ACCU (3): 25.59 meters FCU to ACCU (4): 24.75 meters - Legal Department (1 – 2), Admin Section (3) and HAAMS (4) in Tarlac Branch FCU to ACCU (1): 15 meters FCU to ACCU (2): 15 meters FCU to ACCU (3): 30 meters FCU to ACCU (4): 10 meters - e – Center in Meycauayan Branch FCU to ACCU: 23.20 meters - Teller Section (1) and e – Center (2) in Pampanga Branch FCU to ACCU (1): 17.30 meters FCU to ACCU (2): 26.50 meters ECB to power panel (2): 11.20 meters - MSS Backroom (1) and Teller Section (2) in Bacoor Branch FCU to ACCU (1): 4 meters FCU to ACCU (2): 4 meters - MSS (1) and MSS Backroom (2) Calamba Branch FCU to ACCU (1): 9 meters FCU to ACCU (2): 13 meters - MEC (1), MSS (2 - 5), and Teller Section (6) in Lucena Branch FCU to ACCU (1): 13 meters FCU to ACCU (2): 10 meters FCU to ACCU (3): 5 meters FCU to ACCU (4): 5 meters FCU to ACCU (5): 9 meters FCU to ACCU (6): 5 meters - MSS (1 - 2), PACD (3), Conference Room (4) and AGAS (5) in San Pablo Branch FCU to ACCU (1): 24 meters FCU to ACCU (2): 26 meters FCU to ACCU (3): 29 meters | | | |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|--|--------------|---------------|------------|
| FCU to ACCU (4): 19 meters FCU to ACCU (5): 11 meters - MSS (1) and Seating Area (2) in Batangas Branch FCU to ACCU (1): 15.24 meters FCU to ACCU (2): 6.10 meters - MSS (1 – 2) in Legazpi Branch FCU to ACCU (1): 20 meters FCU to ACCU (2): 15 meters | | | |
| Installation of units including the following: - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Feeder line wires and conduits from power panel to ECB for proposed unit - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | 35 sets | ₱ | ₱ |
| Installation cost in excess of the first ten (10) feet of each unit | 1538 ft | ₱ | ₱ |
| III. Supply, Delivery and Installation of Brand New 3TR/4HP Floor Mounted Inverter Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at the following locations with approximate distances of FCU and ACCU of each set and from ECB to designated power panel for additional units: - MSS in Bangued Branch FCU to ACCU: 8 meters - AMS in Bontoc Branch FCU to ACCU: 12 meters ECB to power panel: 20 meters - MSS (1 – 2) and AMS (3) in Laoag Branch FCU to ACCU (1): 15 meters FCU to ACCU (2): 8 meters FCU to ACCU (3): 12 meters | 109 sets | ₱ | ₱ |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|---|--------------|---------------|------------|
| <ul style="list-style-type: none"> - SSSET (1), OVP (2 – 3), Legal Department (4 – 5), AMS (6) and MSS (7 – 8) in Cauayan Branch <ul style="list-style-type: none"> FCU to ACCU (1): 10 meters FCU to ACCU (2): 15 meters FCU to ACCU (3): 10 meters FCU to ACCU (4): 15 meters FCU to ACCU (5): 15 meters FCU to ACCU (6): 15 meters FCU to ACCU (7): 15 meters FCU to ACCU (8): 15 meters - e – Center in Iligan Branch <ul style="list-style-type: none"> FCU to ACCU: 15 meters - MSS (1 – 3) and AMS (4 – 5) in Alaminos Branch <ul style="list-style-type: none"> FCU to ACCU (1): 35 meters FCU to ACCU (2): 35 meters FCU to ACCU (3): 35 meters FCU to ACCU (4): 35 meters FCU to ACCU (5): 35 meters - e – Center (1) and MSS (2 – 3) in Balanga Branch <ul style="list-style-type: none"> FCU to ACCU (1): 45 meters FCU to ACCU (2): 35 meters FCU to ACCU (3): 30 meters - MSS Backroom (1), Corporate Lane (2), AMS (3 – 4) and Admin Section (5) in Dagupan Branch <ul style="list-style-type: none"> FCU to ACCU (1): 19.91 meters FCU to ACCU (2): 17.85 meters FCU to ACCU (3): 12.12 meters FCU to ACCU (4): 13.42 meters FCU to ACCU (5): 11.31 meters - MSS (1) and Teller Section (2) in Iba Branch <ul style="list-style-type: none"> FCU to ACCU (1): 25 meters FCU to ACCU (2): 25 meters - Teller Section (1), e – Center (2) and ID Capture (3) in Tarlac Branch <ul style="list-style-type: none"> FCU to ACCU (1): 15 meters FCU to ACCU (2): 10 meters FCU to ACCU (3): 10 meters - ABH Area (1) and Teller Section (2) in Malolos Branch <ul style="list-style-type: none"> FCU to ACCU (1): 15.10 meters FCU to ACCU (2): 8.20 meters - Admin Section in Meycauayan Branch <ul style="list-style-type: none"> FCU to ACCU: 21.60 meters | | | |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|--|--------------|---------------|------------|
| <ul style="list-style-type: none"> - MEC in Pampanga Branch FCU to ACCU: 17 meters - MSS (1), MEC (2) and MSS Backroom (3) in Olongapo Branch FCU to ACCU (1): 13.10 meters FCU to ACCU (2): 21.30 meters FCU to ACCU (3): 21.90 meters - Teller Section (1) and MSS Backroom (2) in Sta. Maria Branch FCU to ACCU (1): 14.50 meters FCU to ACCU (2): 7.60 meters - MSS (1 – 2), ID Capture (3) and MSS Lobby (4) in Biñan Branch FCU to ACCU (1): 34.50 meters FCU to ACCU (2): 19.50 meters FCU to ACCU (3): 28.50 meters FCU to ACCU (4): 48 meters - Admin Section in Calamba Branch FCU to ACCU: 11 meters - AMS (1), MSS (2 – 3), Info Counter (4) and e – Center (5) in Dasmariñas Branch FCU to ACCU (1): 5.50 meters FCU to ACCU (2): 15 meters FCU to ACCU (3): 10 meters FCU to ACCU (4): 10 meters FCU to ACCU (5): 10 meters - MSS in Infanta Branch FCU to ACCU: 16 meters - AMS (1 – 2), e – Center (3) and ABH Area (4) in Lucena Branch FCU to ACCU (1): 23 meters FCU to ACCU (2): 9 meters FCU to ACCU (3): 15 meters FCU to ACCU (4): 8 meters - MSS (1 – 2), AMS (3) and MSS Backroom (4) in Rosario Branch FCU to ACCU (1): 15 meters FCU to ACCU (2): 4 meters FCU to ACCU (3): 3 meters FCU to ACCU (4): 6 meters - MSS in San Pablo Branch FCU to ACCU: 28 meters - AMS (1) and MSS (2 – 3) in Tagaytay Branch FCU to ACCU (1): 10 meters ECB to power panel (1): 12 meters FCU to ACCU (2): 25 meters ECB to power panel (2): 12 meters | | | |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|--|--------------|---------------|------------|
| FCU to ACCU (3): 41 meters ECB to power panel (3): 12 meters - Admin Section (1) and Seating Area (2) in Boac Branch FCU to ACCU (1): 6.10 meters FCU to ACCU (2): 15.24 meters - Seating Area (1 – 3), MSS (4), Teller Section (5), Admin Section (6 – 7) and OVP (8) in Batangas Branch FCU to ACCU (1): 9.15 meters FCU to ACCU (2): 7.62 meters FCU to ACCU (3): 15.24 meters FCU to ACCU (4): 6.10 meters FCU to ACCU (5): 6.10 meters FCU to ACCU (6): 3.05 meters FCU to ACCU (7): 6.10 meters FCU to ACCU (8): 10.67 meters ECB to power panel (8): 37 meters - AMS (1) and Teller Section (2) in Odiongan Branch FCU to ACCU (1): 9.15 meters FCU to ACCU (2): 6.10 meters - All units in Lemery Branch (7 sets) FCU (MSS) to ACCU (1): 30.49 meters FCU (MSS) to ACCU (2): 24.39 meters FCU (e – Center) to ACCU (3): 24.39 meters FCU (Seating Area) to ACCU (4): 18.29 m FCU (Admin Section) to ACCU (5): 18.29 m FCU (AMS) to ACCU (6): 18.29 meters FCU (AMS) to ACCU (7): 18.29 meters - MOD (1), Info Counter (2), e – Center (3), Seating Area (4 – 6), MSS Backroom (7), AMS (8), Admin Section (9) in Puerto Princesa Branch FCU to ACCU (1): 24.39 meters FCU to ACCU (2): 18.29 meters FCU to ACCU (3): 12.20 meters FCU to ACCU (4): 19.82 meters FCU to ACCU (5): 19.82 meters FCU to ACCU (6): 19.82 meters FCU to ACCU (7): 10.67 meters FCU to ACCU (8): 15.24 meters FCU to ACCU (9): 10.67 meters - All units in Daet Branch (7 sets) FCU (MSS) to ACCU (1): 28 meters FCU (MSS) to ACCU (2): 18 meters FCU (MSS) to ACCU (3): 18 meters FCU (MSS) to ACCU (4): 28 meters FCU (AMS) to ACCU (5): 10 meters FCU (Admin Section) to ACCU (6): 16 m | | | |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|---|--------------|---------------|------------|
| FCU (Teller Section) to ACCU (7): 14 meters - Lobby in Goa Service Office FCU to ACCU: 10 meters - Jose Panganiban Service Office (2 sets) FCU (MSS) to ACCU (1): 4 meters FCU (MSS) to ACCU (2): 6 meters - MSS in Legazpi Branch FCU to ACCU: 20 meters - MSS in Ligao Service Office FCU to ACCU: 5 meters - ABH Area (1) and Processing Center (2) in Naga Branch FCU to ACCU (1): 6 meters FCU to ACCU (2): 4 meters - Admin Section (1) and AMS (2) in Sorsogon Branch FCU to ACCU (1): 6 meters FCU to ACCU (2): 6 meters - Teller Section in Virac Branch FCU to ACCU: 15 meters | | | |
| Installation of units including the following: - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Feeder line wires and conduits from power panel to ECB for proposed unit - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | 109 sets | ₱ | ₱ |
| Installation cost in excess of the first ten (10) feet of each unit | 4694 ft | ₱ | ₱ |
| IV. Supply, Delivery and Installation of Brand New 3TR/4HP Ceiling Cassette Inverter Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at MSS in Urdaneta Branch with the following | 5 sets | ₱ | ₱ |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|--|--------------|---------------|------------|
| <p>approximate distances of FCU and ACCU of each set and from ECB to designated power panel:</p> <p>FCU to ACCU (1): 14 meters ECB to power panel (1): 43 meters FCU to ACCU (2): 10 meters ECB to power panel (2): 43 meters FCU to ACCU (3): 14 meters ECB to power panel (3): 43 meters FCU to ACCU (4): 18 meters ECB to power panel (4): 43 meters FCU to ACCU (5): 24 meters ECB to power panel (5): 43 meters</p> | | | |
| <p>Installation of units including the following:</p> <ul style="list-style-type: none"> - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Feeder line wires and conduits from power panel to ECB for proposed unit - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | 5 sets | ₱ | ₱ |
| Installation cost in excess of the first ten (10) feet of each unit | 213 ft | ₱ | ₱ |
| <p>V. Supply, Delivery and Installation of Brand New 2.5TR/3HP Ceiling Mounted Inverter Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at Seating Area of Balanga Branch</p> <p>FCU to ACCU: 30 meters</p> | 1 set | ₱ | ₱ |
| <p>Installation of units including the following:</p> <ul style="list-style-type: none"> - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | 1 set | ₱ | ₱ |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|---|--------------|---------------|------------|
| Installation cost in excess of the first ten (10) feet | 89 ft | ₱ | ₱ |
| VI. Supply, Delivery and Installation of Brand New 2.5TR/3HP Wall Mounted Inverter Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at MSS in San Pablo Branch FCU to ACCU: 6 meters | 1 set | ₱ | ₱ |
| Installation of units including the following: <ul style="list-style-type: none"> - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | 1 set | ₱ | ₱ |
| Installation cost in excess of the first ten (10) feet | 10 ft | ₱ | ₱ |
| VII. Supply, Delivery and Installation of Brand New 2TR/2.5HP Ceiling Mounted Inverter Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at the following locations with approximate distances of FCU and ACCU of each set: <ul style="list-style-type: none"> - MEC in Lucena Branch FCU to ACCU: 9 meters - MEC (1) and OBH (2 – 3) in San Pablo Branch (3 sets) FCU (MSS) to ACCU (1): 30 meters FCU (MSS) to ACCU (2): 18 meters FCU (MSS) to ACCU (3): 14 meters | 4 sets | ₱ | ₱ |
| Installation of units including the following: <ul style="list-style-type: none"> - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | 4 sets | ₱ | ₱ |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|--|--------------|---------------|------------|
| Installation cost in excess of the first ten (10) feet of each unit | 193 ft | ₱ | ₱ |
| <p>VIII. Supply, Delivery and Installation of Brand New 2.5HP Wall Mounted Inverter Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at the following locations with approximate distances of FCU and ACCU of each set and from ECB to designated power panel for additional units:</p> <ul style="list-style-type: none"> - Legal Department (1 – 3), 4th Floor (4 – 5) and COA (6) in Baguio Branch FCU to ACCU (1): 7 meters ECB to power panel (1): 9 meters FCU to ACCU (2): 8 meters ECB to power panel (2): 10 meters FCU to ACCU (3): 10 meters ECB to power panel (3): 9 meters FCU to ACCU (4): 18 meters ECB to power panel (4): 9 meters FCU to ACCU (5): 18 meters ECB to power panel (5): 9 meters FCU to ACCU (6): 18 meters ECB to power panel (6): 12 meters - OBH in Candon Branch FCU to ACCU: 15 meters - MEC in Laoag Branch FCU to ACCU: 20 meters ECB to power panel: 20 meters - OBH in San Carlos, Pangasinan Branch FCU to ACCU: 30 meters - MSS in Pampanga Branch FCU to ACCU: 10.80 meters ECB to power panel: 20 meters - MSS (1), MEC (2) and OVP Conference Room (3) in Batangas Branch FCU to ACCU (1): 10.67 meters ECB to power panel (1): 37 meters FCU to ACCU (2): 3.05 meters ECB to power panel (2): 16 meters FCU to ACCU (3): 3.05 meters ECB to power panel (3): 22 meters - AMS (1) and Teller Section (2) in Boac Branch FCU to ACCU (1): 24.39 meters ECB to power panel (1): 13 meters FCU to ACCU (2): 12.20meters | 20 sets | ₱ | ₱ |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|--|--------------|---------------|------------|
| ECB to power panel (2): 13 meters - OBH (1), Conference Room (2) and Electrical Room (3) in Lemery Branch FCU to ACCU (1): 18.29 meters FCU to ACCU (2): 18.29 meters FCU to ACCU (3): 18.29 meters ECB to power panel (3): 25 meters - Admin Section in Odiongan Branch FCU to ACCU: 3.05 meters ECB to power panel: 19 meters - MSS Head in Masbate Branch FCU to ACCU: 12 meters | | | |
| Installation of units including the following: - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Feeder line wires and conduits from power panel to ECB for proposed unit - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | 20 sets | ₱ | ₱ |
| Installation cost in excess of the first ten (10) feet of each unit | 712 ft | ₱ | ₱ |
| IX. Supply, Delivery and Installation of Brand New 2HP Ceiling Mounted Inverter Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breaker (ECB) at MEC in Balanga Branch FCU to ACCU: 15 meters | 1 set | ₱ | ₱ |
| Installation of units including the following: - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Drain pipes and fittings - Mounting Platforms, Hangers and Supports | 1 set | ₱ | ₱ |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|--|--------------|---------------|------------|
| - Other necessary materials to complete the installation | | | |
| Installation cost in excess of the first ten (10) feet | 39 ft | ₱ | ₱ |
| <p>X. Supply, Delivery and Installation of Brand New 2HP Wall Mounted Inverter Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breaker (ECB) in the following locations with approximate distances of FCU and ACCU of each set:</p> <ul style="list-style-type: none"> - Legal Department (1) and OBH (2) in Tarlac Branch FCU to ACCU (1): 15 meters FCU to ACCU (2): 10 meters - Conference Room (1) and OBH (2) in Meycauayan Branch FCU to ACCU (1): 26.50 meters FCU to ACCU (2): 22.90 meters - ARMS in Pampanga Branch FCU to ACCU: 7.90 meters - Conference Room (1) and OBH (2) in Puerto Princesa Branch FCU to ACCU (1): 15.24 meters FCU to ACCU (2): 15.24 meters - Teller Section in Masbate Branch FCU to ACCU: 20 meters - e – Center (1) and OBH (2) in Tabaco Branch FCU to ACCU (1): 8 meters FCU to ACCU (2): 20 meters | 10 sets | ₱ | ₱ |
| <p>Installation of units including the following:</p> <ul style="list-style-type: none"> - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | 10 sets | ₱ | ₱ |
| Installation cost in excess of the first ten (10) feet of each unit | 427 ft | ₱ | ₱ |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|--|--------------|---------------|------------|
| <p>XI. Supply, Delivery and Installation of Brand New 1.5HP Wall Mounted Inverter Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breaker (ECB) in the following locations with approximate distances of FCU and ACCU of each set and from ECB to designated power panel for additional units:</p> <ul style="list-style-type: none"> - Conference Room in Cauayan Branch FCU to ACCU: 12 meters - Conference Room (1) and OBH (2) in Alaminos Branch FCU to ACCU (1): 20 meters FCU to ACCU (2): 20 meters - OBH in Dagupan Branch FCU to ACCU: 6 meters - Electrical Room in Bacoor Branch FCU to ACCU: 4 meters ECB to power panel: 4 meters - OBH in Daet Branch FCU to ACCU: 6 meters - OBH in Naga Branch FCU to ACCU: 8 meters | 7 sets | ₱ | ₱ |
| <p>Installation of units including the following:</p> <ul style="list-style-type: none"> - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Feeder line wires and conduits from power panel to ECB for proposed unit - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | 7 sets | ₱ | ₱ |
| Installation cost in excess of the first ten (10) feet of each unit | 179 ft | ₱ | ₱ |
| <p>XII. Supply, Delivery & Installation of Brand New 2.5HP Window Type Inverter Room Air – Conditioner at Teller Section of Balanga Branch</p> | 1 set | ₱ | ₱ |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|--|--------------|---------------|------------|
| XIII. Supply, Delivery & Installation of Brand New 2HP Window Type Inverter Room Air – Conditioner at the following locations: - Aparri Service Office - Sanchez Mira Service Office - Dasol Service Office - Teller Section in Balanga Branch - MEC and OBH in Cabanatuan Branch (2 sets) - Electrical Room in Dagupan Branch - Conference Room and OBH in Iba Branch (2 sets) - MSS and Info Counter in Infanta Branch (2 sets) - OBH in Boac Branch - Bongabong Service Office - Brooke’s Point Service Office - Taytay Service Office - AMS in Goa Service Office - Lobby and AMS in Iriga Branch (2 sets) - OBH, ABH Area, OVP and MSS Backroom in Legazpi Branch (4 sets) - Conference Room in Naga Branch (2 sets) - Sta. Elena Service Office | 25 sets | ₱ | ₱ |
| TOTAL | | ₱ | |

Kindly refer to Section V. Special Conditions of Contract under GCC Clause item 1 for General Conditions and Scope of Works

Note:

- Any bid exceeding the ABC of ₱ 40,130,700.00 shall not be accepted.
- Fill up all required items/field in the bid breakdown. Failure to indicate any of the following shall mean outright disqualification since bid is considered Non-Responsive.
 - If the item is given for free, indicate dash (-), zero (0) or free
 - If the item is not applicable, indicate N/A
- Please use the softcopy of the Bid Breakdown provided to the bidders.
- All documents shall be signed, and each and every page thereof shall be initialed, by the duly authorized representative/s of the Bidder.
- Bid proposal must be inclusive of all applicable taxes.
- Warranty requirement is at no cost to SSS.

Name: _____

Legal capacity:_____

Signature:_____

Duly authorized to sign the Bid for and behalf of: _____



Price Schedule(s)/Bid Breakdown (Lot 3)

Name of Bidder _____ Invitation to Bid Number _____

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|---|--------------|---------------|------------|
| I. Supply, Delivery and Installation of Brand New 7.5TR Ceiling Concealed Split Type (Ducted) Air – Conditioner with Vertical Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at MEC (1), Teller Section (2) and Cebu PC with the following approximate distances of FCU and ACCU of each set: FCU to ACCU (1): 22 meters FCU to ACCU (2): 31 meters FCU to ACCU (3): 26 meters | 3 sets | ₱ | ₱ |
| Installation of units including the following: <ul style="list-style-type: none">- Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape- Enclosed Circuit Breakers (ECB)- Feeder line wires and outdoor conduits from ACCU to ECB- Drain pipes and fittings- Mounting Platforms, Hangers and Supports- Other necessary materials to complete the installation | 3 sets | ₱ | ₱ |
| Installation cost in excess of the first ten (10) feet of each unit | 229 ft | ₱ | ₱ |
| II. Supply, Delivery and Installation of Brand New 5TR/6HP Ceiling Concealed Inverter Split Type (Ducted) Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at RIMS in Cebu Branch FCU to ACCU: 25 meters | 1 set | ₱ | ₱ |
| Installation of units including the following: <ul style="list-style-type: none">- Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape- Enclosed Circuit Breakers (ECB)- Feeder line wires and outdoor conduits from ACCU to ECB- Drain pipes and fittings | 1 set | ₱ | ₱ |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|--|--------------|---------------|------------|
| <ul style="list-style-type: none"> - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | | | |
| Installation cost in excess of the first ten (10) feet | 72 ft | ₱ | ₱ |
| <p>III. Supply, Delivery and Installation of Brand New 5TR/6HP Floor Mounted Inverter Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at Teller Section (1) and e – Center (2) in Tagbilaran Branch with the following approximate distances of FCU and ACCU of each set:</p> <p>FCU to ACCU (1): 10 meters FCU to ACCU (2): 20 meters</p> | 2 sets | ₱ | ₱ |
| <p>Installation of units including the following:</p> <ul style="list-style-type: none"> - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | 2 sets | ₱ | ₱ |
| Installation cost in excess of the first ten (10) feet of each unit | 78 ft | ₱ | ₱ |
| <p>IV. Supply, Delivery and Installation of Brand New 4TR/5HP Ceiling Mounted Inverter Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at the Chapel in Cebu Branch</p> <p>FCU to ACCU: 31 meters</p> | 1 set | ₱ | ₱ |
| <p>Installation of units including the following:</p> <ul style="list-style-type: none"> - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Drain pipes and fittings - Mounting Platforms, Hangers and Supports | 1 set | ₱ | ₱ |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|--|--------------|---------------|------------|
| - Other necessary materials to complete the installation | | | |
| Installation cost in excess of the first ten (10) feet | 92 ft | ₱ | ₱ |
| <p>V. Supply, Delivery and Installation of Brand New 3TR/4HP Floor Mounted Inverter Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at the following locations with approximate distances of FCU and ACCU of each set:</p> <ul style="list-style-type: none"> - PACD (1) and MSS (2) in Talisay Branch FCU to ACCU (1): 14 meters FCU to ACCU (2): 25 meters - Admin Section (1), PACD (2) and MSS (3) in Toledo Branch FCU to ACCU (1): 28 meters FCU to ACCU (2): 16 meters FCU to ACCU (3): 22 meters - Second Floor of Maasin Branch (2 sets) FCU to ACCU (1): 16 meters FCU to ACCU (2): 16 meters - AMS in Tacloban Branch FCU to ACCU: 8 meters - MSS in Antique Branch (2 sets) FCU to ACCU (1): 15 meters FCU to ACCU (2): 15 meters - Boracay Service Office FCU to ACCU: 5 meters | 11 sets | ₱ | ₱ |
| <p>Installation of units including the following:</p> <ul style="list-style-type: none"> - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | 11 sets | ₱ | ₱ |
| Installation cost in excess of the first ten (10) feet of each unit | 481 ft | ₱ | ₱ |
| VI. Supply, Delivery and Installation of Brand New 3TR/4HP Ceiling Mounted Inverter Split Type | 2 sets | ₱ | ₱ |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|---|--------------|---------------|------------|
| <p>Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at the OBH (1) and Admin Section (2) in Lapu – Lapu Branch with the following approximate distances of FCU and ACCU of each set:</p> <p>FCU to ACCU (1): 21 meters FCU to ACCU (2): 16 meters</p> | | | |
| <p>Installation of units including the following:</p> <ul style="list-style-type: none"> - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | 2 sets | ₱ | ₱ |
| Installation cost in excess of the first ten (10) feet of each unit | 62 ft | ₱ | ₱ |
| <p>VII. Supply, Delivery and Installation of Brand New 3TR Floor Mounted Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at the following locations with approximate distances of FCU and ACCU of each set:</p> <ul style="list-style-type: none"> - MSS (1 – 2), OVP (3), Annex Building (4 – 6), e – Center (7), ARMS (8) and RIMT (9) in Bacolod Branch FCU to ACCU (1): 30 meters FCU to ACCU (2): 30 meters FCU to ACCU (3): 25 meters FCU to ACCU (4): 10 meters FCU to ACCU (5): 8 meters FCU to ACCU (6): 10 meters FCU to ACCU (7): 18 meters FCU to ACCU (8): 15 meters FCU to ACCU (9): 30 meters - Backroom in Bayawan Service Office FCU to ACCU: 4 meters - MSS (1 – 3), ID Capture (4) and AMS (5) in Sagay Branch FCU to ACCU (1): 10 meters | 19 sets | ₱ | ₱ |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|--|--------------|---------------|------------|
| FCU to ACCU (2): 3 meters FCU to ACCU (3): 3 meters FCU to ACCU (4): 3 meters FCU to ACCU (5): 10 meters - MSS (1 – 3) and Admin Section (4) in Victorias Branch FCU to ACCU (1): 35 meters FCU to ACCU (2): 20 meters FCU to ACCU (3): 25 meters FCU to ACCU (4): 12 meters | | | |
| Installation of units including the following: - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | 19 sets | ₱ | ₱ |
| Installation cost in excess of the first ten (10) feet of each unit | 797 ft | ₱ | ₱ |
| VIII. Supply, Delivery and Installation of Brand New 3TR/4HP Ceiling Cassette Inverter Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at the following locations with approximate distances of FCU and ACCU of each set and from ECB to designated power panel for additional units: - Cebu PC (2sets) FCU to ACCU (1): 37 meters ECB to power panel (1): 34 meters FCU to ACCU (2): 32 meters ECB to power panel (2): 10 meters - MSS (1) and e – Center (2) in Iloilo – Central Branch FCU to ACCU (1): 15 meters FCU to ACCU (2): 25 meters | 4 sets | ₱ | ₱ |
| Installation of units including the following: | 4 sets | ₱ | ₱ |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|--|--------------|---------------|------------|
| <ul style="list-style-type: none"> - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Feeder line wires and conduits from power panel to ECB for proposed unit - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | | | |
| Installation cost in excess of the first ten (10) feet of each unit | 318 ft | ₱ | ₱ |
| IX. Supply, Delivery and Installation of Brand New 3TR Ceiling Mounted Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at MSS (1) and MEC (2) in Sagay Branch with the following approximate distances of FCU and ACCU of each set: FCU to ACCU (1): 15 meters FCU to ACCU (2): 10 meters | 2 sets | ₱ | ₱ |
| Installation of units including the following: <ul style="list-style-type: none"> - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | 2 sets | ₱ | ₱ |
| Installation cost in excess of the first ten (10) feet of each unit | 101 ft | ₱ | ₱ |
| X. Supply, Delivery and Installation of Brand New 2.5HP Wall Mounted Inverter Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at the following locations with approximate distances of FCU and ACCU of each set and from ECB to designated power panel for additional unit: | 3 sets | ₱ | ₱ |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|--|--------------|---------------|------------|
| <ul style="list-style-type: none"> - AMS in Cebu Branch FCU to ACCU: 20 meters ECB to power panel: 12 meters - OBH (1) and Conference Room (2) in Roxas Branch FCU to ACCU (1): 12 meters FCU to ACCU (2): 12 meters | | | |
| <p>Installation of units including the following:</p> <ul style="list-style-type: none"> - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Feeder line wires and conduits from power panel to ECB for proposed unit - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | 3 sets | ₱ | ₱ |
| Installation cost in excess of the first ten (10) feet of each unit | 114 ft | ₱ | ₱ |
| <p>XI. Supply, Delivery and Installation of Brand New 2.5HP Ceiling Cassette Inverter Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at Conference Room in Lapu – Lapu Branch</p> <p>FCU to ACCU: 18 meters</p> | 1 set | ₱ | ₱ |
| <p>Installation of units including the following:</p> <ul style="list-style-type: none"> - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | 1 set | ₱ | ₱ |
| Installation cost in excess of the first ten (10) feet | 49 ft | ₱ | ₱ |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|--|--------------|---------------|------------|
| <p>XII. Supply, Delivery and Installation of Brand New 2.5HP Wall Mounted Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at the OVP in Bacolod Branch</p> <p>FCU to ACCU: 8 meters</p> | 1 set | ₱ | ₱ |
| <p>Installation of units including the following:</p> <ul style="list-style-type: none"> - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | 1 set | ₱ | ₱ |
| Installation cost in excess of the first ten (10) feet | 16 ft | ₱ | ₱ |
| <p>XIII. Supply, Delivery and Installation of Brand New 2HP Wall Mounted Inverter Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at the following locations with approximate distances of FCU and ACCU of each set and from ECB to designated power panel for additional units:</p> <ul style="list-style-type: none"> - OBH in Maasin Branch FCU to ACCU: 3 meters - OBH (1), Admin Section (2), ABH Room (3) and MSS Head (4) in Tacloban Branch FCU to ACCU (1): 3 meters FCU to ACCU (2): 4 meters FCU to ACCU (3): 5 meters ECB to power panel (3): 13 meters FCU to ACCU (4): 5 meters ECB to power panel (4): 26 meters | 5 sets | ₱ | ₱ |
| <p>Installation of units including the following:</p> <ul style="list-style-type: none"> - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) | 5 sets | ₱ | ₱ |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|---|--------------|---------------|------------|
| <ul style="list-style-type: none"> - Feeder line wires and outdoor conduits from ACCU to ECB - Feeder line wires and conduits from power panel to ECB for proposed unit - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | | | |
| Installation cost in excess of the first ten (10) feet of each unit | 16 ft | ₱ | ₱ |
| <p>XIV. Supply, Delivery and Installation of Brand New 2HP Wall Mounted Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at the following locations with approximate distances of FCU and ACCU of each set:</p> <ul style="list-style-type: none"> - MSS in Bacolod Branch FCU to ACCU: 20 meters - OBH (1) and Conference Room (2) in Bacolod East Branch FCU to ACCU (1): 30 meters FCU to ACCU (2): 30 meters | 3 sets | ₱ | ₱ |
| <p>Installation of units including the following:</p> <ul style="list-style-type: none"> - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | 3 sets | ₱ | ₱ |
| Installation cost in excess of the first ten (10) feet of each unit | 232 ft | ₱ | ₱ |
| XV. Supply, Delivery & Installation of Brand New 2.5HP Window Type Inverter Room Air – Conditioner at Bogo Branch | 1 set | ₱ | ₱ |
| XVI. Supply, Delivery & Installation of Brand New 2HP Window Type Inverter Room Air – Conditioner at Electrical Room in Ormoc Branch | 1 set | ₱ | ₱ |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|--|--------------|---------------|------------|
| XVII. Supply, Delivery & Installation of Brand New 2HP Window Type Room Air – Conditioner at the OBH and Conference Room in Sagay Branch | 2 sets | ₱ | ₱ |
| TOTAL | ₱ | | |

Kindly refer to Section V. Special Conditions of Contract under GCC Clause item 1 for General Conditions and Scope of Works

Note:

- Any bid exceeding the ABC of ₱ 10,062,950.00 shall not be accepted.
- Fill up all required items/field in the bid breakdown. Failure to indicate any of the following shall mean outright disqualification since bid is considered Non-Responsive.
 - If the item is given for free, indicate dash (-), zero (0) or free
 - If the item is not applicable, indicate N/A
- Please use the softcopy of the Bid Breakdown provided to the bidders.
- All documents shall be signed, and each and every page thereof shall be initialed, by the duly authorized representative/s of the Bidder.
- Bid proposal must be inclusive of all applicable taxes.
- Warranty requirement is at no cost to SSS.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____



Price Schedule(s)/Bid Breakdown (Lot 4)

Name of Bidder _____ Invitation to Bid Number _____

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|---|--------------|---------------|------------|
| <p>I. Supply, Delivery and Installation of Brand New 5TR/6HP Floor Mounted Inverter Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at the following locations with approximate distances of FCU and ACCU of each set and from ECB to designated power panel for additional unit:</p> <p>- MEC in Cagayan de Oro Branch FCU to ACCU: 23.58 meters</p> <p>- RIMS (1), RPD (2) and Seating Area (3) in Davao Branch FCU to ACCU (1): 6 meters FCU to ACCU (2): 14 meters FCU to ACCU (3): 43 meters ECB to power panel (3): 30 meters</p> | 4 sets | ₱ | ₱ |
| <p>Installation of units including the following:</p> <p>- Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape</p> <p>- Enclosed Circuit Breakers (ECB)</p> <p>- Feeder line wires and outdoor conduits from ACCU to ECB</p> <p>- Feeder line wires and conduits from power panel to ECB for proposed unit</p> <p>- Drain pipes and fittings</p> <p>- Mounting Platforms, Hangers and Supports</p> <p>- Other necessary materials to complete the installation</p> | 4 sets | ₱ | ₱ |
| <p>Installation cost in excess of the first ten (10) feet of each unit</p> | 244 ft | ₱ | ₱ |
| <p>II. Supply, Delivery and Installation of Brand New 3TR/4HP Floor Mounted Inverter Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at the following locations with approximate distances of FCU and ACCU of each set and from ECB to designated power panel for additional units:</p> | 33 sets | ₱ | ₱ |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|---|--------------|---------------|------------|
| <ul style="list-style-type: none"> - AMS (1), Teller Section (2 – 4) and MSS (5 – 6) in Butuan Branch <ul style="list-style-type: none"> FCU to ACCU (1): 4 meters FCU to ACCU (2): 16 meters FCU to ACCU (3): 17 meters FCU to ACCU (4): 26 meters FCU to ACCU (5): 16 meters FCU to ACCU (6): 14 meters - SSSET (1), e – Center (2), ID Capture (3), Seating Area (4 – 6), AMS (7) and Admin Section (8) in CDO – Lapasan Branch <ul style="list-style-type: none"> FCU to ACCU (1): 15.12 meters FCU to ACCU (2): 10.15 meters FCU to ACCU (3): 6.88 meters FCU to ACCU (4): 13.22 meters FCU to ACCU (5): 11.18 meters FCU to ACCU (6): 5.62 meters FCU to ACCU (7): 18.52 meters FCU to ACCU (8): 15.37 meters - Marawi Service Office <ul style="list-style-type: none"> FCU to ACCU: 30 meters ECB to power panel: 30 meters - ABH Room (1) and UPS Room (2) in Cagayan de Oro Branch <ul style="list-style-type: none"> FCU to ACCU (1): 15.66 meters FCU to ACCU (2): 3 meters - All units in San Francisco, Agusan Branch (6 sets) <ul style="list-style-type: none"> FCU (PACD) to ACCU (1): 11.26 meters FCU (e – Center) to ACCU (2): 18.52 meters FCU (MSS) to ACCU (3): 8.01 meters FCU (ID Capture) to ACCU (4): 16.33 meters FCU (Admin Section) to ACCU (5): 19.05 m FCU (AMS) to ACCU (6): 13.64 meters - RIMS (1), RIMS PC (2) and ID Capture (3) in Davao Branch <ul style="list-style-type: none"> FCU to ACCU (1): 12 meters FCU to ACCU (2): 15 meters FCU to ACCU (3): 15 meters ECB to power panel (3): 30 meters - MSS in Davao – Ilustre Branch (2 sets) <ul style="list-style-type: none"> FCU to ACCU (1): 50 meters FCU to ACCU (2): 50 meters ECB to power panel (2): 60 meters - AMS (1) and Corporate Lane (2) in Tagum Branch <ul style="list-style-type: none"> FCU to ACCU (1): 35 meters FCU to ACCU (2): 35 meters | | | |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|--|--------------|---------------|------------|
| <ul style="list-style-type: none"> - MSS (1), e – Center (2) and AMS (3) in General Santos City Branch FCU to ACCU (1): 32 meters FCU to ACCU (2): 20 meters FCU to ACCU (3): 20 meters | | | |
| <p>Installation of units including the following:</p> <ul style="list-style-type: none"> - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Feeder line wires and conduits from power panel to ECB for proposed unit - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | 33 sets | ₱ | ₱ |
| Installation cost in excess of the first ten (10) feet of each unit | 1633 ft | ₱ | ₱ |
| <p>III. Supply, Delivery and Installation of Brand New 3TR Floor Mounted Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breakers (ECB) at the following locations with approximate distances of FCU and ACCU of each set:</p> <ul style="list-style-type: none"> - Basilan Service Office (2 sets) FCU to ACCU (1): 13 meters FCU to ACCU (2): 13 meters - Jolo Service Office (2 sets) FCU to ACCU (1): 15 meters FCU to ACCU (2): 15 meters - Tawi – Tawi Service Office FCU to ACCU: 15 meters - MSS (1 – 3) and AGAS (4) in Zamboanga Branch FCU to ACCU (1): 20 meters FCU to ACCU (2): 25 meters FCU to ACCU (3): 15 meters FCU to ACCU (4): 14 meters | 9 sets | ₱ | ₱ |
| Installation of units including the following: | 9 sets | ₱ | ₱ |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|---|--------------|---------------|------------|
| <ul style="list-style-type: none"> - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | | | |
| Installation cost in excess of the first ten (10) feet of each unit | 386 ft | ₱ | ₱ |
| IV. Supply, Delivery and Installation of Brand New 2HP Wall Mounted Inverter Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breaker (ECB) at MEC in Cagayan de Oro Branch FCU to ACCU: 18 meters | 1 set | ₱ | ₱ |
| Installation of units including the following: <ul style="list-style-type: none"> - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | 1 set | ₱ | ₱ |
| Installation cost in excess of the first ten (10) feet | 49 ft | ₱ | ₱ |
| V. Supply, Delivery and Installation of Brand New 2HP Wall Mounted Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breaker (ECB) at Dipolog Branch FCU to ACCU (1): 13 meters FCU to ACCU (2): 10 meters | 2 sets | ₱ | ₱ |
| Installation of units including the following: <ul style="list-style-type: none"> - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, | 2 sets | ₱ | ₱ |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|---|--------------|---------------|------------|
| welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | | | |
| Installation cost in excess of the first ten (10) feet of each unit | 56 ft | ₱ | ₱ |
| VI. Supply, Delivery and Installation of Brand New 1.5HP Wall Mounted Inverter Split Type Air – Conditioner with Horizontal Discharge Air – Cooled Condensing Unit complete with standard accessories, electrical components and enclosed circuit breaker (ECB) at the following locations with approximate distances of FCU and ACCU of each set: - Teller Head in Cagayan de Oro Branch FCU to ACCU: 14 meters - ID Records Room in Davao Branch FCU to ACCU: 18 meters | 2 sets | ₱ | ₱ |
| Installation of units including the following: - Materials for the first ten (10) feet such as refrigerant, refrigerant pipes and fittings, welding accessories, electrical wires and conduits, pipe insulation and polyethylene tape - Enclosed Circuit Breakers (ECB) - Feeder line wires and outdoor conduits from ACCU to ECB - Drain pipes and fittings - Mounting Platforms, Hangers and Supports - Other necessary materials to complete the installation | 2 sets | ₱ | ₱ |
| Installation cost in excess of the first ten (10) feet of each unit | 85 ft | ₱ | ₱ |
| VII. Supply, Delivery and Installation of Brand New 2.5HP Window Type Room Air – Conditioner at the following locations: - Jolo Service Office - Tawi – Tawi Service Office (2) - Teller Section (2), Conference Room, OVP (3) and Legal Department in Zamboanga Branch (2) | 10 sets | ₱ | ₱ |

98

| Cost Component | No. of Units | Cost per Unit | Total Cost |
|--|--------------|---------------|------------|
| <p>VIII. Supply, Delivery and Installation of Brand New 2HP Window Type Inverter Room Air – Conditioner at the following locations:</p> <ul style="list-style-type: none"> - Admin Section and SSS in Panabo Branch (2) - Maragusan Service Office - MSS Head in Koronadal Branch | 4 sets | ₱ | ₱ |
| <p>IX. Supply, Delivery and Installation of Brand New 2HP Window Type Room Air – Conditioner at the following locations:</p> <ul style="list-style-type: none"> - Basilan Service Office (3) - Dipolog Branch Office (4) - MSS, ID Capture, e – Center, AMS (3), Admin Section, UPS Room, MEC, RIMT (3), OVP, AGAS (3), HAAMS (2), RIMS (3), Legal Department in Zamboanga Branch (1) | 29 sets | ₱ | ₱ |
| TOTAL | | ₱ | |

Kindly refer to Section V. Special Conditions of Contract under GCC Clause item 1 for General Conditions and Scope of Works

Note:

- Any bid exceeding the ABC of ₱ 11,167,425.00 shall not be accepted.
- Fill up all required items/field in the bid breakdown. Failure to indicate any of the following shall mean outright disqualification since bid is considered Non-Responsive.
 - If the item is given for free, indicate dash (-), zero (0) or free
 - If the item is not applicable, indicate N/A
- Please use the softcopy of the Bid Breakdown provided to the bidders.
- All documents shall be signed, and each and every page thereof shall be initialed, by the duly authorized representative/s of the Bidder.
- Bid proposal must be inclusive of all applicable taxes.
- Warranty requirement is at no cost to SSS.

Name: _____

Legal capacity:_____

Signature:_____

Duly authorized to sign the Bid for and behalf of: _____

Formula in the Computation of NFCC

NAME OF PROJECT

NAME OF COMPANY

NFCC = 15 (Current Assets – Current Liabilities) – Value of All Outstanding Works under On-going Contracts including Awarded Contracts yet to be started)

| YEAR | CURRENT ASSETS | CURRENT LIABILITIES |
|-------|----------------|---------------------|
| TOTAL | | |

Value of Outstanding Works under On-going Contracts:

| CONTRACT DESCRIPTION | TOTAL CONTRACT AMOUNT AT AWARD | PERCENTAGE OF PLANNED AND ACTUAL ACCOMPLISHMENT | ESTIMATED COMPLETION TIME |
|----------------------|--------------------------------|---|---------------------------|
| | | | |
| | | | |
| | | | |
| TOTAL | | | |

Use additional sheet/s, if necessary

FORMULA:

15 (_____ – _____) – _____ = _____
Current Assets minus Current Liabilities minus Total Outstanding Works NFCC

P _____
NFCC

Prepared and Submitted by:

Signature over Printed Name

98

(Name of Bank)

COMMITTED LINE OF CREDIT CERTIFICATE

Date:

Social Security System (SSS)
SSS Main Building, East Avenue
Diliman, Quezon City

CONTRACT PROJECT :
COMPANY/FIRM :
ADDRESS :
BANK/FINANCING :
INSTITUTION :
ADDRESS :
AMOUNT :

This is to certify that the above Bank/Financing Institution with business address indicated above, commits to provide the (Supplier/Distributor/Manufacturer/Contractor), if awarded the above-mentioned Contract, a credit line in the amount specified above which shall be exclusively used to finance the performance of the above-mentioned contract subject to our terms, conditions and requirements.

The credit line shall be available within fifteen (15) calendar days after receipt by the (Supplier/Distributor/Manufacturer/Contractor) of the Notice of Award and such line of credit shall be maintained until issuance of Certificate of Acceptance by the Social Security System.

This Certification is being issued in favor of said (Supplier/Distributor/Manufacturer/Contractor) in connection with the bidding requirement of (Name of Procuring Entity) for the above-mentioned Contract. We are aware that any false statements issued by us make us liable for perjury.

The committed line of credit cannot be terminated or cancelled without the prior written approval of Social Security System.

Name and Signature of Authorized Financing Institution Office

Office Designation

Concurred by:

Name & Signature of (Supplier/Distributor/Manufacturer/Contractor) Authorized Representative

Official Designation

SUBSCRIBED AND SWORN TO BEFORE ME this day of Philippines, Affiant exhibited to me his/her competent Evidence of Identity (as defines by the 2004 Rules on Notarial Practice issued on at , Philippines.

NOTARY PUBLIC

Doc No. :
Page No. :
Book No. :
Series of :

(Note: The amount committed should be machine validated in the Certificate itself)

98

FORM-05

STATEMENT OF ON-GOING GOVERNMENT AND PRIVATE CONTRACTS

NOTE: INCLUDING PROJECTS WITH NON-DISCLOSURE AGREEMENT (NDA)

| NAME OF CONTRACT | DATE OF CONTRACT | CONTRACT DURATION | OWNER’S NAME, ADDRESS, CONTACT NUMBERS AND E-MAIL ADDRESS | KINDS OF GOODS | AMOUNT OF CONTRACT | VALUE OF OUTSTANDING CONTRACT | REMARKS (Indicate “With NDA” or “Without NDA”) |
|------------------|------------------|-------------------|---|----------------|--------------------|-------------------------------|---|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

FORM-06

**STATEMENT OF SINGLE LARGEST COMPLETED CONTRACT SIMILAR TO
THE PROJECT TO BE BID EQUIVALENT TO AT LEAST 50% OF THE ABC
WITH ATTACHED SUPPORTING DOCUMENTS (i.e. P.O/CONTRACTS)**

| NAME OF CONTRACT | KINDS OF GOODS | AMOUNT OF CONTRACT | CONTACT PERSON, CONTACT NO., ADDRESS, AND EMAIL ADDRESS |
|------------------|----------------|--------------------|---|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

98

Bid Securing Declaration Form

Lot 1: Supply, Delivery and Installation of Two Hundred Thirteen (213) Air – Conditioning Units for NCR Branches and Makati and Main Buildings

REPUBLIC OF THE PHILIPPINES) CITY OF
_____) S.S.

BID SECURING DECLARATION

Project Identification No.: *[Insert number]*

To: *[Insert name and address of the Procuring Entity]*

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of *[month]*
[year] at *[place of execution]*.

*[Insert NAME OF BIDDER OR ITS AUTHORIZED
REPRESENTATIVE]
[Insert signatory's legal capacity] Affiant*

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

GPPB Resolution No. 16-2020, dated 16 September 2020

Bid Securing Declaration Form

Lot 2: Supply, Delivery and Installation of Two Hundred Twenty – Three (223) Air – Conditioning Units for Luzon Divisions, Branches and Service Offices

REPUBLIC OF THE PHILIPPINES) CITY OF _____) S.S.

BID SECURING DECLARATION

Project Identification No.: *[Insert number]*

To: *[Insert name and address of the Procuring Entity]*

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of *[month]* *[year]* at *[place of execution]*.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity] Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

GPPB Resolution No. 16-2020, dated 16 September 2020

98

Bid Securing Declaration Form

Lot 3: Supply, Delivery and Installation of Sixty – Two (62) Air – Conditioning Units for Visayas Divisions, Branches and Service Offices

REPUBLIC OF THE PHILIPPINES) CITY OF
_____) S.S.

BID SECURING DECLARATION

Project Identification No.: [Insert number]

To: *[Insert name and address of the Procuring Entity]*

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of *[month]*
[year] at *[place of execution]*.

*[Insert NAME OF BIDDER OR ITS AUTHORIZED
REPRESENTATIVE]*

[Insert signatory's legal capacity] Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

GPPB Resolution No. 16-2020, dated 16 September 2020

98

Bid Securing Declaration Form

Lot 4: Supply, Delivery & Installation of Ninety – Four (94) Air-Conditioning Units for Mindanao Divisions, Branches and Service Offices

REPUBLIC OF THE PHILIPPINES) CITY OF
_____) S.S.

BID SECURING DECLARATION

Project Identification No.: [Insert number]

To: *[Insert name and address of the Procuring Entity]*

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of *[month]*
[year] at *[place of execution]*.

*[Insert NAME OF BIDDER OR ITS AUTHORIZED
REPRESENTATIVE]
[Insert signatory's legal capacity] Affiant*

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

GPPB Resolution No. 16-2020, dated 16 September 2020

98

Contract Agreement Form for the Procurement of Goods (Revised)

[Not required to be submitted with the Bid, but it shall be submitted within ten (10) days after receiving the Notice of Award]

CONTRACT AGREEMENT

Supply, Delivery and Installation of Air – Conditioning Units for Various Divisions, Branches, Service Offices, Makati Building and Main Office Building

ITB-SSS-Goods-2023-__

THIS AGREEMENT made between:

SOCIAL SECURITY SYSTEM, a government-owned and controlled corporation created pursuant to Republic Act No. 11199, with principal office address at SSS Building, East Avenue, Diliman, Quezon City, represented herein by its Approving Authority and (Position of Approving Authority), (Name of Approving Authority) and (Position of Signatory), (Name of signatory), duly authorized pursuant to Administrative Order _____, _____ (pertaining to Approving Authority) (Annex “A”) and Office Order _____, _____ (Annex “B”) (pertaining to signatories), hereinafter referred to as the “SSS”;

- a n d -

(NAME OF SUPPLIER), of legal age, Filipino, single/married, with principal address at _____, hereinafter referred to as the “Supplier”.

If corporation

(NAME OF SUPPLIER), a corporation duly created and existing pursuant to the laws of the Republic of the Philippines, with principal office address at _____, represented herein by its (Position of Signatory), (Name of Signatory), duly authorized pursuant to _____, _____, hereinafter referred to as the “Supplier”.

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly [brief description of goods and services] (PROJECT) and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [contract price in words and figures in specified currency/ (hereinafter called “the Contract Price”).

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.

98

2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, viz.:

- a. Philippine Bidding Documents (PBDs);
 - i. Schedule of Requirements;
 - ii. Technical Specifications;
 - iii. General and Special Conditions of Contract; and
 - iv. Supplemental or Bid Bulletins, if any
- b. Supplier's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (e.g., Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- c. Performance Security;
- d. Notice of Award of Contract; and the Bidder's conforme thereto; and
- e. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. **Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.**

3. In consideration for the sum of *[total contract price in words and figures]* or such other sums as may be ascertained, *[Named of the bidder]* agrees to *[state the object of the contract]* in accordance with his/her/its Bid.
4. SSS agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the date and place indicated in their respective acknowledgments.

[Insert Name and Signature]

[Insert Name and Signature]

[Insert Position of Signatory]

[Insert Position of Signatory]

for:

for:

SSS

[Insert Name of Supplier]



(In case of double acknowledgment which is usually used by the SSS)

SIGNED IN THE PRESENCE OF:

(Name of Certifying officer as to availability of funds)

(Position of Certifying Officer)

(Department/Office of Certifying Officer)

FUNDS AVAILABLE:

APP No.: _____

FIRST ACKNOWLEDGMENT

Republic of the Philippines)
_____) S.S.

BEFORE ME, a Notary Public for and in _____, Philippines, on this _____ day of _____ personally appeared:

| Name | Competent Evidence of Identity | Date/Place of Issue |
|------|--------------------------------|---------------------|
| | | |
| | | |
| | | |
| | | |

known to me to be the same person who executed the foregoing Agreement, consisting of _____ (____) pages, including this page and excluding annexes, and he/she/they acknowledged to me that the same is his/her/their free and voluntary act and deed as well as the free and voluntary act and deed of the principal he/she /they represent/s in this instance.

WITNESS MY HAND AND SEAL on the date and place first above written.

Doc. No. _____;
Page No. _____;
Book No. _____;
Series of 20____.

98

SIGNED IN THE PRESENCE OF:

SECOND ACKNOWLEDGMENT

Republic of the Philippines)
_____) S.S.

BEFORE ME, a Notary Public for and in _____, Philippines, on this _____
day of _____ personally appeared:

| Name | Competent Evidence of Identity | Date/Place of Issue |
|------|--------------------------------|---------------------|
| | | |
| | | |
| | | |
| | | |

known to me to be the same person who executed the foregoing Agreement, consisting of _____ (__) pages, including this page and excluding annexes, and he/she/they acknowledged to me that the same is his/her/their free and voluntary act and deed (if corporation to include succeeding phrase) as well as the free and voluntary act and deed of the principal he/she/they represent/s in this instance.

WITNESS MY HAND AND SEAL on the date and place first above written.

Doc. No. _____;
Page No. _____;
Book No. _____;
Series of 20__.

98

Omnibus Sworn Statement (Revised)

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, *[Name of Affiant]*, of legal age, *[Civil Status]*, *[Nationality]*, and residing at *[Address of Affiant]*, after having been duly sworn in accordance with law, do hereby depose and state that:

1. **Select one, delete the other:**

[If a sole proprietorship:] I am the sole proprietor or authorized representative of *[Name of Bidder]* with office address at *[address of Bidder]*;

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of *[Name of Bidder]* with office address at *[address of Bidder]*;

2. **Select one, delete the other:**

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of *[Name of Bidder]*, I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for *[Name of the Project]* of the *[Name of the Procuring Entity]* as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for *[Name of the Project]* of the *[Name of the Procuring Entity]*, as shown in the attached [state title of attached documents showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

3. *[Name of Bidder]* is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. *[Name of Bidder]* is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;6. **Select one, delete the rest:**

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a) Carefully examining all of the Bidding Documents;
 - b) Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c) Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d) Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Consultant]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. **In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s.1930, as amended, or the Revised Penal Code.**

IN WITNESS WHEREOF, I have hereunto set my hand this __ day of __, 20__ at _____, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

GPPB Resolution No. 16-2020, dated 16 September 2020

SECRETARY'S CERTIFICATE

I, <NAME OF CORPORATE SECRETARY>, of legal age, <Civil Status>, Filipino citizen and with business at <Company Address>, after being duly sworn, hereby depose and state that:

- 1. I am the Corporate Secretary of <COMPANY NAME>, a Corporation duly organized and existing under and by virtue of the laws of the Philippines, with principal office at <Office Address>.
- 2. As the Corporate Secretary, I have custody and access to the records of the Corporation.
- 3. I am familiar with the facts herein certified and duly authorized to certify the same.
- 4. I hereby certify that during a regular meeting of the Board of Directors of the Corporation held on <Date of Meeting>, at which meeting a quorum was present, the following Resolution/s was/were unanimously passed, approved and adopted:

a) RESOLVED that <COMPANY NAME>, authorized and empowered the following to participate in the bidding for the <PROJECT NAME> of the **SOCIAL SECURITY SYSTEM**:

| NAME | POSITION/DESIGNATION | SIGNATURE |
|------|----------------------|-----------|
| 1. | | |
| 2. | | |

b) **RESOLVED FURTHER that**, if awarded the Contract, the following **is/are** granted full power and authority to enter into contract with the **SOCIAL SECURITY SYSTEM**:

| NAME | POSITION/DESIGNATION | SIGNATURE |
|------|----------------------|-----------|
| 1. | | |
| 2. | | |

c) **RESOLVED FURTHERMORE** that, the designated representative/s of the Corporation has/have the full power to perform any and all acts necessary and/or to represent the Corporation as fully and effectively as the Corporation might do if personally present, and hereby satisfying and confirming all the said representative/s shall lawfully do or cause to be done by virtue hereof.

IN WITNESS WHEREOF, I have hereunto set my hand this __ day of ____ at <CITY>.

NAME & SIGNATURE of Corporate Secretary

SUBSCRIBE AND SWORN to before me this __ day of _____ at <CITY>, affiant having exhibited to me his/her <Government Issued ID and details [issued by, date and place issued if applicable]>).

Doc No. _____
Page No. _____
Book No. _____
Series of _____

