



SOCIAL SECURITY SYSTEM
Disposal Committee - Technical Working Group
Visayas West 2 Division
APPRAISAL OF PROPERTIES FOR DISPOSAL

Branch: ROXAS

Item No.	Particulars	Property Number	Status (Fully Depreciated, Obsolete, Totally Defective, Replacement Parts are no Longer Available in the Market)	Appraisal Value
1	CALCULATOR-CASIO	CL-005	TOTALLY DEFECTIVE	₱2.88
2	CHAIR – NON-SUPERVISOR'S	101T4017L134	TOTALLY DEFECTIVE	₱140.00
3	CHAIR – NON-SUPERVISOR'S	101T4017L128	TOTALLY DEFECTIVE	₱140.00
4	CHAIR – NON-SUPERVISOR'S	101T4017L126	TOTALLY DEFECTIVE	₱140.00
5	CHAIR – NON-SUPERVISOR'S	101T4017L124	TOTALLY DEFECTIVE	₱140.00
6	CHAIR – NON-SUPERVISOR'S	101T4017L132	TOTALLY DEFECTIVE	₱140.00
7	DETECTOR-MONEY	647T4014H001	TOTALLY DEFECTIVE	₱5.75
8	FLATBED SCANNER CANON LIDE 25	403T4006E001	TOTALLY DEFECTIVE	₱8.63
9	MOUSE	408A7009A101	TOTALLY DEFECTIVE	₱1.73
10	MOUSE	408A7009A102	TOTALLY DEFECTIVE	₱1.73
11	MOUSE	408A7008L216	TOTALLY DEFECTIVE	₱1.73
12	MOUSE	408A7008L217	TOTALLY DEFECTIVE	₱1.73
13	MOUSE-OPTICAL	408T4008E001	TOTALLY DEFECTIVE	₱1.73
14	MOUSE-OPTICAL	408T4009K104	TOTALLY DEFECTIVE	₱1.73
15	PRINTER-LASER BROTHER HL5450	407T4014L237	TOTALLY DEFECTIVE	₱57.50
16	STAPLER	ST-001-11	TOTALLY DEFECTIVE	₱5.60
17	STAPLER	202T4012G001	TOTALLY DEFECTIVE	₱5.60
18	STAPLER	202T4016A001	TOTALLY DEFECTIVE	₱5.60
19	TABLE – CLERICAL	RX-T96-05	FULLY DEPRECIATED	₱50.00
20	TABLE – CLERICAL	RX-T96-08	FULLY DEPRECIATED	₱50.00
21	TABLE – CLERICAL	RX-T96-02	FULLY DEPRECIATED	₱50.00
22	TABLE – CLERICAL	RX-T96-04	FULLY DEPRECIATED	₱50.00
23	TABLE – CLERICAL	RX-T96-12	FULLY DEPRECIATED	₱50.00
24	TABLE – CLERICAL	RX-T96-15	FULLY DEPRECIATED	₱50.00
...				₱1,101.94

Appraised by:

ROY SANDY C. REGALADO

Member, Technical Working Group

Certified by:

PHILLIP M. LUCERO

Head, Technical Working Group