



SOCIAL SECURITY SYSTEM

PHILIPPINE BIDDING DOCUMENTS

Sixth Edition

Procurement of GOODS

**SUPPLY, DELIVERY, AND
INSTALLATION OF MODULAR OFFICE
SYSTEMS AND FURNITURE FOR MAIN
OFFICE AND BRANCHES**

ITB-SSS-Goods-2023-056

AUGUST 2023

Government of the Republic of the Philippines


REGINE M. IGNACIO
TWG Chairperson

Table of Contents

Glossary of Acronyms, Terms, and Abbreviations	3
Section I. Invitation to Bid.....	6
Section II. Instructions to Bidders.....	10
1. Scope of Bid	11
2. Funding Information.....	11
3. Bidding Requirements	11
4. Corrupt, Fraudulent, Collusive, and Coercive Practices	11
5. Eligible Bidders.....	11
6. Origin of Goods	12
7. Subcontracts	12
8. Pre-Bid Conference	12
9. Clarification and Amendment of Bidding Documents	12
10. Documents comprising the Bid: Eligibility and Technical Components	13
11. Documents comprising the Bid: Financial Component	13
12. Bid Prices	13
13. Bid and Payment Currencies	14
14. Bid Security	15
15. Sealing and Marking of Bids	15
16. Domestic Preference	15
17. Domestic Preference	15
18. Domestic Preference	15
19. Detailed Evaluation and Comparison of Bids	15
20. Post-Qualification	16
21. Signing of the Contract	16
Section III. Bid Data Sheet	17
Section IV. General Conditions of Contract	20
1. Scope of Contract	21
2. Advance Payment and Terms of Payment	21
3. Performance Security	21
4. Inspection and Tests	21
5. Warranty	21
6. Liability of the Supplier	22
Section V. Special Conditions of Contract	23
Section VI. Schedule of Requirements	31
Section VII. Technical Specifications	39
Section VIII. Checklist of Technical and Financial Documents	54

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means “delivered duty paid.”

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – “Free Carrier” shipping point.

FOB – “Free on Board” shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.


SLCC – Single Largest Completed Contract.

SSS – Social Security System

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid



REPUBLIC OF THE PHILIPPINES
SOCIAL SECURITY SYSTEM
 East Avenue, Diliman, Quezon City
 Tel. Nos. (632)8709-7198*(632)8920-6446

E-mail: member_relations@sss.gov.ph*Website <http://www.sss.gov.ph>

Invitation to Bid
ITB-SSS-Goods-2023-056

**SUPPLY, DELIVERY, AND INSTALLATION OF MODULAR OFFICE SYSTEMS
 AND FURNITURE FOR MAIN OFFICE AND BRANCHES**

Approved Budget for the Contract (ABC) & Source of Fund	Delivery/ Completion Period	Price of Bid Documents (non- refundable)	Schedule of Activities Date/Time	
			Pre-bid Conference	Deadline of submission and receipt of bids
₱ 81,687,174.00 Broken down as follows:	Within seventy-five (75) calendar days upon receipt of Notice to Proceed (NTP) and signed contract	₱ 8,000.00	August 24, 2023 (Thursday) 2:30p.m.	September 7, 2023 (Thursday) 2:00 p.m.
Lot I – Modular Office Systems/ Workstation for Main Office and NCR Branches ₱ 7,837,820.00				
Lot II – Seating Furniture for Main Office and NCR Branches ₱ 11,702,100.00				
Lot III – Contract Furniture for Main Office and NCR Branches ₱ 3,444,050.00				
Lot IV – Steel Shelves, Cabinets & Drawers for Main Office and NCR Branches ₱ 15,242,130.00				
Lot V – Modular Office Systems/ Workstation for Luzon, Visayas, and Mindanao Branches ₱ 9,921,564.00				
Lot VI – Seating Furniture for Luzon, Visayas, and Mindanao Branches ₱ 12,884,545.00	₱ 11,500.00			

Approved Budget for the Contract (ABC) & Source of Fund	Delivery/ Completion Period	Price of Bid Documents (non-refundable)	Schedule of Activities Date/Time	
			Pre-bid Conference	Deadline of submission and receipt of bids
Lot VII – Contract Furniture for Luzon, Visayas, and Mindanao Branches ₱ 2,722,309.00	Within seventy-five (75) calendar days upon receipt of Notice to Proceed (NTP) and signed contract	₱ 3,000.00	August 24, 2023 (Thursday) 2:30p.m.	September 6, 2023 (Thursday) 2:00 p.m.
Lot VIII – Steel Shelves, Cabinets & Drawers for Luzon, Visayas, and Mindanao Branches ₱ 17,932,656.00		₱ 12,500.00		
Approved 2023 Corporate Operating Budget – MOOE and CO included in the APP Update for the month of July (5 th update) with Code PAP 2023-0163 of the Annual Procurement Plan (APP)				

1. The **SOCIAL SECURITY SYSTEM** now invites Bids for the above item. Delivery of the Goods is required within the period specified above. **Bidders should have completed within five (5) years prior to the date of submission and receipt of bids**, a contract similar to the Project. The description of an eligible Bidder is contained in the Bidding Documents, particularly, in Section II - Instruction to Bidders.
2. Bids received in excess of the ABC shall be automatically rejected at bid opening.
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary pass/fail criterion as specified in the 2016 Revised Implementing Rules and Regulations (RIRR) of Republic Act 9184 (RA) 9184, otherwise known as the “Government Procurement Reform Act”.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.

4. Interested bidders may obtain further information from the SSS and inspect the Bidding Documents at the address in the last item of the ITB from Monday to Friday, 8:00 a.m. to 5:00 p.m.
5. A complete set of Bidding Documents may be acquired by interested bidders starting **15 August 2023 up to the scheduled submission & opening of bids** from the address stated in the last item of the ITB and upon payment of the applicable fee for the Bidding Documents in the amount specified above.

The mode of payment will be on a cash basis payable at the SSS Cash Department, Ground Floor, SSS Main Bldg., upon accomplishment of SSS Form R-6. The Bidding Documents shall be received personally by the prospective Bidder or his authorized representative.

It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the SSS, provided that Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.

6. The SSS will hold a Pre-Bid Conference on the date and time specified above at the Bidding Room, 2nd Floor, SSS Main Bldg., East Avenue, Diliman, Quezon City which shall be open to prospective bidders, but attendance shall not be mandatory. To ensure completeness and compliance of bids, bidders are advised to send their authorized technical and/or administrative representatives who will prepare the bid documents.

The Pre-Bid Conference will be conducted through online conference using Microsoft Teams. Kindly e-mail us on or before 23 August 2023, through e-mail address bac@sss.gov.ph, the following:

- a. Name of the representative and e-mail address; and**
- b. Technical and administrative queries.**

7. Bids must be duly received by the BAC Secretariat at the Bidding Room, 2nd Floor, SSS Main Building, East Avenue, Diliman, Quezon City on the deadline specified above. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in the ITB Clause 14.

Bid opening shall be on the date and time specified above at the Bidding Room, 2nd Floor, SSS Main Building, East Avenue, Diliman, Quezon City. Bids will be opened in the presence of the bidders' representatives who choose to attend at the address above. Late bids shall not be accepted.

8. References to the dates and times shall be based on Philippine Standard time. Should any of the above dates fall on a holiday, the deadline shall be extended to the same time of the immediately succeeding business day in Quezon City.
9. The SSS reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
10. The SSS assumes no obligation to compensate or indemnify parties for any expense or loss that they may incur as a result of their participation in the procurement process, nor does SSS guarantee that an award will be made as a result of this invitation. Furthermore, the SSS reserves the right to waive any defects or formality in the responses to the eligibility requirements and to this invitation and reserves the right to accept the proposal most advantageous to the agency.
11. For further information, please refer to:

Bids & Awards Committee

The Secretariat

2nd Flr., SSS Main Bldg., East Ave., Diliman, Q.C.

Tel # (632) 8922-1070; (632) 8709-7198 local 5492/6382

Email – bac@sss.gov.ph

12. Bidding Documents may be downloaded from PROCUREMENT tab at www.sss.gov.ph starting **15 August 2023**.



THE CHAIRPERSON
BIDS & AWARDS COMMITTEE

ref.: itb-sss-goods-2023-056- SDI Modular Office Systems and Furniture for Main Office and Branches

Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, *Social Security System* wishes to receive Bids for the **Supply, Delivery, and Installation of Modular Office Systems and Furniture for Main Office and Branches**, with identification number *ITB-SSS-Goods-2023-056*.

The Procurement Project (referred to herein as “Project”) is composed of *eight (8) lots*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for *CY2023* in the amount of Eighty-One Million Six Hundred Eighty-Seven Thousand One Hundred Seventy-Four Pesos (₱ 81,687,174.00).

2.2. The source of funding is: Approved 2023 Corporate Operating Budget– MOOE and CO included in the APP Update for the month of July (5th update) with Code PAP 2023-0163 of the 2023 APP.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

5.2. a. Foreign ownership exceeding those allowed under the rules may participate pursuant to:

i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;

- ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
 - b. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
- a. The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address **Bidding Room, 2nd Floor, SSS Main Bldg., East Avenue, Diliman, Quezon City** and/or through online conference using **Microsoft Teams** as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last five (5) years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.

- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications)**.

13. Bid and Payment Currencies

13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

13.2. Payment of the contract price shall be made in Philippine Pesos.

14. Bid Security

14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the BDS, which shall be not less than the percentage of the ABC in accordance with the schedule in the BDS.

14.2. The Bid and bid security shall be valid for One Hundred Twenty (120) Calendar Days from the Date of the Bid Opening. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the IB.

17. Opening and Preliminary Examination of Bids

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the IB. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 14 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

- 20.1. *[Include if Framework Agreement will be used:]* For multi-year Framework Agreement, all bidders initially determined to be eligible and financially compliant shall be subject to initial post-qualification. The BAC shall then recommend the execution of a Framework Agreement among all eligible, technically and financially compliant bidders and the Procuring Entity and shall be issued by HoPE a Notice to Execute Framework Agreement. The determination of the Lowest Calculated Bid (LCB) shall not be performed by the BAC until a Mini-Competition is conducted among the bidders who executed a Framework Agreement. When a Call for Mini-Competition is made, the BAC shall allow the bidders to submit their best financial proposals on such pre-scheduled date, time and place to determine the bidder with the LCB.
- 20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Bid Data Sheet

ITB Clause													
5.3	<p>For this purpose, contracts similar to the Project shall be:</p> <p style="margin-left: 40px;">a. Supply, Delivery and Installation of Modular Office Systems and Furniture.</p> <p style="margin-left: 40px;">b. Completed within five (5) years prior to the deadline for the submission and receipt of bids.</p>												
7.1	Not Applicable												
12	The price of the Goods shall be quoted DDP according to the project sites indicated in Section VI (Schedule of Requirements).												
14.1	<p>The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</p> <table border="1" style="width: 100%; margin-left: 40px; border-collapse: collapse;"> <thead> <tr> <th style="width: 60%;">Form of Bid Security</th> <th style="width: 40%;">Amount of Bid Security (Not less than the Percentage of the ABC)</th> </tr> </thead> <tbody> <tr> <td style="padding: 5px;">Cash or cashier's/manager's check issued by a Universal or Commercial Bank.</td> <td style="padding: 5px; text-align: center;">Two percent (2%) or Lot I – 156,756.40 Lot II – 234,042.00 Lot III – 68,881.00 Lot IV – 304,842.60 Lot V – 198,431.28 Lot VI – 257,690.90 Lot VII – 54,446.18 Lot VIII – 358,653.12</td> </tr> <tr> <td style="padding: 5px;">Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank.</td> <td style="padding: 5px; text-align: center;">Five percent (5%) or Lot I – 391,891.00 Lot II – 585,105.00 Lot III – 172,202.50 Lot IV – 762,106.50 Lot V – 496,078.20 Lot VI – 644,227.25 Lot VII – 136,115.45 Lot VIII – 896,632.80</td> </tr> <tr> <td style="padding: 5px;">Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.</td> <td style="padding: 5px; text-align: center;">Five percent (5%) or Lot I – 391,891.00 Lot II – 585,105.00 Lot III – 172,202.50 Lot IV – 762,106.50 Lot V – 496,078.20 Lot VI – 644,227.25 Lot VII – 136,115.45 Lot VIII – 896,632.80</td> </tr> </tbody> </table> <p style="margin-left: 40px;">* Bank issued securities must be issued by a universal/commercial bank.</p> <p style="margin-left: 40px;">* Surety Bonds must be accompanied by a certification from Insurance Commission that issuer is authorized to issue such security.</p> <p style="margin-left: 40px;">* Bid Securing Declaration must be notarized by a duly commissioned Notary Public.</p>	Form of Bid Security	Amount of Bid Security (Not less than the Percentage of the ABC)	Cash or cashier's/manager's check issued by a Universal or Commercial Bank.	Two percent (2%) or Lot I – 156,756.40 Lot II – 234,042.00 Lot III – 68,881.00 Lot IV – 304,842.60 Lot V – 198,431.28 Lot VI – 257,690.90 Lot VII – 54,446.18 Lot VIII – 358,653.12	Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank.	Five percent (5%) or Lot I – 391,891.00 Lot II – 585,105.00 Lot III – 172,202.50 Lot IV – 762,106.50 Lot V – 496,078.20 Lot VI – 644,227.25 Lot VII – 136,115.45 Lot VIII – 896,632.80	Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.	Five percent (5%) or Lot I – 391,891.00 Lot II – 585,105.00 Lot III – 172,202.50 Lot IV – 762,106.50 Lot V – 496,078.20 Lot VI – 644,227.25 Lot VII – 136,115.45 Lot VIII – 896,632.80				
Form of Bid Security	Amount of Bid Security (Not less than the Percentage of the ABC)												
Cash or cashier's/manager's check issued by a Universal or Commercial Bank.	Two percent (2%) or Lot I – 156,756.40 Lot II – 234,042.00 Lot III – 68,881.00 Lot IV – 304,842.60 Lot V – 198,431.28 Lot VI – 257,690.90 Lot VII – 54,446.18 Lot VIII – 358,653.12												
Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank.	Five percent (5%) or Lot I – 391,891.00 Lot II – 585,105.00 Lot III – 172,202.50 Lot IV – 762,106.50 Lot V – 496,078.20 Lot VI – 644,227.25 Lot VII – 136,115.45 Lot VIII – 896,632.80												
Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.	Five percent (5%) or Lot I – 391,891.00 Lot II – 585,105.00 Lot III – 172,202.50 Lot IV – 762,106.50 Lot V – 496,078.20 Lot VI – 644,227.25 Lot VII – 136,115.45 Lot VIII – 896,632.80												
19.3	<p><i>The ABC are:</i></p> <table border="1" style="width: 100%; margin-left: 40px; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">Lot No.</th> <th style="width: 60%;">Description</th> <th style="width: 30%;">Amount</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">I</td> <td>Modular Office Systems / Workstations for Main Office, and NCR Branches</td> <td style="text-align: right;">₱ 7,837,820.00</td> </tr> <tr> <td style="text-align: center;">II</td> <td>Seating Furniture for Main Office, and NCR Branches</td> <td style="text-align: right;">₱ 11,702,100.00</td> </tr> <tr> <td style="text-align: center;">III</td> <td>Contract Furniture for Main Office, and NCR Branches</td> <td style="text-align: right;">₱ 3,444,050.00</td> </tr> </tbody> </table>	Lot No.	Description	Amount	I	Modular Office Systems / Workstations for Main Office, and NCR Branches	₱ 7,837,820.00	II	Seating Furniture for Main Office, and NCR Branches	₱ 11,702,100.00	III	Contract Furniture for Main Office, and NCR Branches	₱ 3,444,050.00
Lot No.	Description	Amount											
I	Modular Office Systems / Workstations for Main Office, and NCR Branches	₱ 7,837,820.00											
II	Seating Furniture for Main Office, and NCR Branches	₱ 11,702,100.00											
III	Contract Furniture for Main Office, and NCR Branches	₱ 3,444,050.00											

	IV	Steel Shelves, Cabinets & Drawers for Main Office, and NCR Branches	₱ 15,242,130.00
	V	Modular Office Systems / Workstations for Luzon, Visayas, and Mindanao Branches	₱ 9,921,564.00
	VI	Seating Furniture for Luzon, Visayas, and Mindanao Branches	₱ 12,884,545.00
	VII	Contract Furniture for Luzon, Visayas, and Mindanao Branches	₱ 2,722,309.00
	VIII	Steel Shelves, Cabinets & Drawers for Luzon, Visayas, and Mindanao Branches	₱ 17,932,656.00
	Any bid with a financial component exceeding the amount per lot shall not be accepted.		
20.2	<p>The Lowest Calculated Bidder shall submit the following:</p> <ol style="list-style-type: none"> 1. Registration certificate from Securities and Exchange Commission (SEC) for corporation including Articles of Incorporation and General Information Sheet (GIS), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document 2. Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas; 3. Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR) 4. Latest Audited Financial Statements 5. Latest income tax return corresponding to the Audited Financial Statements submitted, filed electronically (EFPS); 6. Quarterly VAT (business tax returns) per Revenue Regulations 3-2005 for the last six (6) months prior to submission and opening of bids filed electronically (EFPS); 		
21.1	Not Applicable.		

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. Advance Payment and Terms of Payment

2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Special Conditions of Contract

GCC Clause	
1	<p>Scope of Works –</p> <p>The Supplier/Bidder must have a fabrication plant in the Philippines with the following facilities and equipment:</p> <ol style="list-style-type: none"> 1. Raw materials warehousing 2. Cutting Area 3. Machines (edging, drilling and shaping) 4. Assembly Area <p>The Supplier must provide certification or proof of personnel’s training on installation/dismantling including proper handling of office system furniture.</p> <p>All office chairs must have a certificate (e.g., American National Standards Institute, Business, and Institutional Furniture Manufacturers Association, or Leadership for Energy and Environmental Design) that it passed the standards on safety, durability, and structural adequacy.</p> <p>The Supplier/winning Bidder shall complete the delivery and installation of goods within seventy-five (75) calendar days from the date of receipt of signed contract/ NTP.</p> <p>Warranty Certificate shall be issued in favor of the Social Security System covering the furniture/fixtures delivered.</p> <p>Replacement of defective furniture/fixtures and materials to be used for repair jobs within the duration of the warranty.</p> <p>The Supplier further warrants that all Goods supplied under this Contract shall have no defect, arising from design, materials, or workmanship or from any act or omission of the Supplier that may develop under normal use of the supplied Goods in the conditions prevailing in the country of final destination.</p> <p>Supplier shall be responsible for all the cost related to the warranty period.</p> <p>Supplier should provide spare parts as needed within the warranty period.</p> <p>Delivery and Documents –</p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p>The delivery terms applicable to this Contract are delivered to SSS Branches (refer to Section VI. Schedule of Requirements).</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI. Schedule of Requirements.</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is a representative from Engineering and Facilities Management Department.</p>



Incidental Services –

The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:

- a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;
- b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;
- c. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Packaging –

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

Transportation –

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.



2.2	<p>Payment shall be made upon 100% completion of the delivery and installation of furniture “per lot” and upon submission and issuance of the following documents which shall be credited to the LANDBANK or DBP or any choice of bank account subject to applicable bank charges of the winning bidder:</p> <ul style="list-style-type: none"> a. Original copy of Delivery Receipt and Sales Invoice b. Certificate of Final Acceptance from Branch Support Services Department c. Inspection and Acceptance Report from Branches d. Property Accountability Receipt (PAR) from Office Services Department <p>The payment shall be subject to retention of Withholding Tax and other applicable taxes in accordance with existing Laws and BIR Rules and Regulations, to be remitted directly to the BIR by the SSS.</p> <p>Payment using Letter of Credit is not allowed.</p>
4	<p>The inspections and tests that will be conducted is:</p> <p>During Post-qualification, the designated TWG will conduct onsite inspection on the facilities of the LCB or SCB to ensure that they have the capacity and equipment/facility to produce/provide the required number of items within the timeline and delivery sites provided.</p> <p>Bidder must present mock-up units (seating and cabinetry) during the post-qualification stage to ensure its compliance with the technical specifications.</p>
5.1	<p>Three (3) years warranty after acceptance by the Branch Support Services Department of the delivered goods.</p>
5.2	<p>The period for correction of defects in the warranty period shall be done after notification of defect was first communicated (verbally or in writing) by SSS to the Supplier as follows:</p> <p>Main Office and NCR Branches.....within seven (7) working days</p> <p>Luzon Branches.....within fifteen (15) working days</p> <p>Visayas and Mindanao Branches.....within twenty-one (21) working days</p>
6	<p>Liability of the Supplier</p> <p>1. CONFIDENTIALITY. Neither party shall, without the prior written consent of the other, disclose or make available to any person, make public, or use directly or indirectly, except for the performance and implementation of the works, any confidential information, acquired from an information holder in connection with the performance of this Contract, unless: (i) the information is known to the disclosing party, as evidenced by its written records, prior to obtaining the same from the information holder and is not otherwise subject to disclosure restrictions on the disclosing party, (ii) the information is disclosed to the disclosing party by a third party who did not receive the same, directly or indirectly, from an information holder, and who has no obligation of secrecy with respect thereto, or (iii) required to be disclosed by law.</p> <p>The obligation of confidentiality by both parties, as provided herein, shall survive the termination of the Agreement.</p>



2. **MERGER AND CONSOLIDATION.** In case of merger, consolidation or change of ownership of the SUPPLIER with other company, it is the responsibility of the surviving company/consolidated company/acquiring entity to inform SSS of the change in corporate structure/ownership. Failure to do so shall translate in such company assuming all liabilities of the acquired/merged company under the Agreement.

3. **FORCE MAJEURE.** SUPPLIER shall not be liable for forfeiture of its performance security, liquidated damages, or termination for default if and to the extent that SUPPLIER's delay in performance or other failure to perform its obligations under this Agreement is the result of a force majeure.

For purposes of this Agreement the terms "force majeure" and "fortuitous event" may be used interchangeably. In this regard, a fortuitous event or force majeure shall be interpreted to mean an event which SUPPLIER could not have foreseen, or which though foreseen, was inevitable. It shall not include ordinary unfavorable weather conditions; and any other cause the effects of which could have been avoided with the exercise of reasonable diligence by SUPPLIER. Such events may include, but not limited to, acts of SSS in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.

If a force majeure situation arises, SUPPLIER shall promptly notify SSS in writing of such condition and the cause thereof. Unless otherwise directed by SSS in writing, SUPPLIER shall continue to perform its obligations under this Agreement as far as is reasonably practical and shall seek all reasonable alternative means for performance not prevented by the force majeure.

4. **NON-ASSIGNMENT.** SUPPLIER shall not assign its rights or obligations under this Agreement, in whole or in part, except with SSS's prior written consent. SUPPLIER shall not subcontract in whole or in part the PROJECT and deliverables subject of this Agreement without the written consent of SSS.

5. **WAIVER.** Failure by either party to insist upon the other strict performance of any of the terms and conditions hereof shall not be deemed a relinquishment or waiver of any subsequent breach or default of the terms and conditions hereof, which can only be deemed made if expressed in writing and signed by its duly authorized representative. No such waiver shall be construed as modification of any of the provisions of the Agreement or as a waiver of any past or future default or breach hereof, except as expressly stated in such waiver.

6. **CUMULATIVE REMEDIES.** Any and all remedies granted to the parties under the applicable laws and the Contract shall be deemed cumulative and may therefore, at the sole option and discretion, be availed of by the aggrieved party simultaneously, successively, or independently.

7. **NO EMPLOYER-EMPLOYEE RELATIONSHIP.** It is expressly and manifestly understood and agreed upon that the employees of SUPPLIER assigned to perform the PROJECT are not employees of SSS. Neither is there an employer-employee relationship between SSS and SUPPLIER.

The Agreement does not create an employer-employee relationship between SSS and the SUPPLIER including its personnel; that the services rendered by the personnel assigned by SUPPLIER to SSS in the performance of its obligation under the contract do not represent government service and will not be credited as such; that its personnel assigned to SSS are not entitled to benefits enjoyed by SSS' officials and employees such as Personal Economic Relief Allowance (PERA), Representation and Transportation Allowance (RATA), ACA, etc.; that these personnel are not related within the third degree of consanguinity or affinity to the contracting officer and appointing authority of SSS; that they have not been previously dismissed from the government service by reason of an administrative case; that they have not reached the compulsory retirement age of sixty-five (65); and that they possess the education, experience and skills required to perform the job. The SUPPLIER hereby acknowledges that no authority has been given by SSS to hire any person as an employee of the latter. Any instruction given by SSS or any of its personnel to SUPPLIER's employees are to be construed merely as a measure taken by the former to ensure and enhance the quality of project performed hereunder. The SUPPLIER shall, at all times, exercise supervision and control over its employees in the performance of its obligations under the contract.

8. PARTNERSHIP. Nothing in the contract shall constitute a partnership between the parties. No party or its agents or employees shall be deemed to be the agent, employee or representative of any other party.
9. COMPLIANCE WITH SS LAW. SUPPLIER shall report all its employees to SSS for coverage and their contributions, as well as, all amortizations for salary/education/calamity and other SSS loans shall be updated. Should SUPPLIER fail to comply with its obligations under the provisions of the SS Law and Employees' Compensation Act, SSS shall have the authority to deduct any unpaid SS and EC contributions, salary, educational, emergency and/or calamity loan amortizations, employer's liability for damages, including interests and penalties from SUPPLIER's receivables under this Agreement.

Further, prescription does not run against SSS for its failure to demand SS contributions or payments from SUPPLIER. Moreover, SUPPLIER shall forever hold in trust SS contributions or payments of its employees until the same is fully remitted to SSS.

10. COMPLIANCE WITH LABOR LAWS. SUPPLIER, as employer of the personnel assigned to undertake the PROJECT, shall comply with all its obligations under existing laws and their implementing rules and regulations on the payment of minimum wage, overtime pay, and other labor-related benefits as well as remittances or payment of the appropriate amount or contributions/payment (SSS, EC, Pag-IBIG, PhilHealth and taxes) with concerned government agencies/offices.

It is agreed further, that prior to the release of any payment by SSS to SUPPLIER, its President or its duly authorized representative, shall submit a sworn statement that all monies due to all its employees assigned to the PROJECT as well as benefits by law and other related labor legislation have been paid by SUPPLIER and that he/she assumed full responsibility thereof.

11. COMPLIANCE WITH TAX LAWS. SUPPLIER shall, in compliance with tax laws, pay the applicable taxes in full and on time and shall regularly present to SSS within the duration of the Contract, tax clearance from the Bureau of Internal Revenue (BIR) as well as copy of its income and business tax returns duly stamped by the BIR and duly validated with the tax payments made thereon. Failure by SUPPLIER to comply with the foregoing shall entitle SSS to suspend payment of the Contract Price.

As required under Executive Order (EO) 398, s. 2005, SUPPLIER shall submit income and business tax returns duly stamped and received by the BIR, before entering and during the duration of this Agreement. SUPPLIER, through its responsible officer, shall also certify under oath that it is free and clear of all tax liabilities to the government. SUPPLIER shall pay taxes in full and on time and that failure to do so will entitle SSS to suspend or terminate this Agreement.

12. **LIQUIDATED DAMAGES.** If SUPPLIER fails to satisfactorily deliver any or all of the Goods and/or to perform the Services within the period(s) specified in the PBD inclusive of duly granted time extensions if any, SSS shall, without prejudice to its other remedies under this Agreement and under the applicable law, deduct from the Contract Price, as liquidated damages, the applicable rate of one tenth (1/10) of one (1) percent of the cost of the unperformed portion for every day of delay until actual delivery or performance. Once the amount of liquidated damages reaches ten percent (10%), SSS may rescind or terminate this Agreement, without prejudice to other courses of action and remedies open to it.
13. **HOLD FREE and HARMLESS.** SUPPLIER agrees to defend, indemnify, and hold SSS free and harmless from any and all claims, damages, expenses, fines, penalties and/or liabilities of whatever nature and kind, whether in law or equity, that may arise by reason of the implementation of the Agreement. In addition, SUPPLIER agrees to indemnify SSS for any damage as a result of said implementation.

SUPPLIER hereby assumes full responsibility for any injury, including death, loss or damage which may be caused to SSS' employees or property or third person due to SUPPLIER's employees' fault or negligence, and further binds itself to hold SSS free and harmless from any of such injury or damage. SSS shall not be responsible for any injury, loss or damage which SUPPLIER or any of its employees may sustain in the performance of SUPPLIER's obligations under this Agreement.

14. **SETTLEMENT OF DISPUTES.** If any dispute or difference of any kind whatsoever shall arise between SSS and SUPPLIER in connection with or arising out of this Agreement, the Parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.

If after thirty (30) days, the Parties have failed to resolve their dispute or difference by such mutual consultation, then either SSS or SUPPLIER may give notice to the other Party of its intention to commence arbitration, in accordance with RA No. 876, otherwise known as the "Arbitration Law" and RA No. 9285, otherwise known as the "Alternative Dispute Resolution Act of 2004," in order to settle their disputes.

No arbitration in respect of this matter may be commenced unless such notice is given.

Notwithstanding any reference to arbitration herein, the Parties shall continue to perform their respective obligations under this Agreement unless they otherwise agree.

15. **VENUE OF ACTIONS.** In the event court action is necessary in order to promote Arbitration, such action shall be filed only before the proper courts of Quezon City, to the exclusion of all other venues.

- | | |
|--|---|
| | <p>16. GOVERNING LAW. The Agreement shall be governed by and interpreted according to the laws of the Republic of the Philippines.</p> <p>17. AMENDMENTS. This Agreement may be amended only in writing and executed by the parties or their duly authorized representatives.</p> <p>18. SEPARABILITY. If any one or more of the provisions contained in the contract or any document executed in connection herewith shall be invalid, illegal or unenforceable in any respect under any applicable law, then: (i) the validity, legality and enforceability of the remaining provisions contained herein or therein shall not in any way be affected or impaired and shall remain in full force and effect; and (ii) the invalid, illegal or unenforceable provision shall be replaced by the parties immediately with a term or provision that is valid, legal and enforceable and that comes closest to expressing the intention of such invalid illegal or unenforceable term of provision.</p> <p>19. BINDING EFFECT. The Agreement shall be binding upon the Parties hereto, their assignee/s and successor/s-in-interest.</p> |
|--|---|

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Total	Delivered, Weeks/Months
1	Modular Office Systems/Workstations for Main Office and NCR Branches	1 lot		All items in the Contract shall be delivered and/or installed within Seventy-Five (75) calendar days from the receipt of NTP and signed contract
2	Seating Furniture for Main Office and NCR Branches	1 lot		
3	Contract Furniture for Main Office and NCR Branches	1 lot		
4	Steel Shelves, Cabinets & Drawers for Main Office and NCR Branches	1 lot		
5	Modular Office Systems/Workstations for Luzon, Visayas, and Mindanao Branches	1 lot		
6	Seating Furniture for Luzon, Visayas, and Mindanao Branches	1 lot		
7	Contract Furniture for Luzon, Visayas, and Mindanao Branches	1 lot		
8	Steel Shelves, Cabinets & Drawers for Luzon, Visayas, and Mindanao Branches	1 lot		

The Project Sites are as follows:

1	MAIN OFFICE	SSS Main Bldg., East Avenue, Diliman, Quezon City
2	MAKATI OFFICE BUILDING	SSS Makati Bldg., 6782 Ayala Ave. cor. V.A. Rufino St., Makati City
3	ALABANG MEDICAL EVALUATION CENTER (MEC)	GF & 2F, Norfil Bldg., 22 National Highway, Brgy. Putatan, Muntinlupa City
4	ANTIPOLO	2F, Antipolo Triangle Mall, Sen. Sumulong Memorial Circle, Brgy. San Jose, Antipolo City
5	BATASAN HILLS	Diliman Commercial Center Bldg., 46 Commonwealth Ave., Brgy. Batasan Hills, Quezon City
6	BINONDO	GF, Padilla Delos Reyes Bldg., 232 Juan Luna St., Brgy. 291, Binondo, Manila
7	CONGRESSIONAL	2F, Northridge Plaza Bldg., 12 Congressional Ave., Brgy. Bahay Toro, Quezon City
8	CUBAO	2F, Puregold, Aurora Blvd. cor. Gen. Santos Ave., Brgy. Socorro, Cubao, Quezon City
9	DEPARO	NC Jean Bldg., 31 Dalia St. cor. Susano Road, Celia Subd., Brgy. 168, Deparo, Caloocan City
10	DILIMAN	SSS Livelihood Bldg., East Triangle Property, East Ave., Brgy. Pinyahan, Diliman, Quezon City
11	EASTWOOD	ABQ Bldg., E. Rodriguez Ave., Brgy. Bagumbayan, Quezon City

12	FAIRVIEW	GEM Bldg., Regalado Ave., Brgy. North Fairview, Quezon City
13	LEGARDA	Cobee Bldg., 2485 Legarda St., Brgy. 412, Sampaloc, Manila
14	MAKATI JP RIZAL	3F, KBC Bldg. 353 J.P. Rizal St., Brgy. Olympia, Makati City
15	MALABON	4F, Malabon Citisquare, C-4 Road cor. Dagat-Dagatan, Brgy. Longos, Malabon City
16	MALABON MEC	4F, Malabon Citisquare, C-4 Road cor. Dagat-Dagatan, Brgy. Longos, Malabon City
17	MANDALUYONG-SHAW	2F, 500 Shaw Zentrum, Shaw Blvd. cor. Laurel St., Brgy. Pleasant Hills, Mandaluyong City
18	MANILA	C-201, 2F, Zen Tower 2, 1111 Natividad A. Lopez St., Brgy. 659, Ermita, Manila
19	MARIKINA	3F, Xeland, Gil Fernando Ave. cor. Guerilla St., Brgy. Sto. Niño, Marikina City
20	MARIKINA MEC	3F, Xeland, Gil Fernando Ave. cor. Guerilla St., Brgy. Sto. Niño, Marikina City
21	MARIKINA-MALANDAY	Graceland Plaza, J.P. Rizal Ave., Brgy. Malanday, Marikina City
22	NAVOTAS	Philippine Mariner Bldg., Brgy. North Bay Blvd. South, Navotas City
23	NEW PANADEROS	2F & 3F, Tuazon Bldg., New Panaderos cor. San Roque St., Mandaluyong City
24	NOVALICHES	GF, Robinsons Novaliches, Quirino Highway, Brgy. Pasong Putik, Novaliches, Quezon City
25	OFFICE OF THE HEAD, NCR EAST DIVISION	2F, Cromagen Bldg., 8007 Pioneer St., Kapitolyo, Pasig City
26	OFFICE OF THE HEAD, NCR WEST DIVISION	GF, Padilla Bldg., 232 Juan Luna St., Binondo, Manila
27	PARAÑAQUE	2F, Puregold Sucat, Dr. A. Santos Ave., Brgy. San Isidro, Sucat, Parañaque City
28	PASAY-TAFT	ERL Investment Corp. Bldg., 2532 Taft Ave., Brgy. 93, Pasay City
29	PASIG-PIONEER	2F, Cromagen Bldg., 8007 Pioneer St., Brgy. Kapitolyo, Pasig City
30	PASIG-PIONEER MEC	2F, Cromagen Bldg., 8007 Pioneer St., Brgy. Kapitolyo, Pasig City
31	PASIG-ROSARIO	Alfonso Commercial Complex, 185 Dr. Sixto Antonio Ave., Brgy. Rosario, Pasig City
32	PASO DE BLAS	4F, Puregold Paso de Blas, NLEX Valenzuela Exit cor. East Service Road, Brgy. Paso De Blas, Valenzuela City
33	PASO DE BLAS MEC	4F, Puregold Paso de Blas, NLEX Valenzuela Exit cor. East Service Road, Brgy. Paso De Blas, Valenzuela City
34	SAN FRANCISCO DEL MONTE	3F & 4F, SRF Bldg., 1038 Del Monte Ave., Brgy. Paraiso, Quezon City
35	SAN FRANCISCO DEL MONTE MEC	3F & 4F, SRF Bldg., 1038 Del Monte Ave., Brgy. Paraiso, Quezon City
36	SAN JUAN	Glialcon Villas Bldg. 1, 128 F. Blumentritt St., Brgy. Batis, San Juan City
37	TAGUIG MEC	Unit 705, 7F, SM Aura Tower, Fort Bonifacio, Taguig City

38	TAGUIG-GATE 3	3F, Gate 3 Plaza, Lawton Ave. cor. Juliano Ave., PH 3, AFPOVAL, Western Bicutan, Taguig City
39	TANAY	Km. 54, Manila East Road, Brgy. Tandang Kutyo, Tanay, Rizal
40	TONDO	ST Condominium, 1480 G. Masangkay St. cor. Bambang St., Brgy. 261, Tondo, Manila
41	VALENZUELA	Puregold Valenzuela, 419 Mac Arthur Highway, Brgy. Dalandanan, Valenzuela City
42	WELCOME	España Tower Condominium, España Blvd., cor. Josefina St., Brgy. 512, Sampaloc, Manila
LUZON BRANCHES		
43	BAGUIO	SSS Bldg., Harrison Road, Brgy. Harrison-Claudio Carantes, Baguio City
44	BAGUIO LARGE ACCOUNT DEPARTMENT (LAD)	SSS Bldg., Harrison Road, Brgy. Harrison-Claudio Carantes, Baguio City
45	BAGUIO MEC	SSS Bldg., Harrison Road, Brgy. Harrison-Claudio Carantes, Baguio City
46	BONTOC	A. Kiat-Ong Bldg., Loc-Ong St., Brgy. Poblacion, Bontoc
47	CANDON	Brgy. San Nicolas, Candon, Ilocos Sur
48	LA UNION MEC	SSS Bldg., Government Center, Brgy. Sevilla, San Fernando City, La Union
49	LA UNION PROCESSING CENTER	SSS Bldg., Government Center, Brgy. Sevilla, San Fernando City, La Union
50	LAOAG	RT Bueno Bldg., Don E. Ruiz St., Brgy. No. 18, San Quirino (Pob.), Laoag City, Ilocos Norte
51	LAOAG MEC	RT Bueno Bldg., Don E. Ruiz St., Brgy. No. 18, San Quirino (Pob.), Laoag City, Ilocos Norte
52	LUZON NORTH 1 LEGAL DEPARTMENT	SSS Bldg., Harrison Road, Brgy. Harrison-Claudio Carantes, Baguio City
53	CAUAYAN LAD	2F, Puregold Cauayan, Don Juan Dacanay St., Brgy. San Fermin, Cauayan City, Isabela
54	CAUAYAN MEC	2F, Puregold Cauayan, Don Juan Dacanay St., Brgy. San Fermin, Cauayan City, Isabela
55	ILAGAN	2/F North Star Mall, Alibagu, Ilagan City, Isabela
56	SANTIAGO	2F, Xentro Mall Santiago, Four Lanes St. cor. Maharlika Highway, Brgy. Villasis, Santiago City, Isabela
57	SANTIAGO MEC	2F, Xentro Mall Santiago, Four Lanes St. cor. Maharlika Highway, Brgy. Villasis, Santiago City, Isabela
58	SOLANO	Guevardan Bldg., Burgos St., Brgy. Quezon, Solano, Nueva Vizcaya
59	TUGUEGARAO LAD (relocated to Ilagan)	2/F North Star Mall, Alibagu, Ilagan City, Isabela
60	TUGUEGARAO MEC	Cedenio Bldg., Luna St., Brgy. Centro 3 (Pob.), Tuguegarao, Cagayan
61	ANGELES	Level 3, MarQueue Mall, Francisco G. Nepo Ave., Brgy. Pulung Maragul, Angeles City

62	BALIUAG LAD	GF & 2F, AC Building, B.S. Acquino Ave., Brgy. Tangos, Baliuag, Bulacan
63	BOCAUE	Oro Villas 2, No. 229 McArthur Highway, Brgy. Wakas, Bocaue, Bulacan
64	DAU	GF & 2F, Puregold Dau Bldg., McArthur Highway, Dau, Mabalacat City, Pampanga
65	MALOLOS	GF & 2F, N-4 Bldg., The Cabanas, Mc Arthur Highway, Brgy. Longos, Malolos City, Bulacan
66	MALOLOS LAD	GF & 2F, N-4 Bldg., The Cabanas, Mc Arthur Highway, Brgy. Longos, Malolos City, Bulacan
67	MEYCAUAYAN	2F, Esperanza Mall, Mac Arthur Highway, Brgy. Calvario, Meycauayan City, Bulacan
68	OFFICE OF THE HEAD, LUZON CENTRAL 2 DIVISION	SSS Bldg., Brgy. Maimpis, San Fernando City, Pampanga
69	OFFICE OF THE HEAD, LUZON SOUTH 2 DIVISION	SSS Bldg., National Highway, Kumintang Ilaya, Batangas City
70	OLONGAPO	Wung Chun Kar Bldg., 35 Gordon Avenue, Brgy. Pag-Asa, Olongapo City, Zambales
71	PAMPANGA	SSS Bldg., Brgy. Maimpis, San Fernando City, Pampanga
72	PAMPANGA LAD	SSS Bldg., Brgy. Maimpis, San Fernando City, Pampanga
73	SAN JOSE DEL MONTE	Starmall, SJDM, Quirino Highway cor. Kaypian Road, Brgy. Kaypian, San Jose Del Monte, Bulacan
74	STA. MARIA	NEM Bldg. Gov. Fortunato Halil Ave., Brgy. Bagbagin, Sta. Maria, Bulacan
75	BACOR	Jolly Home Apartelle, Aguinaldo Highway corner Coastal Road, Talaba 7, Bacoor City
76	BACOR MEC	Jolly Home Apartelle, Aguinaldo Highway corner Coastal Road, Talaba 7, Bacoor City
77	BIÑAN	3rd Level Central Mall Biñan, Malvar St., San Vicente, Biñan, Laguna
78	BIÑAN LAD	3rd Level Central Mall Biñan, Malvar St., San Vicente, Biñan, Laguna
79	CALAMBA	SSS Bldg., National Highway, Brgy. Parian, Calamba City, Laguna
80	CALAMBA LAD	SSS Bldg., National Highway, Brgy. Parian, Calamba City, Laguna
81	CARMONA	2F, Remington Plaza, Governor's Drive, Brgy. 8 (Pob.), Carmona, Cavite
82	DASMARIÑAS	2F, Central Mall Annex, Km. 28, Salitran Road cor. Aguinaldo Highway, Brgy. Salitran II, Dasmariñas City, Cavite
83	LUCENA	Lucena Grand Central Terminal Bldg., Diversion Road, Ilayang Dupay, Lucena City
84	LUCENA MEC	Lucena Grand Central Terminal Bldg., Diversion Road, Ilayang Dupay, Lucena City
85	SAN PABLO	SSS Bldg., Balagtas Blvd. cor. M. Paulino St., Brgy. III-A (Pob.), San Pablo City, Laguna
86	SAN PABLO LAD	SSS Bldg., Balagtas Blvd. cor. M. Paulino St., Brgy. III-A (Pob.), San Pablo City, Laguna
87	SAN PABLO MEC	SSS Bldg., Balagtas Blvd. cor. M. Paulino St., Brgy. III-A (Pob.), San Pablo City, Laguna

88	SAN PABLO PROCESSING CENTER	SSS Bldg., Balagtas Blvd. cor. M. Paulino St., Brgy. III-A (Pob.). San Pablo City, Laguna
89	STA. CRUZ	Agustin Lo Bldg., Brgy., Pagsawitan, Sta. Cruz, Laguna
90	STA. CRUZ MEC	Agustin Lo Bldg., Brgy., Pagsawitan, Sta. Cruz, Laguna
91	STA. ROSA	GF, Citywalk Bldg., Zircon Road, Sta. Rosa Commercial Complex, Brgy. Balibago, Sta. Rosa, Laguna
92	TAGAYTAY	LGF, Primark Town Center, Brgy. Maharlika East, Tagaytay City
93	LUZON SOUTH 1 LEGAL DEPARTMENT	SSS Bldg., Balagtas Blvd. cor. M. Paulino St., Brgy. III-A (Pob.). San Pablo City, Laguna
94	BATANGAS	SSS Bldg., National Highway, Brgy. Kumintang Ilaya, Batangas City
95	BATANGAS LAD (relocated to Lipa)	G/F & 2/F, The Only Place Business Center, Brgy. Marawoy, Lipa City
96	BATANGAS MEC	SSS Bldg., National Highway, Brgy. Kumintang Ilaya, Batangas City
97	BOAC	10 De Oktubre St., Brgy. Malusak, Boac, Marinduque
98	CALAPAN MEC	Aqua Tierra One Bldg., Roxas Dr., Brgy. Sto. Niño, Calapan City, Oriental Mindoro
99	LEMERY	Xentro Mall, Ilustre Ave., Brgy. Malinis, Lemery, Batangas
100	LIPA	G/F & 2/F, The Only Place Business Center, Brgy. Marawoy, Lipa City
101	LIPA MEC	G/F & 2/F, The Only Place Business Center, Brgy. Marawoy, Lipa City
102	LUZON SOUTH 2 DIVISION, OFFICE OF THE HEAD	SSS Bldg., National Highway, Kumintang Ilaya, Batangas City
103	PUERTO PRINCESA	GF, Grandway Bldg., Eastville City Walk, San Pedro, Puerto Princesa City, Palawan
104	SAN JOSE, OCCIDENTAL MINDORO	2F, Balmes Bldg., Diego Silang St., Brgy. 5, San Jose, Occidental Mindoro
105	DAET	Ching Bldg., Merchant St., Central Plaza Complex, Brgy. Lag-on, Daet, Camarines Norte
106	IRIGA	Cerillo Bldg., No. 272 National Highway, Brgy. San Nicolas, Iriga City, Camarines Sur
107	IRIGA MEC	Cerillo Bldg., No. 272 National Highway, Brgy. San Nicolas, Iriga City, Camarines Sur
108	LEGAZPI	Morante Bldg., Imperial Court Subd., Phase II, Brgy. 23 (Imperial Court Subd.), Legazpi City
109	LIGAO Service Office (SO)	2F, Ligao Municipal Hall Bldg., McKinley St., Brgy. Guilid, Ligao City
110	MASBATE	GF & 2F, KLM De Luna Bldg., 30 Mabini St., Brgy. Centro (Pob.), Masbate City, Masbate
111	NAGA	SSS Bldg., Concepcion, Pequeña, Naga City
112	NAGA LAD	SSS Bldg., Concepcion, Pequeña, Naga City

113	NAGA MEC	SSS Bldg., Concepcion, Pequeña, Naga City
114	NAGA RECORDS INFORMATION MANAGEMENT SECTION (RIMS)	SSS Bldg., Concepcion, Pequeña, Naga City
115	SORSOGON	Jomil Enterprises Bldg., Quezon St., Brgy. Polvorista, Sorsogon City
116	SORSOGON MEC	Jomil Enterprises Bldg., Quezon St., Brgy. Polvorista, Sorsogon City
117	VIRAC	P. Araojo Shopping Arcade, Cavinitan, Virac, Catanduanes
118	VIRAC MEC	P. Araojo Shopping Arcade, Cavinitan, Virac, Catanduanes
VISAYAS BRANCHES		
119	BOGO	Osing Bldg., Sim Bogo Business Park, P. Rodriguez St., Brgy. La Purisima Concepcion, Bogo City, Cebu
120	CEBU	SSS Bldg., Osmeña Blvd., Brgy. Kalubihan, Cebu City, Cebu
121	CEBU-NRA	3F, Lingkod Pinoy Center, Robinsons Galleria Cebu, Gen. Maxilom Ave. cor. Osmeña Blvd., Brgy. Tejero, Cebu City, Cebu
122	CEBU PROCESSING CENTER	SSS Bldg., Osmena Blvd., Brgy. Kalubihan, Cebu City
123	CEBU RIMS	SSS Bldg., Osmeña Blvd., Brgy. Kalubihan, Cebu City, Cebu
124	LAPULAPU	GF, Annex Bldg., Gaisano Mactan Island Mall, Brgy. Pajo, Lapu-Lapu City, Mactan, Cebu
125	MANDAUE	3F, J. Centre Mall, A.S. Fortuna St., Brgy. Bakilid, Mandaue City, Cebu
126	OFFICE OF THE HEAD, VISAYAS CENTRAL 1 DIVISION	3F, SSS Bldg., Osmeña Blvd., Brgy. Kalubihan, Cebu City, Cebu
127	OFFICE OF THE HEAD, VISAYAS WEST 1 DIVISION	SSS Bldg., Lacson St., Bacolod City, Negros Occidental
128	OFFICE OF THE HEAD, VISAYAS OPERATIONS GROUP	SSS Bldg., Osmeña Blvd., Brgy. Kalubihan, Cebu City, Cebu
129	TAGBILARAN	2F, Galleria Luisia Bldg., Gov. Celestino Gallares St., Brgy. Poblacion 2, Tagbilaran City, Bohol
130	TALISAY	2F, Rosalie Bldg., Gaisano Grand Fiesta Mall, Highway, Brgy. Tabunok, Talisay City, Cebu
131	CATBALOGAN	Noyden Bldg., San Bartholomew St., Brgy. 7, Catbalogan City, Western Samar
132	CATBALOGAN MEC	Noyden Bldg., San Bartholomew St., Brgy. 7, Catbalogan City, Western Samar
133	MAASIN	JQD Bldg., Kangleon St., Brgy. Manhattan (Pob.), Maasin City, Southern Leyte
134	ORMOC	GF, Yuvallos Bldg., D. Veloso Ave., Brgy. Punta, Ormoc City, Leyte
135	BACOLOD	SSS Bldg., Lacson St., Brgy. 17 (Pob.), Bacolod City, Negros Occidental

136	BACOLOD EAST	East One Atrium Bldg., Burgos Ext., Brgy. Villamonte, Bacolod City, Negros Occidental
137	BACOLOD MEC	SSS Bldg., Lacson St., Brgy. 17 (Pob.), Bacolod City, Negros Occidental
138	BACOLOD RIMS	SSS Bldg., Lacson St., Brgy. 17 (Pob.), Bacolod City, Negros Occidental
139	BAIS	Amorganda Bldg., National Highway, Brgy. Talungon, Bais City, Negros Oriental
140	DUMAGUETE	MM Kho Bldg., Romero Highway, Brgy. Bagacay, Dumaguete City, Negros Oriental
141	KABANKALAN MEC	GF, PPZ Enterprize-NZ Commercial Bldg., J.Y. Perez Ave., National Highway, Brgy. Talubangi, Kabankalan City, Negros Occidental
142	SAN CARLOS	GF & 2F, BAYANILAJJ Bldg., cor. Broce Azcona St., Brgy. 4, San Carlos City, Negros Occidental
143	VICTORIAS	GF, Redkey Bldg., Osmeña Ave., Brgy. 5, Victorias City, Negros Occidental
144	VISAYAS WEST 1 LEGAL DEPARTMENT	SSS Bldg., Lacson St., Bacolod City, Negros Occidental
145	ANTIQUE	Eagle's Place Dalipe Bldg., Trade Town Dalipe, Brgy. Funda-Dalipe, San Jose de Buenavista, Antique
146	ILOILO-CENTRAL	3F & 4F, TTW Bldg., cor. JM Basa and Mapa Sts., Brgy. Ortiz, Iloilo City, Iloilo
147	ILOILO-CENTRAL MEC	3F & 4F, TTW Bldg., cor. JM Basa and Mapa Sts., Brgy. Ortiz, Iloilo City, Iloilo
148	ROXAS	City Mall Roxas Annex Bldg., Arnaldo Blvd., Brgy. Baybay, Roxas City, Capiz
MINDANAO BRANCHES		
149	DAVAO	SSS Bldg., J.P. Laurel Ave., Brgy. 20-B (Pob.), Davao City, Davao Del Sur
150	DAVAO-ILUSTRE	Gaisano Grand Citimall Davao, Ilustre St., Brgy. 30-A, Davao City, Davao Del Sur
151	DAVAO PROCESSING CENTER	SSS Bldg., JP Laurel Ave., Bajada, Davao City
152	DAVAO RIMS	SSS Bldg., J.P. Laurel Ave., Brgy. 20-B (Pob.), Davao City, Davao Del Sur
153	DIGOS	Rebecca Sy Bldg., Lapu-Lapu Ext., Brgy. Zone 3 (Pob.), Digos City, Davao del Sur
154	OFFICE OF THE HEAD, MINDANAO SOUTH 1 DIVISION	SSS Bldg., J.P. Laurel Ave., Bajada, Davao City
155	OFFICE OF THE HEAD, MINDANAO SOUTH 2 DIVISION	SSS Bldg., Macar Highway, Brgy. Labangal, General Santos City
156	PANABO	Door 5 Centino Bldg., Quezon Blvd., Brgy. Sto. Niño, Panabo City
157	TAGUM	Level 2, Gaisano Grand Mall, Apokon Road, Brgy. Apokon, Tagum City
158	TORIL	GF, Gaisano Grand Mall-Toril, Saavedra St., Toril, Davao City
159	TORIL-CALINAN SO	Calinan Municipal Hall Bldg., Calinan, Davao City

160	COTABATO	S.T. Lim Holdings, Inc. Bldg., Makakua St., Brgy. Poblacion, Cotabato City, ARMM
161	GENERAL SANTOS	SSS Bldg., Macar Highway, Brgy. Labangal, General Santos City
162	KIDAPAWAN	GF, ROMA Bldg., Quezon Blvd., Brgy. Poblacion, Kidapawan City, North Cotabato
163	KORONADAL	2F, Gaisano Grand Mall, Gen. Santos Drive, Brgy. Sto. Niño (Bo. 2), Koronadal City, South Cotabato
164	TACURONG	GF & 2F, Gensan Amicitia Realty Devt. Corp. Bldg., Lapulapu St., Brgy. Poblacion, Tacurong City, Sultan Kudarat
165	DIPOLOG	Ramos Bldg., Rizal Ave., Brgy. Central (Pob.), Dipolog City, Zamboanga Del Norte
166	DIPOLOG MEC	Ramos Bldg., Rizal Ave., Brgy. Central (Pob.), Dipolog City, Zamboanga Del Norte
167	PAGADIAN	Ancajas Bldg., Sanson St., San Francisco, Pagadian City, Zamboanga del Sur
168	ZAMBOANGA MEC	PHIDCO Bldg., Veterans Ave., Brgy. Camino Nuevo, Zamboanga City, Zamboanga del Sur
169	ZAMBOANGA RIMS	PHIDCO Bldg., Veterans Ave., Brgy. Camino Nuevo, Zamboanga City, Zamboanga del Sur

Name: _____

Legal capacity: _____


Signature: _____

Duly authorized to sign the Bid for and behalf of: _____


Date: _____

Section VII. Technical Specifications

Technical Specifications


Item	Specification	Statement of Compliance	Annex																														
<p><i>Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder’s statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.</i></p>																																	
Lot I	<p>MODULAR OFFICE SYSTEMS / WORKSTATION FOR MAIN OFFICE AND NCR BRANCHES - Bidder must submit HPL swatches and manufacturer’s certification.</p>																																
1	<p>Executive Workstation</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="background-color: #0056b3; color: white;">DESIGN</td> <td>Free-standing “D”-shaped main desk with rectangular side desk; Medium Density Fiber (MDF) board table top in High Pressure Laminate (HPL) finish</td> </tr> <tr> <td style="background-color: #0056b3; color: white;">CONSTRUCTION</td> <td></td> </tr> <tr> <td>Main Desk</td> <td>750mm (W) x 1800mm (L) x 750mm (H)</td> </tr> <tr> <td>Worktop</td> <td>30mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and two (2) plastic grommet with rotating cover.</td> </tr> <tr> <td>Modesty Panel</td> <td>25mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging.</td> </tr> <tr> <td>Legs/Support</td> <td>25mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and adjustable PVC gliders.</td> </tr> <tr> <td>Side Desk Dimension</td> <td>450mm(W) x 1200mm (L) x 750mm (H)</td> </tr> <tr> <td>Worktop</td> <td>30mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and plastic grommet with rotating cover.</td> </tr> <tr> <td>Legs/Supports</td> <td>25mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and PVC gliders</td> </tr> <tr> <td>Modesty Panel</td> <td>25mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and PVC gliders.</td> </tr> <tr> <td style="background-color: #0056b3; color: white;">ACCESSORIES</td> <td></td> </tr> <tr> <td>Center Drawer w/ Lock</td> <td>540 mm(W) x 400mm(D) x 95mm(H); Gauge 22 cold rolled steel in powder coated finish and full extension ball-bearing slides; Color: Black</td> </tr> <tr> <td>Keyboard Tray</td> <td>Hard plastic with full extension ball-bearing slides; Color: Black</td> </tr> <tr> <td style="background-color: #0056b3; color: white;">COLOR/ FINISHES</td> <td></td> </tr> <tr> <td>High Pressure Laminate (HPL)</td> <td>High Pressure Laminate of excellent quality, with color/s similar to the code specified below. Tabletop: Lincoln Walnut code “7188” Legs/Supports : Black code “0909”</td> </tr> </table>	DESIGN	Free-standing “D”-shaped main desk with rectangular side desk; Medium Density Fiber (MDF) board table top in High Pressure Laminate (HPL) finish	CONSTRUCTION		Main Desk	750mm (W) x 1800mm (L) x 750mm (H)	Worktop	30mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and two (2) plastic grommet with rotating cover.	Modesty Panel	25mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging.	Legs/Support	25mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and adjustable PVC gliders.	Side Desk Dimension	450mm(W) x 1200mm (L) x 750mm (H)	Worktop	30mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and plastic grommet with rotating cover.	Legs/Supports	25mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and PVC gliders	Modesty Panel	25mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and PVC gliders.	ACCESSORIES		Center Drawer w/ Lock	540 mm(W) x 400mm(D) x 95mm(H); Gauge 22 cold rolled steel in powder coated finish and full extension ball-bearing slides; Color: Black	Keyboard Tray	Hard plastic with full extension ball-bearing slides; Color: Black	COLOR/ FINISHES		High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s similar to the code specified below. Tabletop: Lincoln Walnut code “7188” Legs/Supports : Black code “0909”		
DESIGN	Free-standing “D”-shaped main desk with rectangular side desk; Medium Density Fiber (MDF) board table top in High Pressure Laminate (HPL) finish																																
CONSTRUCTION																																	
Main Desk	750mm (W) x 1800mm (L) x 750mm (H)																																
Worktop	30mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and two (2) plastic grommet with rotating cover.																																
Modesty Panel	25mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging.																																
Legs/Support	25mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and adjustable PVC gliders.																																
Side Desk Dimension	450mm(W) x 1200mm (L) x 750mm (H)																																
Worktop	30mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and plastic grommet with rotating cover.																																
Legs/Supports	25mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and PVC gliders																																
Modesty Panel	25mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and PVC gliders.																																
ACCESSORIES																																	
Center Drawer w/ Lock	540 mm(W) x 400mm(D) x 95mm(H); Gauge 22 cold rolled steel in powder coated finish and full extension ball-bearing slides; Color: Black																																
Keyboard Tray	Hard plastic with full extension ball-bearing slides; Color: Black																																
COLOR/ FINISHES																																	
High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s similar to the code specified below. Tabletop: Lincoln Walnut code “7188” Legs/Supports : Black code “0909”																																
2	<p>Supervisor’s Workstation - varies depending on layout</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="background-color: #0056b3; color: white;">DESIGN</td> <td>L-shaped workstation with 50mm thick Modular Panel in cushioned fabric upholstery with 30mm thick Medium Density Fiber (MDF) board tabletop in High Pressure Laminate (HPL) finish.</td> </tr> <tr> <td style="background-color: #0056b3; color: white;">CONSTRUCTION</td> <td></td> </tr> <tr> <td>Worktop</td> <td>30 mm thick medium density fiber (MDF) board in HPL finish, with 2 mm thick PVC edging and two (2) plastic grommet with rotating cover for every work surfaces. Main Desk :1500 mm (W) x 600 mm (D) x740mm (H) Side Desk : 1200 mm (W) x 450 mm (D) x 740mm (H)</td> </tr> <tr> <td>High Partition</td> <td>1500 mm (H) using 50 mm thick modular panel in Teflon-coated fabric finish and 1/8” thick foam padding with adjustable gliders</td> </tr> <tr> <td>Frame, Trim, Capping, and Corner Posts</td> <td>Aluminum Extrusions in powder-coated finish. Submit sample for approval</td> </tr> <tr> <td>Skirting/Base</td> <td>100mm (H) powder-coated aluminum panel with raceway for cables and three (3) knockouts for UPS / Normal Power / Datacom outlets.</td> </tr> <tr> <td style="background-color: #0056b3; color: white;">COLORS/ FINISHES</td> <td>Specific colors/finishes subject for approval.</td> </tr> <tr> <td>Modular Panel Fabric Upholstery</td> <td>Two-tone fabric, with color/s equivalent to the code specified below. Top: Sunrise Yellow Bottom: Expensive Blue</td> </tr> <tr> <td>High Pressure Laminate (HPL)</td> <td>High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. Tabletop : Folkstone “0927”</td> </tr> </table>	DESIGN	L-shaped workstation with 50mm thick Modular Panel in cushioned fabric upholstery with 30mm thick Medium Density Fiber (MDF) board tabletop in High Pressure Laminate (HPL) finish.	CONSTRUCTION		Worktop	30 mm thick medium density fiber (MDF) board in HPL finish, with 2 mm thick PVC edging and two (2) plastic grommet with rotating cover for every work surfaces. Main Desk :1500 mm (W) x 600 mm (D) x740mm (H) Side Desk : 1200 mm (W) x 450 mm (D) x 740mm (H)	High Partition	1500 mm (H) using 50 mm thick modular panel in Teflon-coated fabric finish and 1/8” thick foam padding with adjustable gliders	Frame, Trim, Capping, and Corner Posts	Aluminum Extrusions in powder-coated finish. Submit sample for approval	Skirting/Base	100mm (H) powder-coated aluminum panel with raceway for cables and three (3) knockouts for UPS / Normal Power / Datacom outlets.	COLORS/ FINISHES	Specific colors/finishes subject for approval.	Modular Panel Fabric Upholstery	Two-tone fabric, with color/s equivalent to the code specified below. Top: Sunrise Yellow Bottom: Expensive Blue	High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. Tabletop : Folkstone “0927”														
DESIGN	L-shaped workstation with 50mm thick Modular Panel in cushioned fabric upholstery with 30mm thick Medium Density Fiber (MDF) board tabletop in High Pressure Laminate (HPL) finish.																																
CONSTRUCTION																																	
Worktop	30 mm thick medium density fiber (MDF) board in HPL finish, with 2 mm thick PVC edging and two (2) plastic grommet with rotating cover for every work surfaces. Main Desk :1500 mm (W) x 600 mm (D) x740mm (H) Side Desk : 1200 mm (W) x 450 mm (D) x 740mm (H)																																
High Partition	1500 mm (H) using 50 mm thick modular panel in Teflon-coated fabric finish and 1/8” thick foam padding with adjustable gliders																																
Frame, Trim, Capping, and Corner Posts	Aluminum Extrusions in powder-coated finish. Submit sample for approval																																
Skirting/Base	100mm (H) powder-coated aluminum panel with raceway for cables and three (3) knockouts for UPS / Normal Power / Datacom outlets.																																
COLORS/ FINISHES	Specific colors/finishes subject for approval.																																
Modular Panel Fabric Upholstery	Two-tone fabric, with color/s equivalent to the code specified below. Top: Sunrise Yellow Bottom: Expensive Blue																																
High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. Tabletop : Folkstone “0927”																																




Item	Specification	Statement of Compliance	Annex																																		
3	<p>Non-Supervisor's Workstation - varies depending on layout</p> <table border="1"> <tr> <td>DESIGN</td> <td>Modular workstation with 50 mm thick modular panels in cushioned fabric upholstery with 30mm thick MDF board tabletop in High Pressure Laminate finish.</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Worktop</td> <td>1500mm (W) x 600mm (D) x 30mm thick medium density fiber (MDF) board in HPL finish, with 2 mm thick PVC edging and two (2) plastic grommet with rotating cover.</td> </tr> <tr> <td>Frame, Trim, Capping, and Corner Posts</td> <td>Extruded aluminum in powder-coated finish. Submit sample for approval</td> </tr> <tr> <td>Modular Panel</td> <td>50 mm thick modular panel in Teflon-coated fabric finish and 1/8" thick foam padding.</td> </tr> <tr> <td>Skirting/Base</td> <td>100mm (H) powder-coated aluminum panel with raceway for cables and three (3) knockouts for UPS / Normal Power / Datacom outlets.</td> </tr> <tr> <td>COLORS/ FINISHES</td> <td>Specific colors/finishes subject for approval.</td> </tr> <tr> <td>Modular Panel Fabric upholstery</td> <td>Two-tone fabric, with color/s equivalent to the code specified below. <i>Top: Sunrise Yellow</i> <i>Bottom: Expensive Blue</i></td> </tr> <tr> <td>High Pressure Laminate (HPL)</td> <td>High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Tabletop : Folkstone "0927"</i></td> </tr> </table> 	DESIGN	Modular workstation with 50 mm thick modular panels in cushioned fabric upholstery with 30mm thick MDF board tabletop in High Pressure Laminate finish.	CONSTRUCTION		Worktop	1500mm (W) x 600mm (D) x 30mm thick medium density fiber (MDF) board in HPL finish, with 2 mm thick PVC edging and two (2) plastic grommet with rotating cover.	Frame, Trim, Capping, and Corner Posts	Extruded aluminum in powder-coated finish. Submit sample for approval	Modular Panel	50 mm thick modular panel in Teflon-coated fabric finish and 1/8" thick foam padding.	Skirting/Base	100mm (H) powder-coated aluminum panel with raceway for cables and three (3) knockouts for UPS / Normal Power / Datacom outlets.	COLORS/ FINISHES	Specific colors/finishes subject for approval.	Modular Panel Fabric upholstery	Two-tone fabric, with color/s equivalent to the code specified below. <i>Top: Sunrise Yellow</i> <i>Bottom: Expensive Blue</i>	High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Tabletop : Folkstone "0927"</i>																		
DESIGN	Modular workstation with 50 mm thick modular panels in cushioned fabric upholstery with 30mm thick MDF board tabletop in High Pressure Laminate finish.																																				
CONSTRUCTION																																					
Worktop	1500mm (W) x 600mm (D) x 30mm thick medium density fiber (MDF) board in HPL finish, with 2 mm thick PVC edging and two (2) plastic grommet with rotating cover.																																				
Frame, Trim, Capping, and Corner Posts	Extruded aluminum in powder-coated finish. Submit sample for approval																																				
Modular Panel	50 mm thick modular panel in Teflon-coated fabric finish and 1/8" thick foam padding.																																				
Skirting/Base	100mm (H) powder-coated aluminum panel with raceway for cables and three (3) knockouts for UPS / Normal Power / Datacom outlets.																																				
COLORS/ FINISHES	Specific colors/finishes subject for approval.																																				
Modular Panel Fabric upholstery	Two-tone fabric, with color/s equivalent to the code specified below. <i>Top: Sunrise Yellow</i> <i>Bottom: Expensive Blue</i>																																				
High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Tabletop : Folkstone "0927"</i>																																				
Lot II	<p>SEATING FURNITURE FOR MAIN OFFICE AND NCR BRANCHES <i>- Bidder must submit manufacturer's certification for the following materials.</i></p> <ol style="list-style-type: none"> <i>1. Backrest and seat</i> <i>2. Gas lift mechanism</i> <i>3. Base</i> <i>4. Tubular legs</i> <i>5. Fabric and Leatherette</i> 																																				
1	<p>Executive Chair</p> <table border="1"> <tr> <td>DESIGN</td> <td>High-back swivel chair with synchronized tilt and swivel mechanism, recline and rocking feature, pneumatic seat height adjustment, rounded profile backrest with integral headrest, fixed padded armrest and 5-prong base.</td> </tr> <tr> <td>Dimension</td> <td>Backrest: 730 mm (H) x 490 mm (W)</td> </tr> <tr> <td></td> <td>Seat: 490 mm (W) x 470 mm (D)</td> </tr> <tr> <td></td> <td>Base Diameter: 640 to 670 mm</td> </tr> <tr> <td></td> <td>Armrest Length: 240 mm - 300 mm</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Backrest</td> <td>Reclining backrest with lumbar support made of plastic shell with high density molded foam, leatherette upholstery and rocking feature.</td> </tr> <tr> <td>Tilt</td> <td>Synchronized tilt/swivel mechanism that allows tilting forward at 80° and backward at 110°, with tilt tension adjustment, control lever that releases tilt for free float of backrest or tilt lock in a specific angle and safety feature that allows non-movement of backrest upon initial unlocking of lever.</td> </tr> <tr> <td>Seat</td> <td>Seat made of plastic shell with high density molded foam and upholstery.</td> </tr> <tr> <td>Armrest</td> <td>High quality chrome solid aluminum fixed armrest and upholstered pads.</td> </tr> <tr> <td>Gas Lift Mechanism</td> <td>28mm diameter gas cylinder head with outer tube diameter of 50 mm - 60 mm, German make gas lift mechanism. Manufacturer's Certification required.</td> </tr> <tr> <td>Wheel Casters</td> <td>50 mm diameter twin wheel casters, nylon type.</td> </tr> <tr> <td>Base</td> <td>5-prong aluminum base or nylon base with criss-crossed inner core; load capacity of not less than 250 lbs (Manufacturer's Certification required).</td> </tr> <tr> <td>Upholstery</td> <td>Leatherette</td> </tr> <tr> <td colspan="2">COLOR</td> </tr> <tr> <td>Upholstery</td> <td>Black</td> </tr> <tr> <td>Frame/Base</td> <td>Black nylon or glossy/satin metal finish.</td> </tr> </table> 	DESIGN	High-back swivel chair with synchronized tilt and swivel mechanism, recline and rocking feature, pneumatic seat height adjustment, rounded profile backrest with integral headrest, fixed padded armrest and 5-prong base.	Dimension	Backrest: 730 mm (H) x 490 mm (W)		Seat: 490 mm (W) x 470 mm (D)		Base Diameter: 640 to 670 mm		Armrest Length: 240 mm - 300 mm	CONSTRUCTION		Backrest	Reclining backrest with lumbar support made of plastic shell with high density molded foam, leatherette upholstery and rocking feature.	Tilt	Synchronized tilt/swivel mechanism that allows tilting forward at 80° and backward at 110°, with tilt tension adjustment, control lever that releases tilt for free float of backrest or tilt lock in a specific angle and safety feature that allows non-movement of backrest upon initial unlocking of lever.	Seat	Seat made of plastic shell with high density molded foam and upholstery.	Armrest	High quality chrome solid aluminum fixed armrest and upholstered pads.	Gas Lift Mechanism	28mm diameter gas cylinder head with outer tube diameter of 50 mm - 60 mm, German make gas lift mechanism. Manufacturer's Certification required.	Wheel Casters	50 mm diameter twin wheel casters, nylon type.	Base	5-prong aluminum base or nylon base with criss-crossed inner core; load capacity of not less than 250 lbs (Manufacturer's Certification required).	Upholstery	Leatherette	COLOR		Upholstery	Black	Frame/Base	Black nylon or glossy/satin metal finish.		
DESIGN	High-back swivel chair with synchronized tilt and swivel mechanism, recline and rocking feature, pneumatic seat height adjustment, rounded profile backrest with integral headrest, fixed padded armrest and 5-prong base.																																				
Dimension	Backrest: 730 mm (H) x 490 mm (W)																																				
	Seat: 490 mm (W) x 470 mm (D)																																				
	Base Diameter: 640 to 670 mm																																				
	Armrest Length: 240 mm - 300 mm																																				
CONSTRUCTION																																					
Backrest	Reclining backrest with lumbar support made of plastic shell with high density molded foam, leatherette upholstery and rocking feature.																																				
Tilt	Synchronized tilt/swivel mechanism that allows tilting forward at 80° and backward at 110°, with tilt tension adjustment, control lever that releases tilt for free float of backrest or tilt lock in a specific angle and safety feature that allows non-movement of backrest upon initial unlocking of lever.																																				
Seat	Seat made of plastic shell with high density molded foam and upholstery.																																				
Armrest	High quality chrome solid aluminum fixed armrest and upholstered pads.																																				
Gas Lift Mechanism	28mm diameter gas cylinder head with outer tube diameter of 50 mm - 60 mm, German make gas lift mechanism. Manufacturer's Certification required.																																				
Wheel Casters	50 mm diameter twin wheel casters, nylon type.																																				
Base	5-prong aluminum base or nylon base with criss-crossed inner core; load capacity of not less than 250 lbs (Manufacturer's Certification required).																																				
Upholstery	Leatherette																																				
COLOR																																					
Upholstery	Black																																				
Frame/Base	Black nylon or glossy/satin metal finish.																																				

Item	Specification	Statement of Compliance	Annex																												
2	<p>Non-supervisor's Chair</p> <table border="1"> <tr> <td>DESIGN</td> <td>Mid-back swivel chair with synchronized tilt mechanism, pneumatic seat height adjustment, fixed contoured polypropylene armrest and 5-prong base.</td> </tr> <tr> <td>Dimensions</td> <td>Backrest Height: 550 mm Seat Width: 490 mm Seat Height: 470 mm (adjustable)</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Backrest</td> <td>With lumbar support made of plastic shell and cushioned with high density molded foam.</td> </tr> <tr> <td>Tilt</td> <td>synchronized swivel/tilt mechanism that allows tilting forward at 80° and backward at 110°; with tilt tension adjustment, control lever that releases tilt for free float of backrest and safety feature that allows non-movement of backrest upon initial unlocking of lever.</td> </tr> <tr> <td>Seat</td> <td>Plastic shell with high density molded foam.</td> </tr> <tr> <td>Armrest</td> <td>Fixed contoured polypropylene arm frame and armrest.</td> </tr> <tr> <td>Gas Lift Mechanism</td> <td>28mm diameter gas cylinder head with outer tube diameter of 50 – 60 mm, German make gas lift mechanism. Manufacturer's Certification required.</td> </tr> <tr> <td>Wheel Casters</td> <td>50 mm diameter twin wheel casters, nylon type.</td> </tr> <tr> <td>Base</td> <td>5-prong metal or nylon base with criss-crossed inner core; load capacity of not less than 250 lbs (Manufacturer's Certification required).</td> </tr> <tr> <td>Upholstery</td> <td>Leatherette</td> </tr> <tr> <td colspan="2">COLOR</td> </tr> <tr> <td>Upholstery</td> <td>Black</td> </tr> <tr> <td>Frame/Base</td> <td>Black nylon or glossy/satin metal finish.</td> </tr> </table> 	DESIGN	Mid-back swivel chair with synchronized tilt mechanism, pneumatic seat height adjustment, fixed contoured polypropylene armrest and 5-prong base.	Dimensions	Backrest Height: 550 mm Seat Width: 490 mm Seat Height: 470 mm (adjustable)	CONSTRUCTION		Backrest	With lumbar support made of plastic shell and cushioned with high density molded foam.	Tilt	synchronized swivel/tilt mechanism that allows tilting forward at 80° and backward at 110° ; with tilt tension adjustment, control lever that releases tilt for free float of backrest and safety feature that allows non-movement of backrest upon initial unlocking of lever.	Seat	Plastic shell with high density molded foam.	Armrest	Fixed contoured polypropylene arm frame and armrest.	Gas Lift Mechanism	28mm diameter gas cylinder head with outer tube diameter of 50 – 60 mm, German make gas lift mechanism. Manufacturer's Certification required.	Wheel Casters	50 mm diameter twin wheel casters, nylon type.	Base	5-prong metal or nylon base with criss-crossed inner core; load capacity of not less than 250 lbs (Manufacturer's Certification required).	Upholstery	Leatherette	COLOR		Upholstery	Black	Frame/Base	Black nylon or glossy/satin metal finish.		
DESIGN	Mid-back swivel chair with synchronized tilt mechanism, pneumatic seat height adjustment, fixed contoured polypropylene armrest and 5-prong base.																														
Dimensions	Backrest Height: 550 mm Seat Width: 490 mm Seat Height: 470 mm (adjustable)																														
CONSTRUCTION																															
Backrest	With lumbar support made of plastic shell and cushioned with high density molded foam.																														
Tilt	synchronized swivel/tilt mechanism that allows tilting forward at 80° and backward at 110° ; with tilt tension adjustment, control lever that releases tilt for free float of backrest and safety feature that allows non-movement of backrest upon initial unlocking of lever.																														
Seat	Plastic shell with high density molded foam.																														
Armrest	Fixed contoured polypropylene arm frame and armrest.																														
Gas Lift Mechanism	28mm diameter gas cylinder head with outer tube diameter of 50 – 60 mm, German make gas lift mechanism. Manufacturer's Certification required.																														
Wheel Casters	50 mm diameter twin wheel casters, nylon type.																														
Base	5-prong metal or nylon base with criss-crossed inner core; load capacity of not less than 250 lbs (Manufacturer's Certification required).																														
Upholstery	Leatherette																														
COLOR																															
Upholstery	Black																														
Frame/Base	Black nylon or glossy/satin metal finish.																														
3	<p>Conference Chair</p> <table border="1"> <tr> <td>DESIGN</td> <td>Low back swivel chair with pneumatic seat height adjustment, single position tilt lock, molded polypropylene armrest and 5-prong nylon base.</td> </tr> <tr> <td>Dimensions</td> <td>Backrest Height: 460 mm Seat Width: 490 mm Seat Height: 584 mm to 838 mm</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Backrest</td> <td>With lumbar support made of plastic shell with high density molded foam.</td> </tr> <tr> <td>Tilt</td> <td>Single position tilt lock or control lever which releases tilt for free float of backrest.</td> </tr> <tr> <td>Seat</td> <td>Made of plastic shell with high density molded foam.</td> </tr> <tr> <td>Armrest</td> <td>Fixed molded polypropylene arm frame and armrest.</td> </tr> <tr> <td>Gas lift Mechanism</td> <td>28mm diameter gas cylinder head with outer tube diameter of 50 – 60 mm. (Manufacturer's certification required).</td> </tr> <tr> <td>Wheel Casters</td> <td>50 mm diameter twin wheel casters, nylon type.</td> </tr> <tr> <td>Base</td> <td>5-prong black nylon base with criss-crossed inner core and load capacity of not less than 250 lbs (Manufacturer's Certification required).</td> </tr> <tr> <td>Upholstery</td> <td>Clerical Chair: Leatherette Conference Chair: Fabric</td> </tr> <tr> <td colspan="2">COLOR</td> </tr> <tr> <td>Upholstery</td> <td>Clerical Chair: Black Conference Chair: Black</td> </tr> </table> 	DESIGN	Low back swivel chair with pneumatic seat height adjustment, single position tilt lock, molded polypropylene armrest and 5-prong nylon base.	Dimensions	Backrest Height: 460 mm Seat Width: 490 mm Seat Height: 584 mm to 838 mm	CONSTRUCTION		Backrest	With lumbar support made of plastic shell with high density molded foam.	Tilt	Single position tilt lock or control lever which releases tilt for free float of backrest.	Seat	Made of plastic shell with high density molded foam.	Armrest	Fixed molded polypropylene arm frame and armrest.	Gas lift Mechanism	28mm diameter gas cylinder head with outer tube diameter of 50 – 60 mm. (Manufacturer's certification required).	Wheel Casters	50 mm diameter twin wheel casters, nylon type.	Base	5-prong black nylon base with criss-crossed inner core and load capacity of not less than 250 lbs (Manufacturer's Certification required).	Upholstery	Clerical Chair: Leatherette Conference Chair: Fabric	COLOR		Upholstery	Clerical Chair: Black Conference Chair: Black				
DESIGN	Low back swivel chair with pneumatic seat height adjustment, single position tilt lock, molded polypropylene armrest and 5-prong nylon base.																														
Dimensions	Backrest Height: 460 mm Seat Width: 490 mm Seat Height: 584 mm to 838 mm																														
CONSTRUCTION																															
Backrest	With lumbar support made of plastic shell with high density molded foam.																														
Tilt	Single position tilt lock or control lever which releases tilt for free float of backrest.																														
Seat	Made of plastic shell with high density molded foam.																														
Armrest	Fixed molded polypropylene arm frame and armrest.																														
Gas lift Mechanism	28mm diameter gas cylinder head with outer tube diameter of 50 – 60 mm. (Manufacturer's certification required).																														
Wheel Casters	50 mm diameter twin wheel casters, nylon type.																														
Base	5-prong black nylon base with criss-crossed inner core and load capacity of not less than 250 lbs (Manufacturer's Certification required).																														
Upholstery	Clerical Chair: Leatherette Conference Chair: Fabric																														
COLOR																															
Upholstery	Clerical Chair: Black Conference Chair: Black																														
4	<p>Guest Chair 1</p> <table border="1"> <tr> <td>DESIGN</td> <td>Mid-back chair with cantilever tubular legs, cushioned seat and backrest, polypropylene armrest and cantilever legs.</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Backrest and Seat</td> <td>Polypropylene back and seat with 2" thick high density molded foam cushion (Uratex or approved equal) and leatherette upholstery.</td> </tr> <tr> <td>Legs</td> <td>Tubular legs in powder-coated finish, cantilever-type; load capacity of not less than 250 lbs (Manufacturer's Certification is required).</td> </tr> <tr> <td>Arm/armrest</td> <td>Fixed polypropylene armrest</td> </tr> <tr> <td colspan="2">COLOR</td> </tr> <tr> <td>Upholstery</td> <td>Pantone Blue Fabric</td> </tr> <tr> <td>Frame/Base</td> <td>Black</td> </tr> </table> 	DESIGN	Mid-back chair with cantilever tubular legs, cushioned seat and backrest, polypropylene armrest and cantilever legs.	CONSTRUCTION		Backrest and Seat	Polypropylene back and seat with 2" thick high density molded foam cushion (Uratex or approved equal) and leatherette upholstery.	Legs	Tubular legs in powder-coated finish, cantilever-type; load capacity of not less than 250 lbs (Manufacturer's Certification is required).	Arm/armrest	Fixed polypropylene armrest	COLOR		Upholstery	Pantone Blue Fabric	Frame/Base	Black														
DESIGN	Mid-back chair with cantilever tubular legs, cushioned seat and backrest, polypropylene armrest and cantilever legs.																														
CONSTRUCTION																															
Backrest and Seat	Polypropylene back and seat with 2" thick high density molded foam cushion (Uratex or approved equal) and leatherette upholstery.																														
Legs	Tubular legs in powder-coated finish, cantilever-type; load capacity of not less than 250 lbs (Manufacturer's Certification is required).																														
Arm/armrest	Fixed polypropylene armrest																														
COLOR																															
Upholstery	Pantone Blue Fabric																														
Frame/Base	Black																														
5	<p>Guest Chair 2</p> <table border="1"> <tr> <td>DESIGN</td> <td>Low back chair with sled base in powder-coated finish; with armrest.</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Backrest and Seat</td> <td>Polypropylene back and seat with high density molded foam cushion (Uratex or approved equal), fabric upholstery and "waterfall" seat profile.</td> </tr> <tr> <td>Seat Support</td> <td>parallel or intersecting ("X") seat support in tubular metal frame with seamless weld</td> </tr> <tr> <td>Frame/ Legs</td> <td>18 mm (min.) diameter powder-coated tubular frame; sled-type base.</td> </tr> <tr> <td colspan="2">COLOR</td> </tr> <tr> <td>Upholstery</td> <td>Pantone Blue Fabric.</td> </tr> <tr> <td>Legs/ Frame</td> <td>Black</td> </tr> </table> 	DESIGN	Low back chair with sled base in powder-coated finish; with armrest.	CONSTRUCTION		Backrest and Seat	Polypropylene back and seat with high density molded foam cushion (Uratex or approved equal), fabric upholstery and "waterfall" seat profile.	Seat Support	parallel or intersecting ("X") seat support in tubular metal frame with seamless weld	Frame/ Legs	18 mm (min.) diameter powder-coated tubular frame; sled-type base.	COLOR		Upholstery	Pantone Blue Fabric.	Legs/ Frame	Black														
DESIGN	Low back chair with sled base in powder-coated finish; with armrest.																														
CONSTRUCTION																															
Backrest and Seat	Polypropylene back and seat with high density molded foam cushion (Uratex or approved equal), fabric upholstery and "waterfall" seat profile.																														
Seat Support	parallel or intersecting ("X") seat support in tubular metal frame with seamless weld																														
Frame/ Legs	18 mm (min.) diameter powder-coated tubular frame; sled-type base.																														
COLOR																															
Upholstery	Pantone Blue Fabric.																														
Legs/ Frame	Black																														
6	<p>4-Seater Gang Chair</p> <table border="1"> <tr> <td>DESIGN</td> <td>4-seater Powder Coated perforated Gang Chair</td> </tr> <tr> <td>Dimensions</td> <td>4-seater – 2380mm x 680mm x 800mm with 3 leg support</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Backrest and Seat</td> <td>1.5mm perforated cold-rolled steel with powder coated finish</td> </tr> <tr> <td>Side Strips</td> <td>2.2mm thick cold-rolled steel with surface chrome plating treatment</td> </tr> <tr> <td>Beam</td> <td>1.8mm thick x 80mm x 40mm rectangular steel tube sprayed with static powder after anti-rust treatment</td> </tr> <tr> <td>Armrest/ Legs</td> <td>1.2mm thick cold-rolled steel with surface chrome plating treatment</td> </tr> <tr> <td colspan="2">COLOR</td> </tr> <tr> <td>Legs / Frame</td> <td>Chrome finish</td> </tr> </table>	DESIGN	4-seater Powder Coated perforated Gang Chair	Dimensions	4-seater – 2380mm x 680mm x 800mm with 3 leg support	CONSTRUCTION		Backrest and Seat	1.5mm perforated cold-rolled steel with powder coated finish	Side Strips	2.2mm thick cold-rolled steel with surface chrome plating treatment	Beam	1.8mm thick x 80mm x 40mm rectangular steel tube sprayed with static powder after anti-rust treatment	Armrest/ Legs	1.2mm thick cold-rolled steel with surface chrome plating treatment	COLOR		Legs / Frame	Chrome finish												
DESIGN	4-seater Powder Coated perforated Gang Chair																														
Dimensions	4-seater – 2380mm x 680mm x 800mm with 3 leg support																														
CONSTRUCTION																															
Backrest and Seat	1.5mm perforated cold-rolled steel with powder coated finish																														
Side Strips	2.2mm thick cold-rolled steel with surface chrome plating treatment																														
Beam	1.8mm thick x 80mm x 40mm rectangular steel tube sprayed with static powder after anti-rust treatment																														
Armrest/ Legs	1.2mm thick cold-rolled steel with surface chrome plating treatment																														
COLOR																															
Legs / Frame	Chrome finish																														


Item	Specification	Statement of Compliance	Annex																				
	<table border="1"> <tr> <td>Seat & Back</td> <td>Powder Coated Blue</td> </tr> </table>	Seat & Back	Powder Coated Blue																				
Seat & Back	Powder Coated Blue																						
7	<p>5-Seater Gang Chair</p> <table border="1"> <tr> <td>DESIGN</td> <td>5-seater Powder Coated perforated Gang Chair</td> </tr> <tr> <td>Dimensions</td> <td>5-seater – 2964mm x 680mm x 800mm with 3 leg support</td> </tr> <tr> <td>CONSTRUCTION</td> <td></td> </tr> <tr> <td>Backrest and Seat</td> <td>1.5mm perforated cold-rolled steel with powder coated finish</td> </tr> <tr> <td>Side Strips</td> <td>2.2mm thick cold-rolled steel with surface chrome plating treatment</td> </tr> <tr> <td>Beam</td> <td>1.8mm thick x 80mm x 40mm rectangular steel tube sprayed with static powder after anti-rust treatment</td> </tr> <tr> <td>Armrest/ Legs</td> <td>1.2mm thick cold-rolled steel with surface chrome plating treatment</td> </tr> <tr> <td>COLOR</td> <td></td> </tr> <tr> <td>Legs / Frame</td> <td>Chrome finish</td> </tr> <tr> <td>Seat & Back</td> <td>Powder Coated Blue</td> </tr> </table>	DESIGN	5-seater Powder Coated perforated Gang Chair	Dimensions	5-seater – 2964mm x 680mm x 800mm with 3 leg support	CONSTRUCTION		Backrest and Seat	1.5mm perforated cold-rolled steel with powder coated finish	Side Strips	2.2mm thick cold-rolled steel with surface chrome plating treatment	Beam	1.8mm thick x 80mm x 40mm rectangular steel tube sprayed with static powder after anti-rust treatment	Armrest/ Legs	1.2mm thick cold-rolled steel with surface chrome plating treatment	COLOR		Legs / Frame	Chrome finish	Seat & Back	Powder Coated Blue		
DESIGN	5-seater Powder Coated perforated Gang Chair																						
Dimensions	5-seater – 2964mm x 680mm x 800mm with 3 leg support																						
CONSTRUCTION																							
Backrest and Seat	1.5mm perforated cold-rolled steel with powder coated finish																						
Side Strips	2.2mm thick cold-rolled steel with surface chrome plating treatment																						
Beam	1.8mm thick x 80mm x 40mm rectangular steel tube sprayed with static powder after anti-rust treatment																						
Armrest/ Legs	1.2mm thick cold-rolled steel with surface chrome plating treatment																						
COLOR																							
Legs / Frame	Chrome finish																						
Seat & Back	Powder Coated Blue																						
8	<p>Stackable Chair</p> <table border="1"> <tr> <td>DESIGN</td> <td>2-piece low back chair with steel tubular frame and sled base in powder-coated finish; without armrest.</td> </tr> <tr> <td>CONSTRUCTION</td> <td></td> </tr> <tr> <td>Backrest and Seat</td> <td>Polypropylene back and seat; without cushion and upholstery.</td> </tr> <tr> <td>Seat Support</td> <td>Parallel or intersecting ("X") seat support in tubular metal frame with seamless weld.</td> </tr> <tr> <td>Frame/ Legs</td> <td>18 mm diameter powder-coated steel tube welded frame; sled base and stackable.</td> </tr> <tr> <td>Clip/ Connector</td> <td>Heavy-duty PVC clip.</td> </tr> <tr> <td>COLOR</td> <td></td> </tr> <tr> <td>Legs/Frame</td> <td>Powder-coated black.</td> </tr> <tr> <td>PP seat & back</td> <td>Royal Blue</td> </tr> </table> 	DESIGN	2-piece low back chair with steel tubular frame and sled base in powder-coated finish; without armrest.	CONSTRUCTION		Backrest and Seat	Polypropylene back and seat; without cushion and upholstery.	Seat Support	Parallel or intersecting ("X") seat support in tubular metal frame with seamless weld.	Frame/ Legs	18 mm diameter powder-coated steel tube welded frame; sled base and stackable.	Clip/ Connector	Heavy-duty PVC clip.	COLOR		Legs/Frame	Powder-coated black.	PP seat & back	Royal Blue				
DESIGN	2-piece low back chair with steel tubular frame and sled base in powder-coated finish; without armrest.																						
CONSTRUCTION																							
Backrest and Seat	Polypropylene back and seat; without cushion and upholstery.																						
Seat Support	Parallel or intersecting ("X") seat support in tubular metal frame with seamless weld.																						
Frame/ Legs	18 mm diameter powder-coated steel tube welded frame; sled base and stackable.																						
Clip/ Connector	Heavy-duty PVC clip.																						
COLOR																							
Legs/Frame	Powder-coated black.																						
PP seat & back	Royal Blue																						
9	<p>Accent Chair 1</p> <table border="1"> <tr> <td>DESIGN</td> <td> <p>1-Seater Sofa/Accent Chair in cushioned fabric or velvet upholstery, round-edge side and back cushion, in powder-coated paint finish metal legs</p> <p>Minimum Dimension: 730 mm(W) x 820 mm(L) x 700 mm(H)</p> </td> </tr> <tr> <td>CONSTRUCTION</td> <td><i>(Submit sample/mock-up unit)</i></td> </tr> <tr> <td>Seat, Backrest & Armrest</td> <td>Cushioned fabric or velvet upholstery, round-edge side and back cushions</td> </tr> <tr> <td>Legs</td> <td>Metal legs</td> </tr> <tr> <td>COLORS/ FINISHES</td> <td><i>(Submit sample colors/finishes for approval)</i></td> </tr> <tr> <td>Seat, Backrest & Armrest Upholstery</td> <td>Pastel color – Pink or similar hue/shade</td> </tr> <tr> <td>Metal Legs</td> <td>Powder-coated paint finish; Rose Gold or similar hue/shade</td> </tr> </table>  	DESIGN	<p>1-Seater Sofa/Accent Chair in cushioned fabric or velvet upholstery, round-edge side and back cushion, in powder-coated paint finish metal legs</p> <p>Minimum Dimension: 730 mm(W) x 820 mm(L) x 700 mm(H)</p>	CONSTRUCTION	<i>(Submit sample/mock-up unit)</i>	Seat, Backrest & Armrest	Cushioned fabric or velvet upholstery, round-edge side and back cushions	Legs	Metal legs	COLORS/ FINISHES	<i>(Submit sample colors/finishes for approval)</i>	Seat, Backrest & Armrest Upholstery	Pastel color – Pink or similar hue/shade	Metal Legs	Powder-coated paint finish; Rose Gold or similar hue/shade								
DESIGN	<p>1-Seater Sofa/Accent Chair in cushioned fabric or velvet upholstery, round-edge side and back cushion, in powder-coated paint finish metal legs</p> <p>Minimum Dimension: 730 mm(W) x 820 mm(L) x 700 mm(H)</p>																						
CONSTRUCTION	<i>(Submit sample/mock-up unit)</i>																						
Seat, Backrest & Armrest	Cushioned fabric or velvet upholstery, round-edge side and back cushions																						
Legs	Metal legs																						
COLORS/ FINISHES	<i>(Submit sample colors/finishes for approval)</i>																						
Seat, Backrest & Armrest Upholstery	Pastel color – Pink or similar hue/shade																						
Metal Legs	Powder-coated paint finish; Rose Gold or similar hue/shade																						
10	<p>Accent Chair 2</p> <table border="1"> <tr> <td>DESIGN</td> <td> <p>1-Seater Chair in cushioned fabric or velvet upholstery, round-edged back and side cushions, in powder -coated paint finish metal legs or wood-stained finish solid wood legs.</p> </td> </tr> <tr> <td>CONSTRUCTION</td> <td><i>(Submit sample/mock-up unit)</i></td> </tr> <tr> <td>Seat, Backrest & Armrest</td> <td>Cushioned fabric or velvet upholstery, round-edged back and side cushions</td> </tr> <tr> <td>Legs</td> <td>Metal or solid wood legs</td> </tr> <tr> <td>COLORS/ FINISHES</td> <td><i>(Submit sample colors/finishes for approval)</i></td> </tr> <tr> <td>Seat, Backrest & Armrest Upholstery</td> <td>Pastel color</td> </tr> <tr> <td>Metal Legs</td> <td>Powder coated paint finish metal legs or wood-stained finish solid wood legs</td> </tr> </table>  	DESIGN	<p>1-Seater Chair in cushioned fabric or velvet upholstery, round-edged back and side cushions, in powder -coated paint finish metal legs or wood-stained finish solid wood legs.</p>	CONSTRUCTION	<i>(Submit sample/mock-up unit)</i>	Seat, Backrest & Armrest	Cushioned fabric or velvet upholstery, round-edged back and side cushions	Legs	Metal or solid wood legs	COLORS/ FINISHES	<i>(Submit sample colors/finishes for approval)</i>	Seat, Backrest & Armrest Upholstery	Pastel color	Metal Legs	Powder coated paint finish metal legs or wood-stained finish solid wood legs								
DESIGN	<p>1-Seater Chair in cushioned fabric or velvet upholstery, round-edged back and side cushions, in powder -coated paint finish metal legs or wood-stained finish solid wood legs.</p>																						
CONSTRUCTION	<i>(Submit sample/mock-up unit)</i>																						
Seat, Backrest & Armrest	Cushioned fabric or velvet upholstery, round-edged back and side cushions																						
Legs	Metal or solid wood legs																						
COLORS/ FINISHES	<i>(Submit sample colors/finishes for approval)</i>																						
Seat, Backrest & Armrest Upholstery	Pastel color																						
Metal Legs	Powder coated paint finish metal legs or wood-stained finish solid wood legs																						
11	<p>2-Seater Sofa</p> <table border="1"> <tr> <td>DESIGN</td> <td> <p>2-Seater Sofa in cushioned fabric or velvet upholstery, round-edge back and side cushions in powder-coated paint finish metal legs or wood-stained finish solid wood legs</p> </td> </tr> <tr> <td>CONSTRUCTION</td> <td><i>(Submit sample/mock-up unit)</i></td> </tr> <tr> <td>Seat, Backrest & Armrest</td> <td>Cushioned fabric or velvet upholstery, round-edge back and side cushions</td> </tr> <tr> <td>Legs</td> <td>Metal or solid wood legs</td> </tr> <tr> <td>COLORS/ FINISHES</td> <td><i>(Submit sample colors/finishes for approval)</i></td> </tr> <tr> <td>Seat, Backrest & Armrest Upholstery</td> <td>Pastel color or approved equal</td> </tr> <tr> <td>Metal Legs</td> <td>Powder-coated paint finish metal legs or wood-stained solid wood legs</td> </tr> </table> 	DESIGN	<p>2-Seater Sofa in cushioned fabric or velvet upholstery, round-edge back and side cushions in powder-coated paint finish metal legs or wood-stained finish solid wood legs</p>	CONSTRUCTION	<i>(Submit sample/mock-up unit)</i>	Seat, Backrest & Armrest	Cushioned fabric or velvet upholstery, round-edge back and side cushions	Legs	Metal or solid wood legs	COLORS/ FINISHES	<i>(Submit sample colors/finishes for approval)</i>	Seat, Backrest & Armrest Upholstery	Pastel color or approved equal	Metal Legs	Powder-coated paint finish metal legs or wood-stained solid wood legs								
DESIGN	<p>2-Seater Sofa in cushioned fabric or velvet upholstery, round-edge back and side cushions in powder-coated paint finish metal legs or wood-stained finish solid wood legs</p>																						
CONSTRUCTION	<i>(Submit sample/mock-up unit)</i>																						
Seat, Backrest & Armrest	Cushioned fabric or velvet upholstery, round-edge back and side cushions																						
Legs	Metal or solid wood legs																						
COLORS/ FINISHES	<i>(Submit sample colors/finishes for approval)</i>																						
Seat, Backrest & Armrest Upholstery	Pastel color or approved equal																						
Metal Legs	Powder-coated paint finish metal legs or wood-stained solid wood legs																						


Item	Specification	Statement of Compliance	Annex																																						
Lot III	CONTRACT FURNITURE FOR MAIN OFFICE AND NCR BRANCHES <i>- Bidder must submit HPL swatches, synthetic stone sample, and manufacturer's certification.</i>																																								
1	<p>Guard Station</p> <table border="1"> <tr> <td>DESIGN</td> <td>D-shaped guard station in marine plywood carcass in HPL finish w/ 1/2" thick pure acrylic synthetic stone in PVC film finish and provided with built-in drawer.</td> </tr> <tr> <td>Dimensions</td> <td>600mm (D) x 800mm (W) x 1100mm (H)</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Carcass/Body</td> <td>3/4" thick marine plywood in HPL finish with 6mm square groove and PVC gliders</td> </tr> <tr> <td>Center Drawer w/ Lock</td> <td>600mm W x 300mm D x 150mm H x 3/4" thick marine plywood in HPL finish with centerlock</td> </tr> <tr> <td>Worktop</td> <td>3/4" thick marine plywood in HPL finish; post-formed edges</td> </tr> <tr> <td>Modesty Panel</td> <td>1/4" thick Marine Plywood in HPL Finish</td> </tr> <tr> <td colspan="2">ACCESSORIES</td> </tr> <tr> <td>SSS Logo</td> <td>180 mm (W) x 150 mm (H), embossed SSS logo in 1.5 mm thick stainless steel sheet.</td> </tr> <tr> <td>Foot Rest</td> <td>25mmØ Stainless Steel Footrest</td> </tr> <tr> <td colspan="2">COLORS/FINISHES</td> </tr> <tr> <td>High Pressure Laminate (HPL)</td> <td>High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Worktop: Folkstone "0927"</i> <i>Body: Navy Blue "0969"</i></td> </tr> </table> 	DESIGN	D-shaped guard station in marine plywood carcass in HPL finish w/ 1/2" thick pure acrylic synthetic stone in PVC film finish and provided with built-in drawer.	Dimensions	600mm (D) x 800mm (W) x 1100mm (H)	CONSTRUCTION		Carcass/Body	3/4" thick marine plywood in HPL finish with 6mm square groove and PVC gliders	Center Drawer w/ Lock	600mm W x 300mm D x 150mm H x 3/4" thick marine plywood in HPL finish with centerlock	Worktop	3/4" thick marine plywood in HPL finish; post-formed edges	Modesty Panel	1/4" thick Marine Plywood in HPL Finish	ACCESSORIES		SSS Logo	180 mm (W) x 150 mm (H), embossed SSS logo in 1.5 mm thick stainless steel sheet.	Foot Rest	25mmØ Stainless Steel Footrest	COLORS/FINISHES		High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Worktop: Folkstone "0927"</i> <i>Body: Navy Blue "0969"</i>																
DESIGN	D-shaped guard station in marine plywood carcass in HPL finish w/ 1/2" thick pure acrylic synthetic stone in PVC film finish and provided with built-in drawer.																																								
Dimensions	600mm (D) x 800mm (W) x 1100mm (H)																																								
CONSTRUCTION																																									
Carcass/Body	3/4" thick marine plywood in HPL finish with 6mm square groove and PVC gliders																																								
Center Drawer w/ Lock	600mm W x 300mm D x 150mm H x 3/4" thick marine plywood in HPL finish with centerlock																																								
Worktop	3/4" thick marine plywood in HPL finish; post-formed edges																																								
Modesty Panel	1/4" thick Marine Plywood in HPL Finish																																								
ACCESSORIES																																									
SSS Logo	180 mm (W) x 150 mm (H), embossed SSS logo in 1.5 mm thick stainless steel sheet.																																								
Foot Rest	25mmØ Stainless Steel Footrest																																								
COLORS/FINISHES																																									
High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Worktop: Folkstone "0927"</i> <i>Body: Navy Blue "0969"</i>																																								
2	<p>Manager's Back Cabinet</p> <table border="1"> <tr> <td>DESIGN</td> <td>19mm thick marine plywood in HPL finish with 3 drawers and cabinets.</td> </tr> <tr> <td>Dimensions</td> <td>1800 mm (W) x 450 mm (D) x 750 mm (H)</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Body</td> <td>19mm thick marine plywood in HPL finish with 2mm thick PVC edging same color with the HPL finish</td> </tr> <tr> <td>Drawers</td> <td>3/4" thick Marine Plywood in HPL finish</td> </tr> <tr> <td colspan="2">ACCESSORIES</td> </tr> <tr> <td>Cabinet/ Drawer Handle</td> <td>Stainless Steel Handle</td> </tr> <tr> <td colspan="2">COLOR/ FINISHES</td> </tr> <tr> <td>High Pressure Laminate Finish</td> <td>High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Body: Lincoln Walnut code "7188"</i></td> </tr> </table> 	DESIGN	19mm thick marine plywood in HPL finish with 3 drawers and cabinets.	Dimensions	1800 mm (W) x 450 mm (D) x 750 mm (H)	CONSTRUCTION		Body	19mm thick marine plywood in HPL finish with 2mm thick PVC edging same color with the HPL finish	Drawers	3/4" thick Marine Plywood in HPL finish	ACCESSORIES		Cabinet/ Drawer Handle	Stainless Steel Handle	COLOR/ FINISHES		High Pressure Laminate Finish	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Body: Lincoln Walnut code "7188"</i>																						
DESIGN	19mm thick marine plywood in HPL finish with 3 drawers and cabinets.																																								
Dimensions	1800 mm (W) x 450 mm (D) x 750 mm (H)																																								
CONSTRUCTION																																									
Body	19mm thick marine plywood in HPL finish with 2mm thick PVC edging same color with the HPL finish																																								
Drawers	3/4" thick Marine Plywood in HPL finish																																								
ACCESSORIES																																									
Cabinet/ Drawer Handle	Stainless Steel Handle																																								
COLOR/ FINISHES																																									
High Pressure Laminate Finish	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Body: Lincoln Walnut code "7188"</i>																																								
3	<p>Generalist/Transaction Counter</p> <table border="1"> <tr> <td>DESIGN</td> <td>L-shaped transaction counter in medium density fiber (MDF) board and marine plywood, high pressure laminate (HPL) finish, with built-in drawers and integrated outlet box/raceway for datacom/power outlets.</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Main Desk:</td> <td>1400mm (W) x 750mm (D) x 750mm (H)</td> </tr> <tr> <td>Worktop</td> <td>30 mm thick MDF board with 1/2" thick synthetic stone in PVC film finish with 2 mm thick PVC edging and two (2) plastic grommet with rotating cover.</td> </tr> <tr> <td>High partition / End panels</td> <td>30mm thick MDF board in 2-tone high pressure laminate (HPL) finish with 2 mm thick PVC edging and adjustable PVC gliders. (refer to attached pictures)</td> </tr> <tr> <td>Front Panel</td> <td>25mm thick marine plywood panel with horizontal strips using 1/2" thick MDF board in HPL finish with embossed SSS logo in the middle. (verify logo dimensions with EMD)</td> </tr> <tr> <td>Side Desk:</td> <td>1000mm (W) x 450mm (D) x 750mm (H)</td> </tr> <tr> <td>Worktop</td> <td>30mm thick particle board in high-pressure laminate finish with 2 mm thick PVC edging and plastic grommet with rotating cover.</td> </tr> <tr> <td>Modesty Panel</td> <td>25 mm thick MDF board in HPL finish with 2 mm thick PVC edging and PVC gliders.</td> </tr> <tr> <td>Side Supports</td> <td>25 mm thick MDF board in HPL finish with 2 mm thick PVC edging and adjustable PVC gliders.</td> </tr> <tr> <td>Under Counter Ledge</td> <td>25mm thick MDF board in HPL finish with 2 mm thick PVC edging.</td> </tr> <tr> <td colspan="2">ACCESSORIES</td> </tr> <tr> <td>Raceway</td> <td>19mm thick marine plywood integrated outlet box/raceway for UPS / Normal Power / Datacom outlets</td> </tr> <tr> <td>Built-in drawer</td> <td>400mm (W) x 600mm (D), 4 layers drawer in MDF board in HPL finish, with centralized lock and recessed drawer pulls.</td> </tr> <tr> <td>SSS Logo</td> <td>120 mm (W) x 100 mm (H), embossed SSS logo in 1.5 mm thick SS sheet. (verify dimensions with EMD)</td> </tr> <tr> <td>Skirting</td> <td>100 mm (H) Stainless Steel Skirting (Front Panel)</td> </tr> <tr> <td colspan="2">COLORS/ FINISHES</td> </tr> <tr> <td>High Pressure Laminate</td> <td>High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Tabletop and Supports: Folkstone "0927" and Navy Blue "0969"</i> <i>Horizontal Strips: Navy Blue "0969" and Natural Maple "0756"</i></td> </tr> <tr> <td>Synthetic Stone</td> <td>Cobalt Blue (Submit sample for approval)</td> </tr> </table> 	DESIGN	L-shaped transaction counter in medium density fiber (MDF) board and marine plywood, high pressure laminate (HPL) finish, with built-in drawers and integrated outlet box/raceway for datacom/power outlets.	CONSTRUCTION		Main Desk:	1400mm (W) x 750mm (D) x 750mm (H)	Worktop	30 mm thick MDF board with 1/2" thick synthetic stone in PVC film finish with 2 mm thick PVC edging and two (2) plastic grommet with rotating cover.	High partition / End panels	30mm thick MDF board in 2-tone high pressure laminate (HPL) finish with 2 mm thick PVC edging and adjustable PVC gliders. (refer to attached pictures)	Front Panel	25mm thick marine plywood panel with horizontal strips using 1/2" thick MDF board in HPL finish with embossed SSS logo in the middle. (verify logo dimensions with EMD)	Side Desk:	1000mm (W) x 450mm (D) x 750mm (H)	Worktop	30mm thick particle board in high-pressure laminate finish with 2 mm thick PVC edging and plastic grommet with rotating cover.	Modesty Panel	25 mm thick MDF board in HPL finish with 2 mm thick PVC edging and PVC gliders.	Side Supports	25 mm thick MDF board in HPL finish with 2 mm thick PVC edging and adjustable PVC gliders.	Under Counter Ledge	25mm thick MDF board in HPL finish with 2 mm thick PVC edging.	ACCESSORIES		Raceway	19mm thick marine plywood integrated outlet box/raceway for UPS / Normal Power / Datacom outlets	Built-in drawer	400mm (W) x 600mm (D), 4 layers drawer in MDF board in HPL finish, with centralized lock and recessed drawer pulls.	SSS Logo	120 mm (W) x 100 mm (H), embossed SSS logo in 1.5 mm thick SS sheet. (verify dimensions with EMD)	Skirting	100 mm (H) Stainless Steel Skirting (Front Panel)	COLORS/ FINISHES		High Pressure Laminate	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Tabletop and Supports: Folkstone "0927" and Navy Blue "0969"</i> <i>Horizontal Strips: Navy Blue "0969" and Natural Maple "0756"</i>	Synthetic Stone	Cobalt Blue (Submit sample for approval)		
DESIGN	L-shaped transaction counter in medium density fiber (MDF) board and marine plywood, high pressure laminate (HPL) finish, with built-in drawers and integrated outlet box/raceway for datacom/power outlets.																																								
CONSTRUCTION																																									
Main Desk:	1400mm (W) x 750mm (D) x 750mm (H)																																								
Worktop	30 mm thick MDF board with 1/2" thick synthetic stone in PVC film finish with 2 mm thick PVC edging and two (2) plastic grommet with rotating cover.																																								
High partition / End panels	30mm thick MDF board in 2-tone high pressure laminate (HPL) finish with 2 mm thick PVC edging and adjustable PVC gliders. (refer to attached pictures)																																								
Front Panel	25mm thick marine plywood panel with horizontal strips using 1/2" thick MDF board in HPL finish with embossed SSS logo in the middle. (verify logo dimensions with EMD)																																								
Side Desk:	1000mm (W) x 450mm (D) x 750mm (H)																																								
Worktop	30mm thick particle board in high-pressure laminate finish with 2 mm thick PVC edging and plastic grommet with rotating cover.																																								
Modesty Panel	25 mm thick MDF board in HPL finish with 2 mm thick PVC edging and PVC gliders.																																								
Side Supports	25 mm thick MDF board in HPL finish with 2 mm thick PVC edging and adjustable PVC gliders.																																								
Under Counter Ledge	25mm thick MDF board in HPL finish with 2 mm thick PVC edging.																																								
ACCESSORIES																																									
Raceway	19mm thick marine plywood integrated outlet box/raceway for UPS / Normal Power / Datacom outlets																																								
Built-in drawer	400mm (W) x 600mm (D), 4 layers drawer in MDF board in HPL finish, with centralized lock and recessed drawer pulls.																																								
SSS Logo	120 mm (W) x 100 mm (H), embossed SSS logo in 1.5 mm thick SS sheet. (verify dimensions with EMD)																																								
Skirting	100 mm (H) Stainless Steel Skirting (Front Panel)																																								
COLORS/ FINISHES																																									
High Pressure Laminate	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Tabletop and Supports: Folkstone "0927" and Navy Blue "0969"</i> <i>Horizontal Strips: Navy Blue "0969" and Natural Maple "0756"</i>																																								
Synthetic Stone	Cobalt Blue (Submit sample for approval)																																								



Item	Specification	Statement of Compliance	Annex																								
4	<p>Conference Table</p> <table border="1"> <tr> <td>DESIGN</td> <td>6 or 8-seater boat-shaped conference table in medium density fiber (MDF) board in high pressure laminate (HPL) finish with wire management.</td> </tr> <tr> <td>Dimensions</td> <td>1200 mm (W) x 2400 mm (L) x 750 mm (H)</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Tabletop</td> <td>30 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC flat edging;</td> </tr> <tr> <td>Legs/ Supports</td> <td>30 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC edging and adjustable PVC gliders on gable ends.</td> </tr> <tr> <td>Modesty Panel</td> <td>18 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC edging.</td> </tr> <tr> <td>Panel Connectors</td> <td>Use recessed universal connectors.</td> </tr> <tr> <td colspan="2">COLOR</td> </tr> <tr> <td>High Pressure Laminate (HPL)</td> <td>High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. Tabletop: Lincoln Walnut code "7188" Support: Black "0909"</td> </tr> </table> 	DESIGN	6 or 8-seater boat-shaped conference table in medium density fiber (MDF) board in high pressure laminate (HPL) finish with wire management.	Dimensions	1200 mm (W) x 2400 mm (L) x 750 mm (H)	CONSTRUCTION		Tabletop	30 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC flat edging;	Legs/ Supports	30 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC edging and adjustable PVC gliders on gable ends.	Modesty Panel	18 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC edging.	Panel Connectors	Use recessed universal connectors.	COLOR		High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. Tabletop: Lincoln Walnut code "7188" Support: Black "0909"								
DESIGN	6 or 8-seater boat-shaped conference table in medium density fiber (MDF) board in high pressure laminate (HPL) finish with wire management.																										
Dimensions	1200 mm (W) x 2400 mm (L) x 750 mm (H)																										
CONSTRUCTION																											
Tabletop	30 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC flat edging;																										
Legs/ Supports	30 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC edging and adjustable PVC gliders on gable ends.																										
Modesty Panel	18 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC edging.																										
Panel Connectors	Use recessed universal connectors.																										
COLOR																											
High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. Tabletop: Lincoln Walnut code "7188" Support: Black "0909"																										
5	<p>Meeting Table, 4-seater</p> <table border="1"> <tr> <td>DESIGN</td> <td>4-seater round table in medium density fiber (MDF) board in high pressure laminates (HPL) finish.</td> </tr> <tr> <td>Dimensions</td> <td>900 mm diameter x 750 mm (H)</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Tabletop</td> <td>30 mm thick medium density fiber (MDF) board in high pressure laminate finish (HPL) and 2 mm thick PVC flat edging same color as worktop.</td> </tr> <tr> <td>Supports/Legs</td> <td>25 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2 mm thick PVC flat edging same color as worktop and adjustable PVC gliders on gable ends.</td> </tr> <tr> <td colspan="2">COLOR</td> </tr> <tr> <td>High Pressure Laminate (HPL)</td> <td>High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. Tabletop & Support: Lincoln Walnut code "7188"</td> </tr> </table> 	DESIGN	4-seater round table in medium density fiber (MDF) board in high pressure laminates (HPL) finish.	Dimensions	900 mm diameter x 750 mm (H)	CONSTRUCTION		Tabletop	30 mm thick medium density fiber (MDF) board in high pressure laminate finish (HPL) and 2 mm thick PVC flat edging same color as worktop.	Supports/Legs	25 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2 mm thick PVC flat edging same color as worktop and adjustable PVC gliders on gable ends.	COLOR		High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. Tabletop & Support: Lincoln Walnut code "7188"												
DESIGN	4-seater round table in medium density fiber (MDF) board in high pressure laminates (HPL) finish.																										
Dimensions	900 mm diameter x 750 mm (H)																										
CONSTRUCTION																											
Tabletop	30 mm thick medium density fiber (MDF) board in high pressure laminate finish (HPL) and 2 mm thick PVC flat edging same color as worktop.																										
Supports/Legs	25 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2 mm thick PVC flat edging same color as worktop and adjustable PVC gliders on gable ends.																										
COLOR																											
High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. Tabletop & Support: Lincoln Walnut code "7188"																										
6	<p>Free-standing Printer Table</p> <table border="1"> <tr> <td>DESIGN</td> <td>Free-standing rectangular desk in medium density fiber (MDF) board tabletop in HPL finish with lower shelf.</td> </tr> <tr> <td>Dimensions</td> <td>800mm (W) x 600mm (D) x 750mm (H)</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Tabletop</td> <td>600 mm (D) x 800 mm (L) using 30 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish, post-formed front/back edges with 2 mm thick PVC flat edging on side edges.</td> </tr> <tr> <td>Leg/Support</td> <td>25 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC flat edging.</td> </tr> <tr> <td>Shelves</td> <td>25 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC edging.</td> </tr> <tr> <td>Drawer</td> <td>400mm (W) x 350mm (D) x 100mm H, 19mm thick MDF board in HPL finish, with lock and recessed drawer pulls.</td> </tr> <tr> <td colspan="2">ACCESSORIES</td> </tr> <tr> <td>Foot Glide</td> <td>Adjustable PVC foot glides, 2 pieces each panel.</td> </tr> <tr> <td>Grommet</td> <td>Plastic grommet with rotating cover.</td> </tr> <tr> <td colspan="2">COLOR / FINISHES</td> </tr> <tr> <td>High Pressure Laminate (HPL)</td> <td>High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. Tabletop and Supports : Folkstone "0927"</td> </tr> </table> 	DESIGN	Free-standing rectangular desk in medium density fiber (MDF) board tabletop in HPL finish with lower shelf.	Dimensions	800mm (W) x 600mm (D) x 750mm (H)	CONSTRUCTION		Tabletop	600 mm (D) x 800 mm (L) using 30 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish, post-formed front/back edges with 2 mm thick PVC flat edging on side edges.	Leg/Support	25 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC flat edging.	Shelves	25 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC edging.	Drawer	400mm (W) x 350mm (D) x 100mm H, 19mm thick MDF board in HPL finish, with lock and recessed drawer pulls.	ACCESSORIES		Foot Glide	Adjustable PVC foot glides, 2 pieces each panel.	Grommet	Plastic grommet with rotating cover.	COLOR / FINISHES		High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. Tabletop and Supports : Folkstone "0927"		
DESIGN	Free-standing rectangular desk in medium density fiber (MDF) board tabletop in HPL finish with lower shelf.																										
Dimensions	800mm (W) x 600mm (D) x 750mm (H)																										
CONSTRUCTION																											
Tabletop	600 mm (D) x 800 mm (L) using 30 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish, post-formed front/back edges with 2 mm thick PVC flat edging on side edges.																										
Leg/Support	25 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC flat edging.																										
Shelves	25 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC edging.																										
Drawer	400mm (W) x 350mm (D) x 100mm H, 19mm thick MDF board in HPL finish, with lock and recessed drawer pulls.																										
ACCESSORIES																											
Foot Glide	Adjustable PVC foot glides, 2 pieces each panel.																										
Grommet	Plastic grommet with rotating cover.																										
COLOR / FINISHES																											
High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. Tabletop and Supports : Folkstone "0927"																										
7	<p>Training Table</p> <table border="1"> <tr> <td>DESIGN</td> <td>Foldable top desk in medium density fiber (MDF) board tabletop and high-pressure laminate (HPL) finish, mounted on steel frame, tubular legs in powder coated finish, with modesty panel and undershelf.</td> </tr> <tr> <td>Dimensions</td> <td>Training Table: 1500mm (L) x 600mm (W) x 750mm (H)</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Tabletop</td> <td>1500 mm (L) x 600 mm (W) using 30 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish, post-formed front/back edges with 2 mm thick PVC flat edging on side edges mounted on 2mm thick tubular frame in powder coated finish</td> </tr> <tr> <td>Leg/Support</td> <td>75mm x 37.50mm x 2mm thick metal tubular, powder-coated finish</td> </tr> <tr> <td>Modesty Panel</td> <td>18mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish</td> </tr> <tr> <td>Undershelf</td> <td>Tubular steel in powder coated finish</td> </tr> <tr> <td colspan="2">ACCESSORIES</td> </tr> <tr> <td>Wheel casters</td> <td>4 pcs heavy duty twin wheel casters, nylon type, w/ locking mechanism</td> </tr> <tr> <td colspan="2">COLOR / FINISHES</td> </tr> <tr> <td>High Pressure Laminate (HPL)</td> <td>High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. Tabletop: Lincoln Walnut code "7188" Support: Black "0909"</td> </tr> </table> 	DESIGN	Foldable top desk in medium density fiber (MDF) board tabletop and high-pressure laminate (HPL) finish, mounted on steel frame, tubular legs in powder coated finish, with modesty panel and undershelf.	Dimensions	Training Table: 1500mm (L) x 600mm (W) x 750mm (H)	CONSTRUCTION		Tabletop	1500 mm (L) x 600 mm (W) using 30 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish, post-formed front/back edges with 2 mm thick PVC flat edging on side edges mounted on 2mm thick tubular frame in powder coated finish	Leg/Support	75mm x 37.50mm x 2mm thick metal tubular, powder-coated finish	Modesty Panel	18mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish	Undershelf	Tubular steel in powder coated finish	ACCESSORIES		Wheel casters	4 pcs heavy duty twin wheel casters, nylon type, w/ locking mechanism	COLOR / FINISHES		High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. Tabletop: Lincoln Walnut code "7188" Support: Black "0909"				
DESIGN	Foldable top desk in medium density fiber (MDF) board tabletop and high-pressure laminate (HPL) finish, mounted on steel frame, tubular legs in powder coated finish, with modesty panel and undershelf.																										
Dimensions	Training Table: 1500mm (L) x 600mm (W) x 750mm (H)																										
CONSTRUCTION																											
Tabletop	1500 mm (L) x 600 mm (W) using 30 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish, post-formed front/back edges with 2 mm thick PVC flat edging on side edges mounted on 2mm thick tubular frame in powder coated finish																										
Leg/Support	75mm x 37.50mm x 2mm thick metal tubular, powder-coated finish																										
Modesty Panel	18mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish																										
Undershelf	Tubular steel in powder coated finish																										
ACCESSORIES																											
Wheel casters	4 pcs heavy duty twin wheel casters, nylon type, w/ locking mechanism																										
COLOR / FINISHES																											
High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. Tabletop: Lincoln Walnut code "7188" Support: Black "0909"																										



Item	Specification	Statement of Compliance	Annex																						
8	<p>Foldable Working Table</p> <table border="1"> <tr> <td>DESIGN</td> <td>Foldable top desk in medium density fiber (MDF) board tabletop and high-pressure laminate (HPL) finish, mounted on steel frame, tubular legs in powder coated finish, with modesty panel and undershelf.</td> </tr> <tr> <td>Dimensions</td> <td>Working Table: 1800mm (L) x 600mm (W) x 750mm (H)</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Tabletop</td> <td>1500 mm (L) x 600 mm (W) using 30 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish, post-formed front/back edges with 2 mm thick PVC flat edging on side edges mounted on 2mm thick tubular frame in powder coated finish</td> </tr> <tr> <td>Leg/Support</td> <td>75mm x 37.50mm x 2mm thick metal tubular, powder-coated finish</td> </tr> <tr> <td>Modesty Panel</td> <td>18mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish</td> </tr> <tr> <td>Undershelf</td> <td>Tubular steel in powder coated finish</td> </tr> <tr> <td colspan="2">ACCESSORIES</td> </tr> <tr> <td>Wheel casters</td> <td>4 pcs heavy duty twin wheel casters, nylon type, w/ locking mechanism</td> </tr> <tr> <td colspan="2">COLOR / FINISHES</td> </tr> <tr> <td>High Pressure Laminate (HPL)</td> <td>High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. Tabletop: Lincoln Wallnut code "7188" Support: Black "0909"</td> </tr> </table> 	DESIGN	Foldable top desk in medium density fiber (MDF) board tabletop and high-pressure laminate (HPL) finish, mounted on steel frame, tubular legs in powder coated finish, with modesty panel and undershelf.	Dimensions	Working Table: 1800mm (L) x 600mm (W) x 750mm (H)	CONSTRUCTION		Tabletop	1500 mm (L) x 600 mm (W) using 30 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish, post-formed front/back edges with 2 mm thick PVC flat edging on side edges mounted on 2mm thick tubular frame in powder coated finish	Leg/Support	75mm x 37.50mm x 2mm thick metal tubular, powder-coated finish	Modesty Panel	18mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish	Undershelf	Tubular steel in powder coated finish	ACCESSORIES		Wheel casters	4 pcs heavy duty twin wheel casters, nylon type, w/ locking mechanism	COLOR / FINISHES		High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. Tabletop: Lincoln Wallnut code "7188" Support: Black "0909"		
DESIGN	Foldable top desk in medium density fiber (MDF) board tabletop and high-pressure laminate (HPL) finish, mounted on steel frame, tubular legs in powder coated finish, with modesty panel and undershelf.																								
Dimensions	Working Table: 1800mm (L) x 600mm (W) x 750mm (H)																								
CONSTRUCTION																									
Tabletop	1500 mm (L) x 600 mm (W) using 30 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish, post-formed front/back edges with 2 mm thick PVC flat edging on side edges mounted on 2mm thick tubular frame in powder coated finish																								
Leg/Support	75mm x 37.50mm x 2mm thick metal tubular, powder-coated finish																								
Modesty Panel	18mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish																								
Undershelf	Tubular steel in powder coated finish																								
ACCESSORIES																									
Wheel casters	4 pcs heavy duty twin wheel casters, nylon type, w/ locking mechanism																								
COLOR / FINISHES																									
High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. Tabletop: Lincoln Wallnut code "7188" Support: Black "0909"																								
9	<p>Center Table</p> <table border="1"> <tr> <td>DESIGN</td> <td>Center Table with open shelves in medium density fiber (MDF) board and high-pressure laminate finish or in combination with ducco paint finish</td> </tr> <tr> <td>Dimensions</td> <td>Minimum dimension: 1142mm (L) x 600mm (W) x 390mm (H)</td> </tr> <tr> <td colspan="2">CONSTRUCTION (Submit sample/mock-up unit)</td> </tr> <tr> <td>Tabletop</td> <td>20 mm thick medium density fiber (MDF) board</td> </tr> <tr> <td>Shelves</td> <td>20 mm thick medium density fiber (MDF) board</td> </tr> <tr> <td>Legs</td> <td>Metal or solid wood legs</td> </tr> <tr> <td colspan="2">COLOR / FINISHES (Submit sample colors/finishes for approval)</td> </tr> <tr> <td>Tabletop</td> <td>Combination of walnut and white, in high pressure laminate (HPL) finish or in combination with ducco paint finish</td> </tr> <tr> <td>Shelves</td> <td>Combination of walnut and white, in high pressure laminate (HPL) finish or in combination with ducco paint finish</td> </tr> <tr> <td>Legs</td> <td>Powder-coated paint finish metal legs or wood-stained solid wooden legs</td> </tr> </table> 	DESIGN	Center Table with open shelves in medium density fiber (MDF) board and high-pressure laminate finish or in combination with ducco paint finish	Dimensions	Minimum dimension: 1142mm (L) x 600mm (W) x 390mm (H)	CONSTRUCTION (Submit sample/mock-up unit)		Tabletop	20 mm thick medium density fiber (MDF) board	Shelves	20 mm thick medium density fiber (MDF) board	Legs	Metal or solid wood legs	COLOR / FINISHES (Submit sample colors/finishes for approval)		Tabletop	Combination of walnut and white, in high pressure laminate (HPL) finish or in combination with ducco paint finish	Shelves	Combination of walnut and white, in high pressure laminate (HPL) finish or in combination with ducco paint finish	Legs	Powder-coated paint finish metal legs or wood-stained solid wooden legs				
DESIGN	Center Table with open shelves in medium density fiber (MDF) board and high-pressure laminate finish or in combination with ducco paint finish																								
Dimensions	Minimum dimension: 1142mm (L) x 600mm (W) x 390mm (H)																								
CONSTRUCTION (Submit sample/mock-up unit)																									
Tabletop	20 mm thick medium density fiber (MDF) board																								
Shelves	20 mm thick medium density fiber (MDF) board																								
Legs	Metal or solid wood legs																								
COLOR / FINISHES (Submit sample colors/finishes for approval)																									
Tabletop	Combination of walnut and white, in high pressure laminate (HPL) finish or in combination with ducco paint finish																								
Shelves	Combination of walnut and white, in high pressure laminate (HPL) finish or in combination with ducco paint finish																								
Legs	Powder-coated paint finish metal legs or wood-stained solid wooden legs																								
Lot IV	<p>STEEL SHELVES, CABINETS & DRAWERS FOR MAIN OFFICE AND NCR BRANCHES - Bidder must manufacturer's certification.</p>																								
1	<p>Mobile Pedestal Drawer</p> <table border="1"> <tr> <td>DESIGN</td> <td>Cold Rolled steel with high quality powder coating finish with three (3) layer drawers in powder coated finish, with full extension ball-bearing slides, central lock system, recessed drawer pulls, with 2 pcs stationery tray/organizer and heavy-duty caster wheels.</td> </tr> <tr> <td>Dimension</td> <td>400mm (W) x 560mm (D) x 650mm (H)</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Body/Case</td> <td>Manufactured in cold rolled sheet Ga. #22 (0.80mm) in powder coated finish.</td> </tr> <tr> <td>Pull-out Drawer</td> <td>Fabricated in cold rolled sheet Ga. #24 (0.60 mm) with central control lock on the top drawer.</td> </tr> <tr> <td>Rail</td> <td>Made in cold rolled sheet Ga. #20 (0.90mm), hang on roller bearing in powder coated finish.</td> </tr> <tr> <td>Casters</td> <td>Lockable Caster Wheel with fifth wheel for stability</td> </tr> <tr> <td>COLOR</td> <td>Submit sample for approval</td> </tr> </table> 	DESIGN	Cold Rolled steel with high quality powder coating finish with three (3) layer drawers in powder coated finish, with full extension ball-bearing slides, central lock system, recessed drawer pulls, with 2 pcs stationery tray/organizer and heavy-duty caster wheels.	Dimension	400mm (W) x 560mm (D) x 650mm (H)	CONSTRUCTION		Body/Case	Manufactured in cold rolled sheet Ga. #22 (0.80mm) in powder coated finish.	Pull-out Drawer	Fabricated in cold rolled sheet Ga. #24 (0.60 mm) with central control lock on the top drawer.	Rail	Made in cold rolled sheet Ga. #20 (0.90mm), hang on roller bearing in powder coated finish.	Casters	Lockable Caster Wheel with fifth wheel for stability	COLOR	Submit sample for approval								
DESIGN	Cold Rolled steel with high quality powder coating finish with three (3) layer drawers in powder coated finish, with full extension ball-bearing slides, central lock system, recessed drawer pulls, with 2 pcs stationery tray/organizer and heavy-duty caster wheels.																								
Dimension	400mm (W) x 560mm (D) x 650mm (H)																								
CONSTRUCTION																									
Body/Case	Manufactured in cold rolled sheet Ga. #22 (0.80mm) in powder coated finish.																								
Pull-out Drawer	Fabricated in cold rolled sheet Ga. #24 (0.60 mm) with central control lock on the top drawer.																								
Rail	Made in cold rolled sheet Ga. #20 (0.90mm), hang on roller bearing in powder coated finish.																								
Casters	Lockable Caster Wheel with fifth wheel for stability																								
COLOR	Submit sample for approval																								
2	<p>4-Drawer Lateral Filing Cabinet</p> <table border="1"> <tr> <td>DESIGN</td> <td>Powder-coated steel filing cabinet with four (4) pull-out drawers in metal glides, adjustable steel file dividers, anti-tilt mechanism, anti-tilt counterweight located at the bottom, built-in full recessed pull and central locking mechanism.</td> </tr> <tr> <td>Dimension</td> <td>900mm (W) x 500mm (D) x 1380mm (H)</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td colspan="2">Cold rolled metal sheets in powder-coated finish, heavy-duty drawer suspension in ball bearing and zinc chromate finish with the following thickness:</td> </tr> <tr> <td>Pull-out Drawer</td> <td>Fabricated in cold rolled shell Ga. #22 (0.80 mm) with 2 steel file divider and built-in PVC flush handle per drawer. Heavy-duty drawer suspension in ball-bearing slides and zinc chromate finish, with a minimum load capacity of 50 kgs/drawer (Manufacturer's certification required).</td> </tr> <tr> <td>Interior Supports/ Braces</td> <td>1.20 mm (Gauge # 18) cold-rolled steel</td> </tr> <tr> <td>Carcase / Shell</td> <td>Manufactured in cold rolled sheet Ga. #20 (0.90mm) with vertical support both sides, welded.</td> </tr> <tr> <td>Rail</td> <td>Made in heavy duty cold rolled sheet Ga. 17 (1.40mm) in full extension suspension on roller bearing in powder coated finish. With a minimum load capacity of 50kgs/drawer. (Manufacturer's Certification required)</td> </tr> <tr> <td>COLOR</td> <td>Light Gray (Submit sample for approval)</td> </tr> </table> 	DESIGN	Powder-coated steel filing cabinet with four (4) pull-out drawers in metal glides, adjustable steel file dividers, anti-tilt mechanism, anti-tilt counterweight located at the bottom, built-in full recessed pull and central locking mechanism.	Dimension	900mm (W) x 500mm (D) x 1380mm (H)	CONSTRUCTION		Cold rolled metal sheets in powder-coated finish, heavy-duty drawer suspension in ball bearing and zinc chromate finish with the following thickness:		Pull-out Drawer	Fabricated in cold rolled shell Ga. #22 (0.80 mm) with 2 steel file divider and built-in PVC flush handle per drawer. Heavy-duty drawer suspension in ball-bearing slides and zinc chromate finish, with a minimum load capacity of 50 kgs/drawer (Manufacturer's certification required).	Interior Supports/ Braces	1.20 mm (Gauge # 18) cold-rolled steel	Carcase / Shell	Manufactured in cold rolled sheet Ga. #20 (0.90mm) with vertical support both sides, welded.	Rail	Made in heavy duty cold rolled sheet Ga. 17 (1.40mm) in full extension suspension on roller bearing in powder coated finish. With a minimum load capacity of 50kgs/drawer. (Manufacturer's Certification required)	COLOR	Light Gray (Submit sample for approval)						
DESIGN	Powder-coated steel filing cabinet with four (4) pull-out drawers in metal glides, adjustable steel file dividers, anti-tilt mechanism, anti-tilt counterweight located at the bottom, built-in full recessed pull and central locking mechanism.																								
Dimension	900mm (W) x 500mm (D) x 1380mm (H)																								
CONSTRUCTION																									
Cold rolled metal sheets in powder-coated finish, heavy-duty drawer suspension in ball bearing and zinc chromate finish with the following thickness:																									
Pull-out Drawer	Fabricated in cold rolled shell Ga. #22 (0.80 mm) with 2 steel file divider and built-in PVC flush handle per drawer. Heavy-duty drawer suspension in ball-bearing slides and zinc chromate finish, with a minimum load capacity of 50 kgs/drawer (Manufacturer's certification required).																								
Interior Supports/ Braces	1.20 mm (Gauge # 18) cold-rolled steel																								
Carcase / Shell	Manufactured in cold rolled sheet Ga. #20 (0.90mm) with vertical support both sides, welded.																								
Rail	Made in heavy duty cold rolled sheet Ga. 17 (1.40mm) in full extension suspension on roller bearing in powder coated finish. With a minimum load capacity of 50kgs/drawer. (Manufacturer's Certification required)																								
COLOR	Light Gray (Submit sample for approval)																								



Item	Specification	Statement of Compliance	Annex																
3	<p>4-Drawer Vertical Filing Cabinet</p> <table border="1"> <tr> <td>DESIGN</td> <td>Powder-coated steel filing cabinet with four (4) pull-out drawers in metal glides, steel file dividers, anti-tilt mechanism, built-in full recessed pull and central locking mechanism.</td> </tr> <tr> <td>Dimension</td> <td>460mm (W) x 720mm (D) x 1320mm (H)</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Pull-out Drawer</td> <td>Fabricated in cold rolled shell Ga. #22 (0.80 mm) with one (1) steel file divider and built-in PVC flush handle per drawer. Heavy-duty drawer suspension in ball-bearing slides and zinc chromate finish, with a minimum load capacity of 50 kgs/drawer (Manufacturer's certification required).</td> </tr> <tr> <td>Interior Supports/ Braces</td> <td>1.20 mm (Gauge # 18) cold-rolled steel</td> </tr> <tr> <td>Carcase/ Shell</td> <td>Manufactured in cold rolled sheet Ga. #20 (0.90mm) with vertical support both sides, welded.</td> </tr> <tr> <td>Rail</td> <td>Made in heavy duty cold rolled sheet Ga. 18 (1.10mm) in full extension suspension on roller bearing in powder coated finish. With a minimum load capacity of 50kgs/drawer. (Manufacturer's Certification required)</td> </tr> <tr> <td>COLOR</td> <td>Light Gray (Submit sample for approval)</td> </tr> </table> 	DESIGN	Powder-coated steel filing cabinet with four (4) pull-out drawers in metal glides, steel file dividers, anti-tilt mechanism, built-in full recessed pull and central locking mechanism.	Dimension	460mm (W) x 720mm (D) x 1320mm (H)	CONSTRUCTION		Pull-out Drawer	Fabricated in cold rolled shell Ga. #22 (0.80 mm) with one (1) steel file divider and built-in PVC flush handle per drawer. Heavy-duty drawer suspension in ball-bearing slides and zinc chromate finish, with a minimum load capacity of 50 kgs/drawer (Manufacturer's certification required).	Interior Supports/ Braces	1.20 mm (Gauge # 18) cold-rolled steel	Carcase/ Shell	Manufactured in cold rolled sheet Ga. #20 (0.90mm) with vertical support both sides, welded.	Rail	Made in heavy duty cold rolled sheet Ga. 18 (1.10mm) in full extension suspension on roller bearing in powder coated finish. With a minimum load capacity of 50kgs/drawer. (Manufacturer's Certification required)	COLOR	Light Gray (Submit sample for approval)		
DESIGN	Powder-coated steel filing cabinet with four (4) pull-out drawers in metal glides, steel file dividers, anti-tilt mechanism, built-in full recessed pull and central locking mechanism.																		
Dimension	460mm (W) x 720mm (D) x 1320mm (H)																		
CONSTRUCTION																			
Pull-out Drawer	Fabricated in cold rolled shell Ga. #22 (0.80 mm) with one (1) steel file divider and built-in PVC flush handle per drawer. Heavy-duty drawer suspension in ball-bearing slides and zinc chromate finish, with a minimum load capacity of 50 kgs/drawer (Manufacturer's certification required).																		
Interior Supports/ Braces	1.20 mm (Gauge # 18) cold-rolled steel																		
Carcase/ Shell	Manufactured in cold rolled sheet Ga. #20 (0.90mm) with vertical support both sides, welded.																		
Rail	Made in heavy duty cold rolled sheet Ga. 18 (1.10mm) in full extension suspension on roller bearing in powder coated finish. With a minimum load capacity of 50kgs/drawer. (Manufacturer's Certification required)																		
COLOR	Light Gray (Submit sample for approval)																		
4	<p>Steel Open Shelves, 6-layers</p> <table border="1"> <tr> <td>DESIGN</td> <td>6-Layer Open Steel Shelves in powder coated finish with Steel Stiffener on both sides.</td> </tr> <tr> <td>Dimension</td> <td>500mm (W) x 1000mm (D) x 2100mm (H)</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Vertical Post</td> <td>Ga. #14 (2.0mm thk) cold-rolled steel and roll formed into a modified angle shape with 38mm x 38mm holes.</td> </tr> <tr> <td>Shelves</td> <td>Fabricated in cold-rolled sheet Ga. #18 (1.27mm) double bended on all side with bottom support in rectangular form, welded.</td> </tr> <tr> <td>Stiffener</td> <td>Ga. #18 (1.27mm) Steel Stiffener on both sides.</td> </tr> <tr> <td>COLOR</td> <td>Submit sample for approval</td> </tr> </table> 	DESIGN	6-Layer Open Steel Shelves in powder coated finish with Steel Stiffener on both sides.	Dimension	500mm (W) x 1000mm (D) x 2100mm (H)	CONSTRUCTION		Vertical Post	Ga. #14 (2.0mm thk) cold-rolled steel and roll formed into a modified angle shape with 38mm x 38mm holes.	Shelves	Fabricated in cold-rolled sheet Ga. #18 (1.27mm) double bended on all side with bottom support in rectangular form, welded.	Stiffener	Ga. #18 (1.27mm) Steel Stiffener on both sides.	COLOR	Submit sample for approval				
DESIGN	6-Layer Open Steel Shelves in powder coated finish with Steel Stiffener on both sides.																		
Dimension	500mm (W) x 1000mm (D) x 2100mm (H)																		
CONSTRUCTION																			
Vertical Post	Ga. #14 (2.0mm thk) cold-rolled steel and roll formed into a modified angle shape with 38mm x 38mm holes.																		
Shelves	Fabricated in cold-rolled sheet Ga. #18 (1.27mm) double bended on all side with bottom support in rectangular form, welded.																		
Stiffener	Ga. #18 (1.27mm) Steel Stiffener on both sides.																		
COLOR	Submit sample for approval																		
5	<p>7-layer Steel Racks</p> <table border="1"> <tr> <td colspan="2">UPRIGHT FRAMES</td> </tr> <tr> <td>-</td> <td>48 Pcs. – 2-post, slotted steel section (3100mm x 500mm), 55mm x 47mm x 3.10m x 1.50mm THK including connectors and accessories to complete the installation</td> </tr> <tr> <td>-</td> <td>168 Pcs. – Bracings, horizontal / diagonal, steel section, 38mm x 38mm x 0.8m x 3mm THK including connectors and accessories to complete the installation</td> </tr> <tr> <td colspan="2">7-LAYER SHELVES, SUPPORT BEAMS & STEEL PANELS</td> </tr> <tr> <td>-</td> <td>252 Pcs. – 2-post, shelf step beam, steel section, 60mm x 40mm x 1100mm x 1.50mm THK including connectors and accessories to complete the installation</td> </tr> <tr> <td>-</td> <td>126 Pcs. – 2-post, shelf decking with bottom rib support, steel panel, 11000mm x 500mm x 30mm x 0.70mm THK including connectors and accessories to complete the installation</td> </tr> </table> 	UPRIGHT FRAMES		-	48 Pcs. – 2-post, slotted steel section (3100mm x 500mm), 55mm x 47mm x 3.10m x 1.50mm THK including connectors and accessories to complete the installation	-	168 Pcs. – Bracings, horizontal / diagonal, steel section, 38mm x 38mm x 0.8m x 3mm THK including connectors and accessories to complete the installation	7-LAYER SHELVES, SUPPORT BEAMS & STEEL PANELS		-	252 Pcs. – 2-post, shelf step beam, steel section, 60mm x 40mm x 1100mm x 1.50mm THK including connectors and accessories to complete the installation	-	126 Pcs. – 2-post, shelf decking with bottom rib support, steel panel, 11000mm x 500mm x 30mm x 0.70mm THK including connectors and accessories to complete the installation						
UPRIGHT FRAMES																			
-	48 Pcs. – 2-post, slotted steel section (3100mm x 500mm), 55mm x 47mm x 3.10m x 1.50mm THK including connectors and accessories to complete the installation																		
-	168 Pcs. – Bracings, horizontal / diagonal, steel section, 38mm x 38mm x 0.8m x 3mm THK including connectors and accessories to complete the installation																		
7-LAYER SHELVES, SUPPORT BEAMS & STEEL PANELS																			
-	252 Pcs. – 2-post, shelf step beam, steel section, 60mm x 40mm x 1100mm x 1.50mm THK including connectors and accessories to complete the installation																		
-	126 Pcs. – 2-post, shelf decking with bottom rib support, steel panel, 11000mm x 500mm x 30mm x 0.70mm THK including connectors and accessories to complete the installation																		
6	<p>Storage Cabinet</p> <table border="1"> <tr> <td>DESIGN</td> <td>Powder-coated steel cabinet with 2 swinging doors, six (6) layer shelves, anti-tilt mechanism with central locking mechanism.</td> </tr> <tr> <td>Dimension</td> <td>920mm (W) x 450mm (D) x 1840mm (H)</td> </tr> <tr> <td>Construction</td> <td>Manufactured in cold rolled sheet Ga. #20 (0.90mm) with triangular plates on top and bottom shelves made from heavy duty black iron</td> </tr> <tr> <td>Color</td> <td>Light Gray (Submit sample for approval)</td> </tr> </table> 	DESIGN	Powder-coated steel cabinet with 2 swinging doors, six (6) layer shelves, anti-tilt mechanism with central locking mechanism.	Dimension	920mm (W) x 450mm (D) x 1840mm (H)	Construction	Manufactured in cold rolled sheet Ga. #20 (0.90mm) with triangular plates on top and bottom shelves made from heavy duty black iron	Color	Light Gray (Submit sample for approval)										
DESIGN	Powder-coated steel cabinet with 2 swinging doors, six (6) layer shelves, anti-tilt mechanism with central locking mechanism.																		
Dimension	920mm (W) x 450mm (D) x 1840mm (H)																		
Construction	Manufactured in cold rolled sheet Ga. #20 (0.90mm) with triangular plates on top and bottom shelves made from heavy duty black iron																		
Color	Light Gray (Submit sample for approval)																		

Item	Specification	Statement of Compliance	Annex																														
7	<p>Modular Wall Display Cabinet</p> <table border="1"> <tr> <td data-bbox="305 294 472 456">DESIGN</td> <td data-bbox="472 294 857 456"> Display Shelves/Cabinet Using ABS (Acrylonitrile Butadiene Styrene) Plastic colored Panel; complete w/ hardware and accessories such as L-Joint, Black Foot Pad, Door Sets (Hinges, Stopper, pullet, etc.) and solid part coverings. <i>(Specific colors/finishes subject for approval - submit sample/mock-up unit)</i> </td> </tr> <tr> <td data-bbox="305 456 472 480">CONSTRUCTION</td> <td data-bbox="472 456 857 480"><i>(Refer to approved drawings)</i></td> </tr> <tr> <td data-bbox="305 480 472 530">1. Display Shelves Type A (open box type)</td> <td data-bbox="472 480 857 530">ABS Plastic colored panel Dimension: 360 mm (W) x 360 mm (D) x 360 mm (H)</td> </tr> <tr> <td data-bbox="305 530 472 593">2. Display Storage Cabinet (box type w/ door)</td> <td data-bbox="472 530 857 593">ABS Plastic colored panel Dimension: 360 mm (W) x 360 mm (D) x 360 mm (H)</td> </tr> <tr> <td data-bbox="305 593 472 680">3. Horizontal Display Shelves Type B (open box type)</td> <td data-bbox="472 593 857 680">ABS Plastic colored panel Dimension: 360 mm (W) x 727 mm (D) x 360 mm (H)</td> </tr> <tr> <td data-bbox="305 680 472 755">4. Vertical Display Shelves Type C (open box type)</td> <td data-bbox="472 680 857 755">ABS Plastic colored panel Dimension: 360 mm (W) x 360 mm (D) x 727 mm (H)</td> </tr> <tr> <td data-bbox="305 755 472 779">COLORS/FINISHES</td> <td data-bbox="472 755 857 779"><i>(Submit sample colors/finishes for approval)</i></td> </tr> </table> 	DESIGN	Display Shelves/Cabinet Using ABS (Acrylonitrile Butadiene Styrene) Plastic colored Panel; complete w/ hardware and accessories such as L-Joint, Black Foot Pad, Door Sets (Hinges, Stopper, pullet, etc.) and solid part coverings. <i>(Specific colors/finishes subject for approval - submit sample/mock-up unit)</i>	CONSTRUCTION	<i>(Refer to approved drawings)</i>	1. Display Shelves Type A (open box type)	ABS Plastic colored panel Dimension: 360 mm (W) x 360 mm (D) x 360 mm (H)	2. Display Storage Cabinet (box type w/ door)	ABS Plastic colored panel Dimension: 360 mm (W) x 360 mm (D) x 360 mm (H)	3. Horizontal Display Shelves Type B (open box type)	ABS Plastic colored panel Dimension: 360 mm (W) x 727 mm (D) x 360 mm (H)	4. Vertical Display Shelves Type C (open box type)	ABS Plastic colored panel Dimension: 360 mm (W) x 360 mm (D) x 727 mm (H)	COLORS/FINISHES	<i>(Submit sample colors/finishes for approval)</i>																		
DESIGN	Display Shelves/Cabinet Using ABS (Acrylonitrile Butadiene Styrene) Plastic colored Panel; complete w/ hardware and accessories such as L-Joint, Black Foot Pad, Door Sets (Hinges, Stopper, pullet, etc.) and solid part coverings. <i>(Specific colors/finishes subject for approval - submit sample/mock-up unit)</i>																																
CONSTRUCTION	<i>(Refer to approved drawings)</i>																																
1. Display Shelves Type A (open box type)	ABS Plastic colored panel Dimension: 360 mm (W) x 360 mm (D) x 360 mm (H)																																
2. Display Storage Cabinet (box type w/ door)	ABS Plastic colored panel Dimension: 360 mm (W) x 360 mm (D) x 360 mm (H)																																
3. Horizontal Display Shelves Type B (open box type)	ABS Plastic colored panel Dimension: 360 mm (W) x 727 mm (D) x 360 mm (H)																																
4. Vertical Display Shelves Type C (open box type)	ABS Plastic colored panel Dimension: 360 mm (W) x 360 mm (D) x 727 mm (H)																																
COLORS/FINISHES	<i>(Submit sample colors/finishes for approval)</i>																																
Lot V	<p>MODULAR OFFICE SYSTEMS / WORKSTATION FOR LUZON, VISAYAS, AND MINDANAO BRANCHES <i>- Bidder must submit HPL swatches and manufacturer's certification.</i></p>																																
1	<p>Executive Workstation</p> <table border="1"> <tr> <td data-bbox="305 966 459 1029">DESIGN</td> <td data-bbox="459 966 894 1029">Free-standing "D"-shaped main desk with rectangular side desk; Medium Density Fiber (MDF) board table top in High Pressure Laminate (HPL) finish</td> </tr> <tr> <td colspan="2" data-bbox="305 1029 894 1054">CONSTRUCTION</td> </tr> <tr> <td data-bbox="305 1054 459 1079">Main Desk</td> <td data-bbox="459 1054 894 1079">750mm (W) x 1800mm (L) x 750mm (H)</td> </tr> <tr> <td data-bbox="305 1079 459 1128">Worktop</td> <td data-bbox="459 1079 894 1128">30mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and two (2) plastic grommet with rotating cover.</td> </tr> <tr> <td data-bbox="305 1128 459 1178">Modesty Panel</td> <td data-bbox="459 1128 894 1178">25mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging.</td> </tr> <tr> <td data-bbox="305 1178 459 1228">Legs/Support</td> <td data-bbox="459 1178 894 1228">25mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and adjustable PVC gliders.</td> </tr> <tr> <td data-bbox="305 1228 459 1278">Side Desk Dimension</td> <td data-bbox="459 1228 894 1278">450mm(W) x 1200mm (L) x 750mm (H)</td> </tr> <tr> <td data-bbox="305 1278 459 1328">Worktop</td> <td data-bbox="459 1278 894 1328">30mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and plastic grommet with rotating cover.</td> </tr> <tr> <td data-bbox="305 1328 459 1378">Legs/Supports</td> <td data-bbox="459 1328 894 1378">25mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and PVC gliders</td> </tr> <tr> <td data-bbox="305 1378 459 1427">Modesty Panel</td> <td data-bbox="459 1378 894 1427">25mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and PVC gliders.</td> </tr> <tr> <td colspan="2" data-bbox="305 1427 894 1452">ACCESSORIES</td> </tr> <tr> <td data-bbox="305 1452 459 1502">Center Drawer w/ Lock</td> <td data-bbox="459 1452 894 1502">540 mm(W) x 400mm(D) x 95mm(H); Gauge 22 cold rolled steel in powder coated finish and full extension ball-bearing slides; Color: Black</td> </tr> <tr> <td data-bbox="305 1502 459 1527">Keyboard Tray</td> <td data-bbox="459 1502 894 1527">Hard plastic with full extension ball-bearing slides; Color: Black</td> </tr> <tr> <td colspan="2" data-bbox="305 1527 894 1552">COLOR/ FINISHES</td> </tr> <tr> <td data-bbox="305 1552 459 1602">High Pressure Laminate (HPL)</td> <td data-bbox="459 1552 894 1602">High Pressure Laminate of excellent quality, with color/s similar to the code specified below. <i>Tabletop: Lincoln Walnut code "7188"</i> <i>Legs/Supports : Black code "0909"</i> </td> </tr> </table> 	DESIGN	Free-standing "D"-shaped main desk with rectangular side desk; Medium Density Fiber (MDF) board table top in High Pressure Laminate (HPL) finish	CONSTRUCTION		Main Desk	750mm (W) x 1800mm (L) x 750mm (H)	Worktop	30mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and two (2) plastic grommet with rotating cover.	Modesty Panel	25mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging.	Legs/Support	25mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and adjustable PVC gliders.	Side Desk Dimension	450mm(W) x 1200mm (L) x 750mm (H)	Worktop	30mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and plastic grommet with rotating cover.	Legs/Supports	25mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and PVC gliders	Modesty Panel	25mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and PVC gliders.	ACCESSORIES		Center Drawer w/ Lock	540 mm(W) x 400mm(D) x 95mm(H); Gauge 22 cold rolled steel in powder coated finish and full extension ball-bearing slides; Color: Black	Keyboard Tray	Hard plastic with full extension ball-bearing slides; Color: Black	COLOR/ FINISHES		High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s similar to the code specified below. <i>Tabletop: Lincoln Walnut code "7188"</i> <i>Legs/Supports : Black code "0909"</i>		
DESIGN	Free-standing "D"-shaped main desk with rectangular side desk; Medium Density Fiber (MDF) board table top in High Pressure Laminate (HPL) finish																																
CONSTRUCTION																																	
Main Desk	750mm (W) x 1800mm (L) x 750mm (H)																																
Worktop	30mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and two (2) plastic grommet with rotating cover.																																
Modesty Panel	25mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging.																																
Legs/Support	25mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and adjustable PVC gliders.																																
Side Desk Dimension	450mm(W) x 1200mm (L) x 750mm (H)																																
Worktop	30mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and plastic grommet with rotating cover.																																
Legs/Supports	25mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and PVC gliders																																
Modesty Panel	25mm thick MDF board in high pressure laminate (HPL) finish with 2mm thick PVC edging and PVC gliders.																																
ACCESSORIES																																	
Center Drawer w/ Lock	540 mm(W) x 400mm(D) x 95mm(H); Gauge 22 cold rolled steel in powder coated finish and full extension ball-bearing slides; Color: Black																																
Keyboard Tray	Hard plastic with full extension ball-bearing slides; Color: Black																																
COLOR/ FINISHES																																	
High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s similar to the code specified below. <i>Tabletop: Lincoln Walnut code "7188"</i> <i>Legs/Supports : Black code "0909"</i>																																
2	<p>Supervisor's Workstation - varies depending on layout</p> <table border="1"> <tr> <td data-bbox="305 1677 472 1764">DESIGN</td> <td data-bbox="472 1677 894 1764">L-shaped workstation with 50mm thick Modular Panel in cushioned fabric upholstery with 30mm thick Medium Density Fiber (MDF) board tabletop in High Pressure Laminate (HPL) finish.</td> </tr> <tr> <td colspan="2" data-bbox="305 1764 894 1789">CONSTRUCTION</td> </tr> <tr> <td data-bbox="305 1789 472 1901">Worktop</td> <td data-bbox="472 1789 894 1901">30 mm thick medium density fiber (MDF) board in HPL finish, with 2 mm thick PVC edging and two (2) plastic grommet with rotating cover for every work surfaces. Main Desk : 1500 mm (W) x 600 mm (D) x 740mm (H) Side Desk : 1200 mm (W) x 450 mm (D) x 740mm (H) </td> </tr> <tr> <td data-bbox="305 1901 472 1963">High Partition</td> <td data-bbox="472 1901 894 1963">1500 mm (H) using 50 mm thick modular panel in Teflon-coated fabric finish and 1/8" thick foam padding with adjustable gliders</td> </tr> <tr> <td data-bbox="305 1963 472 2001">Frame, Trim, Capping, and Corner Posts</td> <td data-bbox="472 1963 894 2001">Aluminum Extrusions in powder-coated finish. Submit sample for approval</td> </tr> <tr> <td data-bbox="305 2001 472 2063">Skirting/Base</td> <td data-bbox="472 2001 894 2063">100mm (H) powder-coated aluminum panel with raceway for cables and three (3) knockouts for UPS / Normal Power / Datacom outlets.</td> </tr> <tr> <td colspan="2" data-bbox="305 2063 894 2088">COLORS/ FINISHES</td> </tr> <tr> <td data-bbox="305 2088 472 2163">Modular Panel Fabric Upholstery</td> <td data-bbox="472 2088 894 2163">Two-tone fabric, with color/s equivalent to the code specified below. <i>Top: Sunrise Yellow</i> <i>Bottom: Expensive Blue</i> </td> </tr> <tr> <td data-bbox="305 2163 472 2225">High Pressure Laminate (HPL)</td> <td data-bbox="472 2163 894 2225">High Pressure Laminate of excellent quality, with color/s similar to the code specified below. <i>Tabletop : Folkstone "0927"</i> </td> </tr> </table> 	DESIGN	L-shaped workstation with 50mm thick Modular Panel in cushioned fabric upholstery with 30mm thick Medium Density Fiber (MDF) board tabletop in High Pressure Laminate (HPL) finish.	CONSTRUCTION		Worktop	30 mm thick medium density fiber (MDF) board in HPL finish, with 2 mm thick PVC edging and two (2) plastic grommet with rotating cover for every work surfaces. Main Desk : 1500 mm (W) x 600 mm (D) x 740mm (H) Side Desk : 1200 mm (W) x 450 mm (D) x 740mm (H)	High Partition	1500 mm (H) using 50 mm thick modular panel in Teflon-coated fabric finish and 1/8" thick foam padding with adjustable gliders	Frame, Trim, Capping, and Corner Posts	Aluminum Extrusions in powder-coated finish. Submit sample for approval	Skirting/Base	100mm (H) powder-coated aluminum panel with raceway for cables and three (3) knockouts for UPS / Normal Power / Datacom outlets.	COLORS/ FINISHES		Modular Panel Fabric Upholstery	Two-tone fabric, with color/s equivalent to the code specified below. <i>Top: Sunrise Yellow</i> <i>Bottom: Expensive Blue</i>	High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s similar to the code specified below. <i>Tabletop : Folkstone "0927"</i>														
DESIGN	L-shaped workstation with 50mm thick Modular Panel in cushioned fabric upholstery with 30mm thick Medium Density Fiber (MDF) board tabletop in High Pressure Laminate (HPL) finish.																																
CONSTRUCTION																																	
Worktop	30 mm thick medium density fiber (MDF) board in HPL finish, with 2 mm thick PVC edging and two (2) plastic grommet with rotating cover for every work surfaces. Main Desk : 1500 mm (W) x 600 mm (D) x 740mm (H) Side Desk : 1200 mm (W) x 450 mm (D) x 740mm (H)																																
High Partition	1500 mm (H) using 50 mm thick modular panel in Teflon-coated fabric finish and 1/8" thick foam padding with adjustable gliders																																
Frame, Trim, Capping, and Corner Posts	Aluminum Extrusions in powder-coated finish. Submit sample for approval																																
Skirting/Base	100mm (H) powder-coated aluminum panel with raceway for cables and three (3) knockouts for UPS / Normal Power / Datacom outlets.																																
COLORS/ FINISHES																																	
Modular Panel Fabric Upholstery	Two-tone fabric, with color/s equivalent to the code specified below. <i>Top: Sunrise Yellow</i> <i>Bottom: Expensive Blue</i>																																
High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s similar to the code specified below. <i>Tabletop : Folkstone "0927"</i>																																

Item	Specification	Statement of Compliance	Annex																												
3	<p>Non-Supervisor's Workstation - varies depending on layout</p> <table border="1"> <tr> <td>DESIGN</td> <td>Modular workstation with 50 mm thick modular panels in cushioned fabric upholstery with 30mm thick MDF board tabletop in High Pressure Laminate finish.</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Worktop</td> <td>1500mm (W) x 600mm (D) x 30mm thick medium density fiber (MDF) board in HPL finish, with 2 mm thick PVC edging and two (2) plastic grommet with rotating cover.</td> </tr> <tr> <td>Frame, Trim, Capping, and Corner Posts</td> <td>Extruded aluminum in powder-coated finish. Submit sample for approval</td> </tr> <tr> <td>Modular Panel</td> <td>50 mm thick modular panel in Teflon-coated fabric finish and 1/8" thick foam padding.</td> </tr> <tr> <td>Skirting/Base</td> <td>100mm (H) powder-coated aluminum panel with raceway for cables and three (3) knockouts for UPS / Normal Power / Datacom outlets.</td> </tr> <tr> <td colspan="2">COLORS/ FINISHES</td> </tr> <tr> <td>Modular Panel Fabric upholstery</td> <td>Two-tone fabric, with color/s equivalent to the code specified below. Top: Sunrise Yellow Bottom: Expensive Blue</td> </tr> <tr> <td>High Pressure Laminate (HPL)</td> <td>High Pressure Laminate of excellent quality, with color/s similar to the code specified below. Tabletop : Folkstone "0927"</td> </tr> </table> 	DESIGN	Modular workstation with 50 mm thick modular panels in cushioned fabric upholstery with 30mm thick MDF board tabletop in High Pressure Laminate finish.	CONSTRUCTION		Worktop	1500mm (W) x 600mm (D) x 30mm thick medium density fiber (MDF) board in HPL finish, with 2 mm thick PVC edging and two (2) plastic grommet with rotating cover.	Frame, Trim, Capping, and Corner Posts	Extruded aluminum in powder-coated finish. Submit sample for approval	Modular Panel	50 mm thick modular panel in Teflon-coated fabric finish and 1/8" thick foam padding.	Skirting/Base	100mm (H) powder-coated aluminum panel with raceway for cables and three (3) knockouts for UPS / Normal Power / Datacom outlets.	COLORS/ FINISHES		Modular Panel Fabric upholstery	Two-tone fabric, with color/s equivalent to the code specified below. Top: Sunrise Yellow Bottom: Expensive Blue	High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s similar to the code specified below. Tabletop : Folkstone "0927"												
DESIGN	Modular workstation with 50 mm thick modular panels in cushioned fabric upholstery with 30mm thick MDF board tabletop in High Pressure Laminate finish.																														
CONSTRUCTION																															
Worktop	1500mm (W) x 600mm (D) x 30mm thick medium density fiber (MDF) board in HPL finish, with 2 mm thick PVC edging and two (2) plastic grommet with rotating cover.																														
Frame, Trim, Capping, and Corner Posts	Extruded aluminum in powder-coated finish. Submit sample for approval																														
Modular Panel	50 mm thick modular panel in Teflon-coated fabric finish and 1/8" thick foam padding.																														
Skirting/Base	100mm (H) powder-coated aluminum panel with raceway for cables and three (3) knockouts for UPS / Normal Power / Datacom outlets.																														
COLORS/ FINISHES																															
Modular Panel Fabric upholstery	Two-tone fabric, with color/s equivalent to the code specified below. Top: Sunrise Yellow Bottom: Expensive Blue																														
High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s similar to the code specified below. Tabletop : Folkstone "0927"																														
4	<p>UMID Capture Workstation</p> <table border="1"> <tr> <td>DESIGN</td> <td>50mm thick Modular Partition with 2mm THK PVC Edging</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>High Partition</td> <td>1500 mm (H) using 50 mm thick modular panel in Teflon-coated fabric finish. Two-tone with 1/8" thick foam padding with adjustable gliders</td> </tr> <tr> <td>Frame, Trim, Capping, and Corner Posts</td> <td>Aluminum Extrusions in powder-coated finish. Submit sample for approval</td> </tr> <tr> <td>Skirting/ Base</td> <td>100mm (H) powder-coated aluminum panel with raceway for cables and three (3) knockouts for UPS / Normal Power / Datacom outlets.</td> </tr> <tr> <td colspan="2">COLOR/ FINISHES</td> </tr> <tr> <td>Modular Panel Fabric Upholstery</td> <td>Two-tone fabric, with color/s equivalent to the code specified below. Top: Sunrise Yellow Bottom: Expensive Blue</td> </tr> </table> 	DESIGN	50mm thick Modular Partition with 2mm THK PVC Edging	CONSTRUCTION		High Partition	1500 mm (H) using 50 mm thick modular panel in Teflon-coated fabric finish. Two-tone with 1/8" thick foam padding with adjustable gliders	Frame, Trim, Capping, and Corner Posts	Aluminum Extrusions in powder-coated finish. Submit sample for approval	Skirting/ Base	100mm (H) powder-coated aluminum panel with raceway for cables and three (3) knockouts for UPS / Normal Power / Datacom outlets.	COLOR/ FINISHES		Modular Panel Fabric Upholstery	Two-tone fabric, with color/s equivalent to the code specified below. Top: Sunrise Yellow Bottom: Expensive Blue																
DESIGN	50mm thick Modular Partition with 2mm THK PVC Edging																														
CONSTRUCTION																															
High Partition	1500 mm (H) using 50 mm thick modular panel in Teflon-coated fabric finish. Two-tone with 1/8" thick foam padding with adjustable gliders																														
Frame, Trim, Capping, and Corner Posts	Aluminum Extrusions in powder-coated finish. Submit sample for approval																														
Skirting/ Base	100mm (H) powder-coated aluminum panel with raceway for cables and three (3) knockouts for UPS / Normal Power / Datacom outlets.																														
COLOR/ FINISHES																															
Modular Panel Fabric Upholstery	Two-tone fabric, with color/s equivalent to the code specified below. Top: Sunrise Yellow Bottom: Expensive Blue																														
Lot VI	<p>SEATING FURNITURE FOR LUZON, VISAYAS, AND MINDANAO BRANCHES - Bidder must submit manufacturer's certification for the following materials.</p> <ol style="list-style-type: none"> 1. Backrest and seat 2. Gas lift mechanism 3. Base 4. Tubular legs 5. Fabric and Leatherette 																														
1	<p>Executive Chair</p> <table border="1"> <tr> <td>DESIGN</td> <td>High-back swivel chair with synchronized tilt and swivel mechanism, recline and rocking feature, pneumatic seat height adjustment, rounded profile backrest with integral headrest, fixed padded armrest and 5-prong base.</td> </tr> <tr> <td>Dimension</td> <td>Backrest: 730 mm (H) x 490 mm (W) Seat: 490 mm (W) x 470 mm (D) Base Diameter: 640 to 670 mm Armrest Length: 240 mm - 300 mm</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Backrest</td> <td>Reclining backrest with lumbar support made of plastic shell with high density molded foam, leatherette upholstery and rocking feature.</td> </tr> <tr> <td>Tilt</td> <td>Synchronized tilt/swivel mechanism that allows tilting forward at 80° and backward at 110°, with tilt tension adjustment, control lever that releases tilt for free float of backrest or tilt lock in a specific angle and safety feature that allows non-movement of backrest upon initial unlocking of lever.</td> </tr> <tr> <td>Seat</td> <td>Seat made of plastic shell with high density molded foam and upholstery.</td> </tr> <tr> <td>Armrest</td> <td>High quality chrome solid aluminum fixed armrest and upholstered pads.</td> </tr> <tr> <td>Gas Lift Mechanism</td> <td>28mm diameter gas cylinder head with outer tube diameter of 50 mm - 60 mm, German make gas lift mechanism. Manufacturer's Certification required.</td> </tr> <tr> <td>Wheel Casters</td> <td>50 mm diameter twin wheel casters, nylon type.</td> </tr> <tr> <td>Base</td> <td>5-prong aluminum base or nylon base with criss-crossed inner core; load capacity of not less than 250 lbs (Manufacturer's Certification required).</td> </tr> <tr> <td>Upholstery</td> <td>Leatherette</td> </tr> <tr> <td colspan="2">COLOR</td> </tr> <tr> <td>Upholstery</td> <td>Black</td> </tr> <tr> <td>Frame/Base</td> <td>Black nylon or glossy/satin metal finish.</td> </tr> </table> 	DESIGN	High-back swivel chair with synchronized tilt and swivel mechanism, recline and rocking feature, pneumatic seat height adjustment, rounded profile backrest with integral headrest, fixed padded armrest and 5-prong base.	Dimension	Backrest: 730 mm (H) x 490 mm (W) Seat: 490 mm (W) x 470 mm (D) Base Diameter: 640 to 670 mm Armrest Length: 240 mm - 300 mm	CONSTRUCTION		Backrest	Reclining backrest with lumbar support made of plastic shell with high density molded foam, leatherette upholstery and rocking feature.	Tilt	Synchronized tilt/swivel mechanism that allows tilting forward at 80° and backward at 110°, with tilt tension adjustment, control lever that releases tilt for free float of backrest or tilt lock in a specific angle and safety feature that allows non-movement of backrest upon initial unlocking of lever.	Seat	Seat made of plastic shell with high density molded foam and upholstery.	Armrest	High quality chrome solid aluminum fixed armrest and upholstered pads.	Gas Lift Mechanism	28mm diameter gas cylinder head with outer tube diameter of 50 mm - 60 mm, German make gas lift mechanism. Manufacturer's Certification required.	Wheel Casters	50 mm diameter twin wheel casters, nylon type.	Base	5-prong aluminum base or nylon base with criss-crossed inner core; load capacity of not less than 250 lbs (Manufacturer's Certification required).	Upholstery	Leatherette	COLOR		Upholstery	Black	Frame/Base	Black nylon or glossy/satin metal finish.		
DESIGN	High-back swivel chair with synchronized tilt and swivel mechanism, recline and rocking feature, pneumatic seat height adjustment, rounded profile backrest with integral headrest, fixed padded armrest and 5-prong base.																														
Dimension	Backrest: 730 mm (H) x 490 mm (W) Seat: 490 mm (W) x 470 mm (D) Base Diameter: 640 to 670 mm Armrest Length: 240 mm - 300 mm																														
CONSTRUCTION																															
Backrest	Reclining backrest with lumbar support made of plastic shell with high density molded foam, leatherette upholstery and rocking feature.																														
Tilt	Synchronized tilt/swivel mechanism that allows tilting forward at 80° and backward at 110°, with tilt tension adjustment, control lever that releases tilt for free float of backrest or tilt lock in a specific angle and safety feature that allows non-movement of backrest upon initial unlocking of lever.																														
Seat	Seat made of plastic shell with high density molded foam and upholstery.																														
Armrest	High quality chrome solid aluminum fixed armrest and upholstered pads.																														
Gas Lift Mechanism	28mm diameter gas cylinder head with outer tube diameter of 50 mm - 60 mm, German make gas lift mechanism. Manufacturer's Certification required.																														
Wheel Casters	50 mm diameter twin wheel casters, nylon type.																														
Base	5-prong aluminum base or nylon base with criss-crossed inner core; load capacity of not less than 250 lbs (Manufacturer's Certification required).																														
Upholstery	Leatherette																														
COLOR																															
Upholstery	Black																														
Frame/Base	Black nylon or glossy/satin metal finish.																														

Item	Specification	Statement of Compliance	Annex																												
2	<p>Non-supervisor's Chair</p> <table border="1"> <tr> <td>DESIGN</td> <td>Mid-back swivel chair with synchronized tilt mechanism, pneumatic seat height adjustment, fixed contoured polypropylene armrest and 5-prong base.</td> </tr> <tr> <td>Dimensions</td> <td>Backrest Height: 550 mm Seat Width: 490 mm Seat Height: 470 mm (adjustable)</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Backrest</td> <td>With lumbar support made of plastic shell and cushioned with high density molded foam.</td> </tr> <tr> <td>Tilt</td> <td>synchronized swivel/tilt mechanism that allows tilting forward at 80° and backward at 110°; with tilt tension adjustment, control lever that releases tilt for free float of backrest and safety feature that allows non-movement of backrest upon initial unlocking of lever.</td> </tr> <tr> <td>Seat</td> <td>Plastic shell with high density molded foam.</td> </tr> <tr> <td>Armrest</td> <td>Fixed contoured polypropylene arm frame and armrest.</td> </tr> <tr> <td>Gas Lift Mechanism</td> <td>28mm diameter gas cylinder head with outer tube diameter of 50 – 60 mm, German make gas lift mechanism. Manufacturer's Certification required.</td> </tr> <tr> <td>Wheel Casters</td> <td>50 mm diameter twin wheel casters, nylon type.</td> </tr> <tr> <td>Base</td> <td>5-prong metal or nylon base with criss-crossed inner core; load capacity of not less than 250 lbs (Manufacturer's Certification required).</td> </tr> <tr> <td>Upholstery</td> <td>Leatherette</td> </tr> <tr> <td colspan="2">COLOR</td> </tr> <tr> <td>Upholstery</td> <td>Black</td> </tr> <tr> <td>Frame/Base</td> <td>Black nylon or glossy/satin metal finish.</td> </tr> </table> 	DESIGN	Mid-back swivel chair with synchronized tilt mechanism, pneumatic seat height adjustment, fixed contoured polypropylene armrest and 5-prong base.	Dimensions	Backrest Height: 550 mm Seat Width: 490 mm Seat Height: 470 mm (adjustable)	CONSTRUCTION		Backrest	With lumbar support made of plastic shell and cushioned with high density molded foam.	Tilt	synchronized swivel/tilt mechanism that allows tilting forward at 80° and backward at 110° ; with tilt tension adjustment, control lever that releases tilt for free float of backrest and safety feature that allows non-movement of backrest upon initial unlocking of lever.	Seat	Plastic shell with high density molded foam.	Armrest	Fixed contoured polypropylene arm frame and armrest.	Gas Lift Mechanism	28mm diameter gas cylinder head with outer tube diameter of 50 – 60 mm, German make gas lift mechanism. Manufacturer's Certification required.	Wheel Casters	50 mm diameter twin wheel casters, nylon type.	Base	5-prong metal or nylon base with criss-crossed inner core; load capacity of not less than 250 lbs (Manufacturer's Certification required).	Upholstery	Leatherette	COLOR		Upholstery	Black	Frame/Base	Black nylon or glossy/satin metal finish.		
DESIGN	Mid-back swivel chair with synchronized tilt mechanism, pneumatic seat height adjustment, fixed contoured polypropylene armrest and 5-prong base.																														
Dimensions	Backrest Height: 550 mm Seat Width: 490 mm Seat Height: 470 mm (adjustable)																														
CONSTRUCTION																															
Backrest	With lumbar support made of plastic shell and cushioned with high density molded foam.																														
Tilt	synchronized swivel/tilt mechanism that allows tilting forward at 80° and backward at 110° ; with tilt tension adjustment, control lever that releases tilt for free float of backrest and safety feature that allows non-movement of backrest upon initial unlocking of lever.																														
Seat	Plastic shell with high density molded foam.																														
Armrest	Fixed contoured polypropylene arm frame and armrest.																														
Gas Lift Mechanism	28mm diameter gas cylinder head with outer tube diameter of 50 – 60 mm, German make gas lift mechanism. Manufacturer's Certification required.																														
Wheel Casters	50 mm diameter twin wheel casters, nylon type.																														
Base	5-prong metal or nylon base with criss-crossed inner core; load capacity of not less than 250 lbs (Manufacturer's Certification required).																														
Upholstery	Leatherette																														
COLOR																															
Upholstery	Black																														
Frame/Base	Black nylon or glossy/satin metal finish.																														
3	<p>Conference Chair</p> <table border="1"> <tr> <td>DESIGN</td> <td>Low back swivel chair with pneumatic seat height adjustment, single position tilt lock, molded polypropylene armrest and 5-prong nylon base.</td> </tr> <tr> <td>Dimensions</td> <td>Backrest Height: 460 mm Seat Width: 490 mm Seat Height: 584 mm to 838 mm</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Backrest</td> <td>With lumbar support made of plastic shell with high density molded foam.</td> </tr> <tr> <td>Tilt</td> <td>Single position tilt lock or control lever which releases tilt for free float of backrest.</td> </tr> <tr> <td>Seat</td> <td>Made of plastic shell with high density molded foam (Uratex or approved equal).</td> </tr> <tr> <td>Armrest</td> <td>Fixed molded polypropylene arm frame and armrest.</td> </tr> <tr> <td>Gas Lift Mechanism</td> <td>28mm diameter gas cylinder head with outer tube diameter of 50 – 60 mm, Suspa or Stabilus brand (Manufacturer's certification required).</td> </tr> <tr> <td>Wheel Casters</td> <td>50 mm diameter twin wheel casters, nylon type.</td> </tr> <tr> <td>Base</td> <td>5-prong black nylon base with criss-crossed inner core and load capacity of not less than 250 lbs (Manufacturer's Certification required).</td> </tr> <tr> <td>Upholstery</td> <td>Clerical Chair: Leatherette Conference Chair: Fabric</td> </tr> <tr> <td colspan="2">COLOR</td> </tr> <tr> <td>Upholstery</td> <td>Conference Chair: Black</td> </tr> </table> 	DESIGN	Low back swivel chair with pneumatic seat height adjustment, single position tilt lock, molded polypropylene armrest and 5-prong nylon base.	Dimensions	Backrest Height: 460 mm Seat Width: 490 mm Seat Height: 584 mm to 838 mm	CONSTRUCTION		Backrest	With lumbar support made of plastic shell with high density molded foam.	Tilt	Single position tilt lock or control lever which releases tilt for free float of backrest.	Seat	Made of plastic shell with high density molded foam (Uratex or approved equal).	Armrest	Fixed molded polypropylene arm frame and armrest.	Gas Lift Mechanism	28mm diameter gas cylinder head with outer tube diameter of 50 – 60 mm, Suspa or Stabilus brand (Manufacturer's certification required).	Wheel Casters	50 mm diameter twin wheel casters, nylon type.	Base	5-prong black nylon base with criss-crossed inner core and load capacity of not less than 250 lbs (Manufacturer's Certification required).	Upholstery	Clerical Chair: Leatherette Conference Chair: Fabric	COLOR		Upholstery	Conference Chair: Black				
DESIGN	Low back swivel chair with pneumatic seat height adjustment, single position tilt lock, molded polypropylene armrest and 5-prong nylon base.																														
Dimensions	Backrest Height: 460 mm Seat Width: 490 mm Seat Height: 584 mm to 838 mm																														
CONSTRUCTION																															
Backrest	With lumbar support made of plastic shell with high density molded foam.																														
Tilt	Single position tilt lock or control lever which releases tilt for free float of backrest.																														
Seat	Made of plastic shell with high density molded foam (Uratex or approved equal).																														
Armrest	Fixed molded polypropylene arm frame and armrest.																														
Gas Lift Mechanism	28mm diameter gas cylinder head with outer tube diameter of 50 – 60 mm, Suspa or Stabilus brand (Manufacturer's certification required).																														
Wheel Casters	50 mm diameter twin wheel casters, nylon type.																														
Base	5-prong black nylon base with criss-crossed inner core and load capacity of not less than 250 lbs (Manufacturer's Certification required).																														
Upholstery	Clerical Chair: Leatherette Conference Chair: Fabric																														
COLOR																															
Upholstery	Conference Chair: Black																														
4	<p>Guest Chair 1</p> <table border="1"> <tr> <td>DESIGN</td> <td>Mid-back chair with cantilever tubular legs, cushioned seat and backrest, polypropylene armrest and cantilever legs.</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Backrest and Seat</td> <td>Polypropylene back and seat with 2" thick high density molded foam cushion (Uratex or approved equal) and leatherette upholstery.</td> </tr> <tr> <td>Legs</td> <td>Tubular legs in powder-coated finish, cantilever-type; load capacity of not less than 250 lbs (Manufacturer's Certification is required).</td> </tr> <tr> <td>Arm/armrest</td> <td>Fixed polypropylene armrest</td> </tr> <tr> <td colspan="2">COLOR</td> </tr> <tr> <td>Upholstery</td> <td>Pantone Blue Fabric</td> </tr> <tr> <td>Frame/Base</td> <td>Black</td> </tr> </table> 	DESIGN	Mid-back chair with cantilever tubular legs, cushioned seat and backrest, polypropylene armrest and cantilever legs.	CONSTRUCTION		Backrest and Seat	Polypropylene back and seat with 2" thick high density molded foam cushion (Uratex or approved equal) and leatherette upholstery.	Legs	Tubular legs in powder-coated finish, cantilever-type; load capacity of not less than 250 lbs (Manufacturer's Certification is required).	Arm/armrest	Fixed polypropylene armrest	COLOR		Upholstery	Pantone Blue Fabric	Frame/Base	Black														
DESIGN	Mid-back chair with cantilever tubular legs, cushioned seat and backrest, polypropylene armrest and cantilever legs.																														
CONSTRUCTION																															
Backrest and Seat	Polypropylene back and seat with 2" thick high density molded foam cushion (Uratex or approved equal) and leatherette upholstery.																														
Legs	Tubular legs in powder-coated finish, cantilever-type; load capacity of not less than 250 lbs (Manufacturer's Certification is required).																														
Arm/armrest	Fixed polypropylene armrest																														
COLOR																															
Upholstery	Pantone Blue Fabric																														
Frame/Base	Black																														
5	<p>Guest Chair 2</p> <table border="1"> <tr> <td>DESIGN</td> <td>Low back chair with sled base in powder-coated finish; with armrest.</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Backrest and Seat</td> <td>Polypropylene back and seat with high density molded foam cushion (Uratex or approved equal), fabric upholstery and "waterfall" seat profile.</td> </tr> <tr> <td>Seat Support</td> <td>Parallel or intersecting ("X") seat support in tubular metal frame with seamless weld</td> </tr> <tr> <td>Frame/ Legs</td> <td>18 mm (min.) diameter powder-coated tubular frame; sled-type base.</td> </tr> <tr> <td colspan="2">COLOR</td> </tr> <tr> <td>Upholstery</td> <td>Pantone Blue Fabric.</td> </tr> <tr> <td>Legs/ Frame</td> <td>Black</td> </tr> </table> 	DESIGN	Low back chair with sled base in powder-coated finish; with armrest.	CONSTRUCTION		Backrest and Seat	Polypropylene back and seat with high density molded foam cushion (Uratex or approved equal), fabric upholstery and "waterfall" seat profile.	Seat Support	Parallel or intersecting ("X") seat support in tubular metal frame with seamless weld	Frame/ Legs	18 mm (min.) diameter powder-coated tubular frame; sled-type base.	COLOR		Upholstery	Pantone Blue Fabric.	Legs/ Frame	Black														
DESIGN	Low back chair with sled base in powder-coated finish; with armrest.																														
CONSTRUCTION																															
Backrest and Seat	Polypropylene back and seat with high density molded foam cushion (Uratex or approved equal), fabric upholstery and "waterfall" seat profile.																														
Seat Support	Parallel or intersecting ("X") seat support in tubular metal frame with seamless weld																														
Frame/ Legs	18 mm (min.) diameter powder-coated tubular frame; sled-type base.																														
COLOR																															
Upholstery	Pantone Blue Fabric.																														
Legs/ Frame	Black																														
6	<p>4-Seater Gang Chair</p> <table border="1"> <tr> <td>DESIGN</td> <td>4-seater Powder Coated perforated Gang Chair</td> </tr> <tr> <td>Dimensions</td> <td>4-seater – 2380mm x 680mm x 800mm with 3 leg support</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Backrest and Seat</td> <td>1.5mm perforated cold-rolled steel with powder coated finish</td> </tr> <tr> <td>Side Strips</td> <td>2.2mm thick cold-rolled steel with surface chrome plating treatment</td> </tr> <tr> <td>Beam</td> <td>1.8mm thick x 80mm x 40mm rectangular steel tube sprayed with static powder after anti-rust treatment</td> </tr> <tr> <td>Armrest/ Legs</td> <td>1.2mm thick cold-rolled steel with surface chrome plating treatment</td> </tr> <tr> <td colspan="2">COLOR</td> </tr> <tr> <td>Legs / Frame</td> <td>Chrome finish</td> </tr> <tr> <td>Seat & Back</td> <td>Powder Coated Blue</td> </tr> </table>	DESIGN	4-seater Powder Coated perforated Gang Chair	Dimensions	4-seater – 2380mm x 680mm x 800mm with 3 leg support	CONSTRUCTION		Backrest and Seat	1.5mm perforated cold-rolled steel with powder coated finish	Side Strips	2.2mm thick cold-rolled steel with surface chrome plating treatment	Beam	1.8mm thick x 80mm x 40mm rectangular steel tube sprayed with static powder after anti-rust treatment	Armrest/ Legs	1.2mm thick cold-rolled steel with surface chrome plating treatment	COLOR		Legs / Frame	Chrome finish	Seat & Back	Powder Coated Blue										
DESIGN	4-seater Powder Coated perforated Gang Chair																														
Dimensions	4-seater – 2380mm x 680mm x 800mm with 3 leg support																														
CONSTRUCTION																															
Backrest and Seat	1.5mm perforated cold-rolled steel with powder coated finish																														
Side Strips	2.2mm thick cold-rolled steel with surface chrome plating treatment																														
Beam	1.8mm thick x 80mm x 40mm rectangular steel tube sprayed with static powder after anti-rust treatment																														
Armrest/ Legs	1.2mm thick cold-rolled steel with surface chrome plating treatment																														
COLOR																															
Legs / Frame	Chrome finish																														
Seat & Back	Powder Coated Blue																														

Item	Specification	Statement of Compliance	Annex																								
7	<p>5-Seater Gang Chair</p> <table border="1"> <tr> <td>DESIGN</td> <td>5-seater Powder Coated perforated Gang Chair</td> </tr> <tr> <td>Dimensions</td> <td>5-seater – 2964mm x 680mm x 800mm with 3 leg support</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Backrest and Seat</td> <td>1.5mm perforated cold-rolled steel with powder coated finish</td> </tr> <tr> <td>Side Strips</td> <td>2.2mm thick cold-rolled steel with surface chrome plating treatment</td> </tr> <tr> <td>Beam</td> <td>1.8mm thick x 80mm x 40mm rectangular steel tube sprayed with static powder after anti-rust treatment</td> </tr> <tr> <td>Armrest/ Legs</td> <td>1.2mm thick cold-rolled steel with surface chrome plating treatment</td> </tr> <tr> <td colspan="2">COLOR</td> </tr> <tr> <td>Legs / Frame</td> <td>Chrome finish</td> </tr> <tr> <td>Seat & Back</td> <td>Powder Coated Blue</td> </tr> </table>	DESIGN	5-seater Powder Coated perforated Gang Chair	Dimensions	5-seater – 2964mm x 680mm x 800mm with 3 leg support	CONSTRUCTION		Backrest and Seat	1.5mm perforated cold-rolled steel with powder coated finish	Side Strips	2.2mm thick cold-rolled steel with surface chrome plating treatment	Beam	1.8mm thick x 80mm x 40mm rectangular steel tube sprayed with static powder after anti-rust treatment	Armrest/ Legs	1.2mm thick cold-rolled steel with surface chrome plating treatment	COLOR		Legs / Frame	Chrome finish	Seat & Back	Powder Coated Blue						
DESIGN	5-seater Powder Coated perforated Gang Chair																										
Dimensions	5-seater – 2964mm x 680mm x 800mm with 3 leg support																										
CONSTRUCTION																											
Backrest and Seat	1.5mm perforated cold-rolled steel with powder coated finish																										
Side Strips	2.2mm thick cold-rolled steel with surface chrome plating treatment																										
Beam	1.8mm thick x 80mm x 40mm rectangular steel tube sprayed with static powder after anti-rust treatment																										
Armrest/ Legs	1.2mm thick cold-rolled steel with surface chrome plating treatment																										
COLOR																											
Legs / Frame	Chrome finish																										
Seat & Back	Powder Coated Blue																										
8	<p>Stackable Chair</p> <table border="1"> <tr> <td>DESIGN</td> <td>2-piece low back chair with steel tubular frame and sled base in powder-coated finish; without armrest.</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Backrest and seat</td> <td>polypropylene back and seat; without cushion and upholstery.</td> </tr> <tr> <td>Seat support</td> <td>parallel or intersecting ("X") seat support in tubular metal frame with seamless weld.</td> </tr> <tr> <td>Frame/ Legs</td> <td>18 mm diameter powder-coated steel tube welded frame; sled base and stackable.</td> </tr> <tr> <td>Clip/ Connector</td> <td>Heavy-duty PVC clip.</td> </tr> <tr> <td colspan="2">COLOR</td> </tr> <tr> <td>Legs/Frame</td> <td>Powder-coated black.</td> </tr> <tr> <td>PP seat & back</td> <td>Royal Blue</td> </tr> </table> 	DESIGN	2-piece low back chair with steel tubular frame and sled base in powder-coated finish; without armrest.	CONSTRUCTION		Backrest and seat	polypropylene back and seat; without cushion and upholstery.	Seat support	parallel or intersecting ("X") seat support in tubular metal frame with seamless weld.	Frame/ Legs	18 mm diameter powder-coated steel tube welded frame; sled base and stackable.	Clip/ Connector	Heavy-duty PVC clip.	COLOR		Legs/Frame	Powder-coated black.	PP seat & back	Royal Blue								
DESIGN	2-piece low back chair with steel tubular frame and sled base in powder-coated finish; without armrest.																										
CONSTRUCTION																											
Backrest and seat	polypropylene back and seat; without cushion and upholstery.																										
Seat support	parallel or intersecting ("X") seat support in tubular metal frame with seamless weld.																										
Frame/ Legs	18 mm diameter powder-coated steel tube welded frame; sled base and stackable.																										
Clip/ Connector	Heavy-duty PVC clip.																										
COLOR																											
Legs/Frame	Powder-coated black.																										
PP seat & back	Royal Blue																										
Lot VII	<p>CONTRACT FURNITURE FOR LUZON, VISAYAS, AND MINDANAO BRANCHES <i>- Bidder must submit HPL swatches, synthetic stone sample, and manufacturer's certification.</i></p>																										
1	<p>Guard Station</p> <table border="1"> <tr> <td>DESIGN</td> <td>D-shaped guard station in marine plywood carcass in HPL finish w/ 1/2" thick pure acrylic synthetic stone in PVC film finish and provided with built-in drawer.</td> </tr> <tr> <td>Dimensions</td> <td>600mm (D) x 800mm (W) x 1100mm (H)</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Carcass/Body</td> <td>3/4" thick marine plywood in HPL finish with 6mm square groove and PVC gliders</td> </tr> <tr> <td>Center Drawer w/ Lock</td> <td>600mm W x 300mm D x 150mm H x 3/4" thick marine plywood in HPL finish with centerlock</td> </tr> <tr> <td>Worktop</td> <td>3/4" thick marine plywood in HPL finish; post-formed edges</td> </tr> <tr> <td>Modesty Panel</td> <td>1/4" thick Marine Plywood in HPL Finish</td> </tr> <tr> <td colspan="2">ACCESSORIES</td> </tr> <tr> <td>SSS Logo</td> <td>180 mm (W) x 150 mm (H), embossed SSS logo in 1.5 mm thick stainless steel sheet.</td> </tr> <tr> <td>Foot Rest</td> <td>25mmØ Stainless Steel Footrest</td> </tr> <tr> <td colspan="2">COLORS/FINISHES</td> </tr> <tr> <td>High Pressure Laminate (HPL)</td> <td>High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Worktop: Folkstone "0927"</i> <i>Body: Navy Blue "0969"</i></td> </tr> </table>  	DESIGN	D-shaped guard station in marine plywood carcass in HPL finish w/ 1/2" thick pure acrylic synthetic stone in PVC film finish and provided with built-in drawer.	Dimensions	600mm (D) x 800mm (W) x 1100mm (H)	CONSTRUCTION		Carcass/Body	3/4" thick marine plywood in HPL finish with 6mm square groove and PVC gliders	Center Drawer w/ Lock	600mm W x 300mm D x 150mm H x 3/4" thick marine plywood in HPL finish with centerlock	Worktop	3/4" thick marine plywood in HPL finish; post-formed edges	Modesty Panel	1/4" thick Marine Plywood in HPL Finish	ACCESSORIES		SSS Logo	180 mm (W) x 150 mm (H), embossed SSS logo in 1.5 mm thick stainless steel sheet.	Foot Rest	25mmØ Stainless Steel Footrest	COLORS/FINISHES		High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Worktop: Folkstone "0927"</i> <i>Body: Navy Blue "0969"</i>		
DESIGN	D-shaped guard station in marine plywood carcass in HPL finish w/ 1/2" thick pure acrylic synthetic stone in PVC film finish and provided with built-in drawer.																										
Dimensions	600mm (D) x 800mm (W) x 1100mm (H)																										
CONSTRUCTION																											
Carcass/Body	3/4" thick marine plywood in HPL finish with 6mm square groove and PVC gliders																										
Center Drawer w/ Lock	600mm W x 300mm D x 150mm H x 3/4" thick marine plywood in HPL finish with centerlock																										
Worktop	3/4" thick marine plywood in HPL finish; post-formed edges																										
Modesty Panel	1/4" thick Marine Plywood in HPL Finish																										
ACCESSORIES																											
SSS Logo	180 mm (W) x 150 mm (H), embossed SSS logo in 1.5 mm thick stainless steel sheet.																										
Foot Rest	25mmØ Stainless Steel Footrest																										
COLORS/FINISHES																											
High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Worktop: Folkstone "0927"</i> <i>Body: Navy Blue "0969"</i>																										
2	<p>Manager's Back Cabinet</p> <table border="1"> <tr> <td>DESIGN</td> <td>19mm thick marine plywood in HPL finish with 3 drawers and cabinets.</td> </tr> <tr> <td>Dimensions</td> <td>1800 mm (W) x 450 mm (D) x 750 mm (H)</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Body</td> <td>19mm thick marine plywood in HPL finish with 2mm thick PVC edging same color with the HPL finish</td> </tr> <tr> <td>Drawers</td> <td>3/4" thick Marine Plywood in HPL finish</td> </tr> <tr> <td colspan="2">ACCESSORIES</td> </tr> <tr> <td>Cabinet/ Drawer Handle</td> <td>Stainless Steel Handle</td> </tr> <tr> <td colspan="2">COLOR/ FINISHES</td> </tr> <tr> <td>High Pressure Laminate Finish</td> <td>High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Body: Lincoln Walnut code "7188"</i></td> </tr> </table> 	DESIGN	19mm thick marine plywood in HPL finish with 3 drawers and cabinets.	Dimensions	1800 mm (W) x 450 mm (D) x 750 mm (H)	CONSTRUCTION		Body	19mm thick marine plywood in HPL finish with 2mm thick PVC edging same color with the HPL finish	Drawers	3/4" thick Marine Plywood in HPL finish	ACCESSORIES		Cabinet/ Drawer Handle	Stainless Steel Handle	COLOR/ FINISHES		High Pressure Laminate Finish	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Body: Lincoln Walnut code "7188"</i>								
DESIGN	19mm thick marine plywood in HPL finish with 3 drawers and cabinets.																										
Dimensions	1800 mm (W) x 450 mm (D) x 750 mm (H)																										
CONSTRUCTION																											
Body	19mm thick marine plywood in HPL finish with 2mm thick PVC edging same color with the HPL finish																										
Drawers	3/4" thick Marine Plywood in HPL finish																										
ACCESSORIES																											
Cabinet/ Drawer Handle	Stainless Steel Handle																										
COLOR/ FINISHES																											
High Pressure Laminate Finish	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Body: Lincoln Walnut code "7188"</i>																										
3	<p>Forms Writing Counter</p> <table border="1"> <tr> <td>DESIGN</td> <td>Rectangular-shaped writing counter made of MDF board tabletop in high pressure laminate finish</td> </tr> <tr> <td>Dimensions</td> <td>1800mm (L) x 600mm (W) x 1000mm (H)</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Tabletop</td> <td>30mm thick Medium Density Fiber (MDF) board in High Pressure Laminate (HPL) finish</td> </tr> <tr> <td>Framing</td> <td>2.00mm thick x 40mm Tubular in Powder Coated finish. Color: Submit sample for approval</td> </tr> <tr> <td colspan="2">COLORS/ FINISHES</td> </tr> <tr> <td>High Pressure Laminate (HPL)</td> <td>High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Body: Navy Blue "0969"</i></td> </tr> </table> 	DESIGN	Rectangular-shaped writing counter made of MDF board tabletop in high pressure laminate finish	Dimensions	1800mm (L) x 600mm (W) x 1000mm (H)	CONSTRUCTION		Tabletop	30mm thick Medium Density Fiber (MDF) board in High Pressure Laminate (HPL) finish	Framing	2.00mm thick x 40mm Tubular in Powder Coated finish. Color: Submit sample for approval	COLORS/ FINISHES		High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Body: Navy Blue "0969"</i>												
DESIGN	Rectangular-shaped writing counter made of MDF board tabletop in high pressure laminate finish																										
Dimensions	1800mm (L) x 600mm (W) x 1000mm (H)																										
CONSTRUCTION																											
Tabletop	30mm thick Medium Density Fiber (MDF) board in High Pressure Laminate (HPL) finish																										
Framing	2.00mm thick x 40mm Tubular in Powder Coated finish. Color: Submit sample for approval																										
COLORS/ FINISHES																											
High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Body: Navy Blue "0969"</i>																										

Item	Specification	Statement of Compliance	Annex																																						
4	<p>Generalist/Transaction Counter</p> <table border="1"> <tr> <td>DESIGN</td> <td>L-shaped transaction counter in medium density fiber (MDF) board and marine plywood, high pressure laminate (HPL) finish, with built-in drawers and integrated outlet box/raceway for datacom/power outlets.</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Main Desk:</td> <td>1400mm (W) x 750mm (D) x 750mm (H)</td> </tr> <tr> <td>Worktop</td> <td>30 mm thick MDF board with 1/2" thick synthetic stone in PVC film finish with 2 mm thick PVC edging and two (2) plastic grommet with rotating cover.</td> </tr> <tr> <td>High partition / End panels</td> <td>30mm thick MDF board in 2-tone high pressure laminate (HPL) finish with 2 mm thick PVC edging and adjustable PVC gliders. (refer to attached pictures)</td> </tr> <tr> <td>Front Panel</td> <td>25mm thick marine plywood panel with horizontal strips using 1/2" thick MDF board in HPL finish with embossed SSS logo in the middle. (verify logo dimensions with EMD)</td> </tr> <tr> <td>Side Desk:</td> <td>1000mm (W) x 450mm (D) x 750mm (H)</td> </tr> <tr> <td>Worktop</td> <td>30mm thick particle board in high-pressure laminate finish with 2 mm thick PVC edging and plastic grommet with rotating cover.</td> </tr> <tr> <td>Modesty Panel</td> <td>25 mm thick MDF board in HPL finish with 2 mm thick PVC edging and PVC gliders.</td> </tr> <tr> <td>Side Supports</td> <td>25 mm thick MDF board in HPL finish with 2 mm thick PVC edging and adjustable PVC gliders.</td> </tr> <tr> <td>Under Counter Ledge</td> <td>25mm thick MDF board in HPL finish with 2 mm thick PVC edging.</td> </tr> <tr> <td colspan="2">ACCESSORIES</td> </tr> <tr> <td>Raceway</td> <td>19mm thick marine plywood integrated outlet box/raceway for UPS / Normal Power / Datacom outlets</td> </tr> <tr> <td>Built-in drawer</td> <td>400mm (W) x 600mm (D), 4 layers drawer in MDF board in HPL finish, with centralized lock and recessed drawer pulls.</td> </tr> <tr> <td>SSS Logo</td> <td>120 mm (W) x 100 mm (H), embossed SSS logo in 1.5 mm thick SS sheet. (verify dimensions with EMD)</td> </tr> <tr> <td>Skirting</td> <td>100 mm (H) Stainless Steel Skirting (Front Panel)</td> </tr> <tr> <td colspan="2">COLORS/ FINISHES</td> </tr> <tr> <td>High Pressure Laminate</td> <td>High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Tabletop and Supports: Folkstone "0927" and Navy Blue "0969"</i> <i>Horizontal Strips: Navy Blue "0969" and Natural Maple "0756"</i></td> </tr> <tr> <td>Synthetic Stone</td> <td>Cobalt Blue (Submit sample for approval)</td> </tr> </table> 	DESIGN	L-shaped transaction counter in medium density fiber (MDF) board and marine plywood, high pressure laminate (HPL) finish, with built-in drawers and integrated outlet box/raceway for datacom/power outlets.	CONSTRUCTION		Main Desk:	1400mm (W) x 750mm (D) x 750mm (H)	Worktop	30 mm thick MDF board with 1/2" thick synthetic stone in PVC film finish with 2 mm thick PVC edging and two (2) plastic grommet with rotating cover.	High partition / End panels	30mm thick MDF board in 2-tone high pressure laminate (HPL) finish with 2 mm thick PVC edging and adjustable PVC gliders. (refer to attached pictures)	Front Panel	25mm thick marine plywood panel with horizontal strips using 1/2" thick MDF board in HPL finish with embossed SSS logo in the middle. (verify logo dimensions with EMD)	Side Desk:	1000mm (W) x 450mm (D) x 750mm (H)	Worktop	30mm thick particle board in high-pressure laminate finish with 2 mm thick PVC edging and plastic grommet with rotating cover.	Modesty Panel	25 mm thick MDF board in HPL finish with 2 mm thick PVC edging and PVC gliders.	Side Supports	25 mm thick MDF board in HPL finish with 2 mm thick PVC edging and adjustable PVC gliders.	Under Counter Ledge	25mm thick MDF board in HPL finish with 2 mm thick PVC edging.	ACCESSORIES		Raceway	19mm thick marine plywood integrated outlet box/raceway for UPS / Normal Power / Datacom outlets	Built-in drawer	400mm (W) x 600mm (D), 4 layers drawer in MDF board in HPL finish, with centralized lock and recessed drawer pulls.	SSS Logo	120 mm (W) x 100 mm (H), embossed SSS logo in 1.5 mm thick SS sheet. (verify dimensions with EMD)	Skirting	100 mm (H) Stainless Steel Skirting (Front Panel)	COLORS/ FINISHES		High Pressure Laminate	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Tabletop and Supports: Folkstone "0927" and Navy Blue "0969"</i> <i>Horizontal Strips: Navy Blue "0969" and Natural Maple "0756"</i>	Synthetic Stone	Cobalt Blue (Submit sample for approval)		
DESIGN	L-shaped transaction counter in medium density fiber (MDF) board and marine plywood, high pressure laminate (HPL) finish, with built-in drawers and integrated outlet box/raceway for datacom/power outlets.																																								
CONSTRUCTION																																									
Main Desk:	1400mm (W) x 750mm (D) x 750mm (H)																																								
Worktop	30 mm thick MDF board with 1/2" thick synthetic stone in PVC film finish with 2 mm thick PVC edging and two (2) plastic grommet with rotating cover.																																								
High partition / End panels	30mm thick MDF board in 2-tone high pressure laminate (HPL) finish with 2 mm thick PVC edging and adjustable PVC gliders. (refer to attached pictures)																																								
Front Panel	25mm thick marine plywood panel with horizontal strips using 1/2" thick MDF board in HPL finish with embossed SSS logo in the middle. (verify logo dimensions with EMD)																																								
Side Desk:	1000mm (W) x 450mm (D) x 750mm (H)																																								
Worktop	30mm thick particle board in high-pressure laminate finish with 2 mm thick PVC edging and plastic grommet with rotating cover.																																								
Modesty Panel	25 mm thick MDF board in HPL finish with 2 mm thick PVC edging and PVC gliders.																																								
Side Supports	25 mm thick MDF board in HPL finish with 2 mm thick PVC edging and adjustable PVC gliders.																																								
Under Counter Ledge	25mm thick MDF board in HPL finish with 2 mm thick PVC edging.																																								
ACCESSORIES																																									
Raceway	19mm thick marine plywood integrated outlet box/raceway for UPS / Normal Power / Datacom outlets																																								
Built-in drawer	400mm (W) x 600mm (D), 4 layers drawer in MDF board in HPL finish, with centralized lock and recessed drawer pulls.																																								
SSS Logo	120 mm (W) x 100 mm (H), embossed SSS logo in 1.5 mm thick SS sheet. (verify dimensions with EMD)																																								
Skirting	100 mm (H) Stainless Steel Skirting (Front Panel)																																								
COLORS/ FINISHES																																									
High Pressure Laminate	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Tabletop and Supports: Folkstone "0927" and Navy Blue "0969"</i> <i>Horizontal Strips: Navy Blue "0969" and Natural Maple "0756"</i>																																								
Synthetic Stone	Cobalt Blue (Submit sample for approval)																																								
5	<p>Information Booth</p> <table border="1"> <tr> <td>DESIGN</td> <td>U-shaped information booth in marine plywood carcass, HPL finish and provided with built-in shelves.</td> </tr> <tr> <td>Dimensions</td> <td>1800mm (W) x 1000mm (D) x 1100mm (H)</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Carcass/Body</td> <td>3/4" thick marine plywood with horizontal strips of 1/4" thick plywood in HPL finish; provide stainless steel sheet skirting and PVC Gliders</td> </tr> <tr> <td>Shelves</td> <td>3/4" thick marine plywood, duco paint finish.</td> </tr> <tr> <td>Worktop</td> <td>3/4" thick marine plywood in HPL finish, with 50 mm thick built-up nosing and 2 mm thick PVC edging</td> </tr> <tr> <td colspan="2">ACCESSORIES</td> </tr> <tr> <td>SSS Logo</td> <td>180 mm (W) x 150 mm (H), embossed SSS logo in 1.5 mm thick stainless steel sheet (verify dimensions with EMD)</td> </tr> <tr> <td>Skirting</td> <td>100 mm (H) Stainless Steel Skirting (Front and Side Panel)</td> </tr> <tr> <td colspan="2">COLORS/ FINISHES</td> </tr> <tr> <td>High Pressure Laminate (HPL)</td> <td>High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Tabletop: Folkstone "0927"</i> <i>Horizontal Strips: Navy Blue "0969" and Natural Maple "0756"</i></td> </tr> </table> 	DESIGN	U-shaped information booth in marine plywood carcass, HPL finish and provided with built-in shelves.	Dimensions	1800mm (W) x 1000mm (D) x 1100mm (H)	CONSTRUCTION		Carcass/Body	3/4" thick marine plywood with horizontal strips of 1/4" thick plywood in HPL finish; provide stainless steel sheet skirting and PVC Gliders	Shelves	3/4" thick marine plywood, duco paint finish.	Worktop	3/4" thick marine plywood in HPL finish, with 50 mm thick built-up nosing and 2 mm thick PVC edging	ACCESSORIES		SSS Logo	180 mm (W) x 150 mm (H), embossed SSS logo in 1.5 mm thick stainless steel sheet (verify dimensions with EMD)	Skirting	100 mm (H) Stainless Steel Skirting (Front and Side Panel)	COLORS/ FINISHES		High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Tabletop: Folkstone "0927"</i> <i>Horizontal Strips: Navy Blue "0969" and Natural Maple "0756"</i>																		
DESIGN	U-shaped information booth in marine plywood carcass, HPL finish and provided with built-in shelves.																																								
Dimensions	1800mm (W) x 1000mm (D) x 1100mm (H)																																								
CONSTRUCTION																																									
Carcass/Body	3/4" thick marine plywood with horizontal strips of 1/4" thick plywood in HPL finish; provide stainless steel sheet skirting and PVC Gliders																																								
Shelves	3/4" thick marine plywood, duco paint finish.																																								
Worktop	3/4" thick marine plywood in HPL finish, with 50 mm thick built-up nosing and 2 mm thick PVC edging																																								
ACCESSORIES																																									
SSS Logo	180 mm (W) x 150 mm (H), embossed SSS logo in 1.5 mm thick stainless steel sheet (verify dimensions with EMD)																																								
Skirting	100 mm (H) Stainless Steel Skirting (Front and Side Panel)																																								
COLORS/ FINISHES																																									
High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Tabletop: Folkstone "0927"</i> <i>Horizontal Strips: Navy Blue "0969" and Natural Maple "0756"</i>																																								
6	<p>Conference Table</p> <table border="1"> <tr> <td>DESIGN</td> <td>6 or 8-seater boat-shaped conference table in medium density fiber (MDF) board in high pressure laminate (HPL) finish with wire management.</td> </tr> <tr> <td>Dimensions</td> <td>1200 mm (W) x 2400 mm (L) x 750 mm (H)</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Tabletop</td> <td>30 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC flat edging.</td> </tr> <tr> <td>Legs/ Supports</td> <td>30 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC edging and adjustable PVC gliders on gable ends.</td> </tr> <tr> <td>Modesty Panel</td> <td>18 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC edging.</td> </tr> <tr> <td>Panel Connectors</td> <td>Use recessed universal connectors.</td> </tr> <tr> <td colspan="2">COLOR</td> </tr> <tr> <td>High Pressure Laminate (HPL)</td> <td>High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Tabletop: Lincoln Walnut code "7188"</i> <i>Support: Black "0909"</i></td> </tr> </table> 	DESIGN	6 or 8-seater boat-shaped conference table in medium density fiber (MDF) board in high pressure laminate (HPL) finish with wire management.	Dimensions	1200 mm (W) x 2400 mm (L) x 750 mm (H)	CONSTRUCTION		Tabletop	30 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC flat edging.	Legs/ Supports	30 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC edging and adjustable PVC gliders on gable ends.	Modesty Panel	18 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC edging.	Panel Connectors	Use recessed universal connectors.	COLOR		High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Tabletop: Lincoln Walnut code "7188"</i> <i>Support: Black "0909"</i>																						
DESIGN	6 or 8-seater boat-shaped conference table in medium density fiber (MDF) board in high pressure laminate (HPL) finish with wire management.																																								
Dimensions	1200 mm (W) x 2400 mm (L) x 750 mm (H)																																								
CONSTRUCTION																																									
Tabletop	30 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC flat edging.																																								
Legs/ Supports	30 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC edging and adjustable PVC gliders on gable ends.																																								
Modesty Panel	18 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC edging.																																								
Panel Connectors	Use recessed universal connectors.																																								
COLOR																																									
High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Tabletop: Lincoln Walnut code "7188"</i> <i>Support: Black "0909"</i>																																								
7	<p>Meeting Table, 4-seater</p> <table border="1"> <tr> <td>DESIGN</td> <td>4-seater round table in medium density fiber (MDF) board in high pressure laminates (HPL) finish.</td> </tr> <tr> <td>Dimensions</td> <td>900 mm diameter x 750 mm (H)</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Tabletop</td> <td>30 mm thick medium density fiber (MDF) board in high pressure laminate finish (HPL) and 2 mm thick PVC flat edging same color as worktop.</td> </tr> <tr> <td>Supports/Legs</td> <td>25 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2 mm thick PVC flat edging same color as worktop and adjustable PVC gliders on gable ends.</td> </tr> <tr> <td colspan="2">COLOR</td> </tr> <tr> <td>High pressure Laminate (HPL)</td> <td>High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Tabletop & Support: Lincoln Walnut code "7188"</i></td> </tr> </table> 	DESIGN	4-seater round table in medium density fiber (MDF) board in high pressure laminates (HPL) finish.	Dimensions	900 mm diameter x 750 mm (H)	CONSTRUCTION		Tabletop	30 mm thick medium density fiber (MDF) board in high pressure laminate finish (HPL) and 2 mm thick PVC flat edging same color as worktop.	Supports/Legs	25 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2 mm thick PVC flat edging same color as worktop and adjustable PVC gliders on gable ends.	COLOR		High pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Tabletop & Support: Lincoln Walnut code "7188"</i>																										
DESIGN	4-seater round table in medium density fiber (MDF) board in high pressure laminates (HPL) finish.																																								
Dimensions	900 mm diameter x 750 mm (H)																																								
CONSTRUCTION																																									
Tabletop	30 mm thick medium density fiber (MDF) board in high pressure laminate finish (HPL) and 2 mm thick PVC flat edging same color as worktop.																																								
Supports/Legs	25 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2 mm thick PVC flat edging same color as worktop and adjustable PVC gliders on gable ends.																																								
COLOR																																									
High pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Tabletop & Support: Lincoln Walnut code "7188"</i>																																								

Item	Specification	Statement of Compliance	Annex																								
8	<p>Free-standing Printer Table</p> <table border="1"> <tr> <td>DESIGN</td> <td>Free-standing rectangular desk in medium density fiber (MDF) board tabletop in HPL finish with lower shelf.</td> </tr> <tr> <td>Dimensions</td> <td>800mm (W) x 600mm (D) x 750mm (H)</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Tabletop</td> <td>600 mm (D) x 800 mm (L) using 30 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish, post-formed front/back edges with 2 mm thick PVC flat edging on side edges.</td> </tr> <tr> <td>Leg/Support</td> <td>25 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC flat edging.</td> </tr> <tr> <td>Shelves</td> <td>25 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC edging.</td> </tr> <tr> <td>Drawer</td> <td>400mm (W) x 350mm (D) x 100mm H, 19mm thick MDF board in HPL finish, with lock and recessed drawer pulls.</td> </tr> <tr> <td colspan="2">ACCESSORIES</td> </tr> <tr> <td>Foot Glide</td> <td>Adjustable PVC foot glides, 2 pieces each panel.</td> </tr> <tr> <td>Grommet</td> <td>Plastic grommet with rotating cover.</td> </tr> <tr> <td colspan="2">COLOR / FINISHES</td> </tr> <tr> <td>High Pressure Laminate (HPL)</td> <td>High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Tabletop and Supports : Folkstone "0927"</i></td> </tr> </table> 	DESIGN	Free-standing rectangular desk in medium density fiber (MDF) board tabletop in HPL finish with lower shelf.	Dimensions	800mm (W) x 600mm (D) x 750mm (H)	CONSTRUCTION		Tabletop	600 mm (D) x 800 mm (L) using 30 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish, post-formed front/back edges with 2 mm thick PVC flat edging on side edges.	Leg/Support	25 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC flat edging.	Shelves	25 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC edging.	Drawer	400mm (W) x 350mm (D) x 100mm H, 19mm thick MDF board in HPL finish, with lock and recessed drawer pulls.	ACCESSORIES		Foot Glide	Adjustable PVC foot glides, 2 pieces each panel.	Grommet	Plastic grommet with rotating cover.	COLOR / FINISHES		High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Tabletop and Supports : Folkstone "0927"</i>		
DESIGN	Free-standing rectangular desk in medium density fiber (MDF) board tabletop in HPL finish with lower shelf.																										
Dimensions	800mm (W) x 600mm (D) x 750mm (H)																										
CONSTRUCTION																											
Tabletop	600 mm (D) x 800 mm (L) using 30 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish, post-formed front/back edges with 2 mm thick PVC flat edging on side edges.																										
Leg/Support	25 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC flat edging.																										
Shelves	25 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish with 2mm thick PVC edging.																										
Drawer	400mm (W) x 350mm (D) x 100mm H, 19mm thick MDF board in HPL finish, with lock and recessed drawer pulls.																										
ACCESSORIES																											
Foot Glide	Adjustable PVC foot glides, 2 pieces each panel.																										
Grommet	Plastic grommet with rotating cover.																										
COLOR / FINISHES																											
High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Tabletop and Supports : Folkstone "0927"</i>																										
9	<p>Training Table</p> <table border="1"> <tr> <td>DESIGN</td> <td>Foldable top desk in medium density fiber (MDF) board tabletop and high-pressure laminate (HPL) finish, mounted on steel frame, tubular legs in powder coated finish, with modesty panel and undershelf.</td> </tr> <tr> <td>Dimensions</td> <td>Training Table: 1500mm (L) x 600mm (W) x 750mm (H)</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Tabletop</td> <td>1500 mm (L) x 600 mm (W) using 30 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish, post-formed front/back edges with 2 mm thick PVC flat edging on side edges mounted on 2mm thick tubular frame in powder coated finish</td> </tr> <tr> <td>Leg/Support</td> <td>75mm x 37.50mm x 2mm thick metal tubular, powder-coated finish</td> </tr> <tr> <td>Modesty Panel</td> <td>18mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish</td> </tr> <tr> <td>Undershelf</td> <td>Tubular steel in powder coated finish</td> </tr> <tr> <td colspan="2">ACCESSORIES</td> </tr> <tr> <td>Wheel casters</td> <td>4 pcs heavy duty twin wheel casters, nylon type, w/ locking mechanism</td> </tr> <tr> <td colspan="2">COLOR / FINISHES</td> </tr> <tr> <td>High Pressure Laminate (HPL)</td> <td>High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Tabletop and Supports : Folkstone "0927"</i></td> </tr> </table> 	DESIGN	Foldable top desk in medium density fiber (MDF) board tabletop and high-pressure laminate (HPL) finish, mounted on steel frame, tubular legs in powder coated finish, with modesty panel and undershelf.	Dimensions	Training Table: 1500mm (L) x 600mm (W) x 750mm (H)	CONSTRUCTION		Tabletop	1500 mm (L) x 600 mm (W) using 30 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish, post-formed front/back edges with 2 mm thick PVC flat edging on side edges mounted on 2mm thick tubular frame in powder coated finish	Leg/Support	75mm x 37.50mm x 2mm thick metal tubular, powder-coated finish	Modesty Panel	18mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish	Undershelf	Tubular steel in powder coated finish	ACCESSORIES		Wheel casters	4 pcs heavy duty twin wheel casters, nylon type, w/ locking mechanism	COLOR / FINISHES		High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Tabletop and Supports : Folkstone "0927"</i>				
DESIGN	Foldable top desk in medium density fiber (MDF) board tabletop and high-pressure laminate (HPL) finish, mounted on steel frame, tubular legs in powder coated finish, with modesty panel and undershelf.																										
Dimensions	Training Table: 1500mm (L) x 600mm (W) x 750mm (H)																										
CONSTRUCTION																											
Tabletop	1500 mm (L) x 600 mm (W) using 30 mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish, post-formed front/back edges with 2 mm thick PVC flat edging on side edges mounted on 2mm thick tubular frame in powder coated finish																										
Leg/Support	75mm x 37.50mm x 2mm thick metal tubular, powder-coated finish																										
Modesty Panel	18mm thick medium density fiber (MDF) board in high pressure laminate (HPL) finish																										
Undershelf	Tubular steel in powder coated finish																										
ACCESSORIES																											
Wheel casters	4 pcs heavy duty twin wheel casters, nylon type, w/ locking mechanism																										
COLOR / FINISHES																											
High Pressure Laminate (HPL)	High Pressure Laminate of excellent quality, with color/s equivalent to the code specified below. <i>Tabletop and Supports : Folkstone "0927"</i>																										
Lot VIII	<p>STEEL SHELVES, CABINETS & DRAWERS FOR LUZON, VISAYAS, AND MINDANAO BRANCHES - Bidder must manufacturer's certification.</p>																										
1	<p>Mobile Pedestal Drawer</p> <table border="1"> <tr> <td>DESIGN</td> <td>Cold Rolled steel with high quality powder coating finish with three (3) layer drawers in powder coated finish, with full extension ball-bearing slides, central lock system, recessed drawer pulls, with 2 pcs stationery tray/organizer and heavy-duty caster wheels.</td> </tr> <tr> <td>Dimension</td> <td>400mm (W) x 560mm (D) x 650mm (H)</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td>Body/Case</td> <td>Manufactured in cold rolled sheet Ga. #22 (0.80mm) in powder coated finish.</td> </tr> <tr> <td>Pull-out Drawer</td> <td>Fabricated in cold rolled sheet Ga. #24 (0.60 mm) with central control lock on the top drawer.</td> </tr> <tr> <td>Rail</td> <td>Made in cold rolled sheet Ga. #20 (0.90mm), hang on roller bearing in powder coated finish.</td> </tr> <tr> <td>Casters</td> <td>Lockable Caster Wheel with fifth wheel for stability</td> </tr> <tr> <td>COLOR</td> <td>Submit sample for approval</td> </tr> </table> 	DESIGN	Cold Rolled steel with high quality powder coating finish with three (3) layer drawers in powder coated finish, with full extension ball-bearing slides, central lock system, recessed drawer pulls, with 2 pcs stationery tray/organizer and heavy-duty caster wheels.	Dimension	400mm (W) x 560mm (D) x 650mm (H)	CONSTRUCTION		Body/Case	Manufactured in cold rolled sheet Ga. #22 (0.80mm) in powder coated finish.	Pull-out Drawer	Fabricated in cold rolled sheet Ga. #24 (0.60 mm) with central control lock on the top drawer.	Rail	Made in cold rolled sheet Ga. #20 (0.90mm), hang on roller bearing in powder coated finish.	Casters	Lockable Caster Wheel with fifth wheel for stability	COLOR	Submit sample for approval										
DESIGN	Cold Rolled steel with high quality powder coating finish with three (3) layer drawers in powder coated finish, with full extension ball-bearing slides, central lock system, recessed drawer pulls, with 2 pcs stationery tray/organizer and heavy-duty caster wheels.																										
Dimension	400mm (W) x 560mm (D) x 650mm (H)																										
CONSTRUCTION																											
Body/Case	Manufactured in cold rolled sheet Ga. #22 (0.80mm) in powder coated finish.																										
Pull-out Drawer	Fabricated in cold rolled sheet Ga. #24 (0.60 mm) with central control lock on the top drawer.																										
Rail	Made in cold rolled sheet Ga. #20 (0.90mm), hang on roller bearing in powder coated finish.																										
Casters	Lockable Caster Wheel with fifth wheel for stability																										
COLOR	Submit sample for approval																										
2	<p>4-Drawer Lateral Filing Cabinet</p> <table border="1"> <tr> <td>DESIGN</td> <td>Powder-coated steel filing cabinet with four (4) pull-out drawers in metal glides, adjustable steel file dividers, anti-tilt mechanism, anti-tilt counterweight located at the bottom, built-in full recessed pull and central locking mechanism.</td> </tr> <tr> <td>Dimension</td> <td>900mm (W) x 500mm (D) x 1380mm (H)</td> </tr> <tr> <td colspan="2">CONSTRUCTION</td> </tr> <tr> <td colspan="2">Cold rolled metal sheets in powder-coated finish, heavy-duty drawer suspension in ball bearing and zinc chromate finish with the following thickness:</td> </tr> <tr> <td>Pull-out Drawer</td> <td>Fabricated in cold rolled shell Ga. #22 (0.80 mm) with 2 steel file divider and built-in PVC flush handle per drawer. Heavy-duty drawer suspension in ball-bearing slides and zinc chromate finish, with a minimum load capacity of 50 kgs/drawer (Manufacturer's certification required).</td> </tr> <tr> <td>Interior Supports/ Braces</td> <td>1.20 mm (Gauge # 18) cold-rolled steel</td> </tr> <tr> <td>Carcase / Shell</td> <td>Manufactured in cold rolled sheet Ga. #20 (0.90mm) with vertical support both sides, welded.</td> </tr> <tr> <td>Rail</td> <td>Made in heavy duty cold rolled sheet Ga. 17 (1.40mm) in full extension suspension on roller bearing in powder coated finish. With a minimum load capacity of 50kgs/drawer. (Manufacturer's Certification required)</td> </tr> <tr> <td>COLOR</td> <td>Light Gray (Submit sample for approval)</td> </tr> </table> 	DESIGN	Powder-coated steel filing cabinet with four (4) pull-out drawers in metal glides, adjustable steel file dividers, anti-tilt mechanism, anti-tilt counterweight located at the bottom, built-in full recessed pull and central locking mechanism.	Dimension	900mm (W) x 500mm (D) x 1380mm (H)	CONSTRUCTION		Cold rolled metal sheets in powder-coated finish, heavy-duty drawer suspension in ball bearing and zinc chromate finish with the following thickness:		Pull-out Drawer	Fabricated in cold rolled shell Ga. #22 (0.80 mm) with 2 steel file divider and built-in PVC flush handle per drawer. Heavy-duty drawer suspension in ball-bearing slides and zinc chromate finish, with a minimum load capacity of 50 kgs/drawer (Manufacturer's certification required).	Interior Supports/ Braces	1.20 mm (Gauge # 18) cold-rolled steel	Carcase / Shell	Manufactured in cold rolled sheet Ga. #20 (0.90mm) with vertical support both sides, welded.	Rail	Made in heavy duty cold rolled sheet Ga. 17 (1.40mm) in full extension suspension on roller bearing in powder coated finish. With a minimum load capacity of 50kgs/drawer. (Manufacturer's Certification required)	COLOR	Light Gray (Submit sample for approval)								
DESIGN	Powder-coated steel filing cabinet with four (4) pull-out drawers in metal glides, adjustable steel file dividers, anti-tilt mechanism, anti-tilt counterweight located at the bottom, built-in full recessed pull and central locking mechanism.																										
Dimension	900mm (W) x 500mm (D) x 1380mm (H)																										
CONSTRUCTION																											
Cold rolled metal sheets in powder-coated finish, heavy-duty drawer suspension in ball bearing and zinc chromate finish with the following thickness:																											
Pull-out Drawer	Fabricated in cold rolled shell Ga. #22 (0.80 mm) with 2 steel file divider and built-in PVC flush handle per drawer. Heavy-duty drawer suspension in ball-bearing slides and zinc chromate finish, with a minimum load capacity of 50 kgs/drawer (Manufacturer's certification required).																										
Interior Supports/ Braces	1.20 mm (Gauge # 18) cold-rolled steel																										
Carcase / Shell	Manufactured in cold rolled sheet Ga. #20 (0.90mm) with vertical support both sides, welded.																										
Rail	Made in heavy duty cold rolled sheet Ga. 17 (1.40mm) in full extension suspension on roller bearing in powder coated finish. With a minimum load capacity of 50kgs/drawer. (Manufacturer's Certification required)																										
COLOR	Light Gray (Submit sample for approval)																										

Item	Specification	Statement of Compliance	Annex																
3	<p>4-Drawer Vertical Filing Cabinet</p> <table border="1"> <tr> <td>DESIGN</td> <td>Powder-coated steel filing cabinet with four (4) pull-out drawers in metal glides, steel file dividers, anti-tilt mechanism, built-in full recessed pull and central locking mechanism.</td> </tr> <tr> <td>Dimension</td> <td>460mm (W) x 720mm (D) x 1320mm (H)</td> </tr> <tr> <td>CONSTRUCTION</td> <td></td> </tr> <tr> <td>Pull-out Drawer</td> <td>Fabricated in cold rolled shell Ga. #22 (0.80 mm) with one (1) steel file divider and built-in PVC flush handle per drawer. Heavy-duty drawer suspension in ball-bearing slides and zinc chromate finish, with a minimum load capacity of 50 kgs/drawer (Manufacturer's certification required).</td> </tr> <tr> <td>Interior Supports / Braces</td> <td>1.20 mm (Gauge # 18) cold-rolled steel</td> </tr> <tr> <td>Carcase/Shell</td> <td>Manufactured in cold rolled sheet Ga. #20 (0.90mm) with vertical support both sides, welded.</td> </tr> <tr> <td>Rail</td> <td>Made in heavy duty cold rolled sheet Ga. 18 (1.10mm) in full extension suspension on roller bearing in powder coated finish. With a minimum load capacity of 50kgs/drawer. (Manufacturer's Certification required)</td> </tr> <tr> <td>COLOR</td> <td>Submit sample for approval</td> </tr> </table> 	DESIGN	Powder-coated steel filing cabinet with four (4) pull-out drawers in metal glides, steel file dividers, anti-tilt mechanism, built-in full recessed pull and central locking mechanism.	Dimension	460mm (W) x 720mm (D) x 1320mm (H)	CONSTRUCTION		Pull-out Drawer	Fabricated in cold rolled shell Ga. #22 (0.80 mm) with one (1) steel file divider and built-in PVC flush handle per drawer. Heavy-duty drawer suspension in ball-bearing slides and zinc chromate finish, with a minimum load capacity of 50 kgs/drawer (Manufacturer's certification required).	Interior Supports / Braces	1.20 mm (Gauge # 18) cold-rolled steel	Carcase/Shell	Manufactured in cold rolled sheet Ga. #20 (0.90mm) with vertical support both sides, welded.	Rail	Made in heavy duty cold rolled sheet Ga. 18 (1.10mm) in full extension suspension on roller bearing in powder coated finish. With a minimum load capacity of 50kgs/drawer. (Manufacturer's Certification required)	COLOR	Submit sample for approval		
DESIGN	Powder-coated steel filing cabinet with four (4) pull-out drawers in metal glides, steel file dividers, anti-tilt mechanism, built-in full recessed pull and central locking mechanism.																		
Dimension	460mm (W) x 720mm (D) x 1320mm (H)																		
CONSTRUCTION																			
Pull-out Drawer	Fabricated in cold rolled shell Ga. #22 (0.80 mm) with one (1) steel file divider and built-in PVC flush handle per drawer. Heavy-duty drawer suspension in ball-bearing slides and zinc chromate finish, with a minimum load capacity of 50 kgs/drawer (Manufacturer's certification required).																		
Interior Supports / Braces	1.20 mm (Gauge # 18) cold-rolled steel																		
Carcase/Shell	Manufactured in cold rolled sheet Ga. #20 (0.90mm) with vertical support both sides, welded.																		
Rail	Made in heavy duty cold rolled sheet Ga. 18 (1.10mm) in full extension suspension on roller bearing in powder coated finish. With a minimum load capacity of 50kgs/drawer. (Manufacturer's Certification required)																		
COLOR	Submit sample for approval																		
4	<p>Steel Open Shelves, 6-layers</p> <table border="1"> <tr> <td>DESIGN</td> <td>6-Layer Open Steel Shelves in powder coated finish with Steel Stiffener on both sides.</td> </tr> <tr> <td>Dimension</td> <td>500mm (W) x 1000mm (D) x 2100mm (H)</td> </tr> <tr> <td>CONSTRUCTION</td> <td></td> </tr> <tr> <td>Vertical Post</td> <td>Ga. #14 (2.0mm thk) cold-rolled steel and roll formed into a modified angle shape with 38mm x 38mm holes.</td> </tr> <tr> <td>Shelves</td> <td>Fabricated in cold-rolled sheet Ga. #18 (1.27mm) double bended on all side with bottom support in rectangular form, welded.</td> </tr> <tr> <td>Stiffener</td> <td>Ga. #18 (1.27mm) Steel Stiffener on both sides.</td> </tr> <tr> <td>COLOR</td> <td>Submit sample for approval</td> </tr> </table> 	DESIGN	6-Layer Open Steel Shelves in powder coated finish with Steel Stiffener on both sides.	Dimension	500mm (W) x 1000mm (D) x 2100mm (H)	CONSTRUCTION		Vertical Post	Ga. #14 (2.0mm thk) cold-rolled steel and roll formed into a modified angle shape with 38mm x 38mm holes.	Shelves	Fabricated in cold-rolled sheet Ga. #18 (1.27mm) double bended on all side with bottom support in rectangular form, welded.	Stiffener	Ga. #18 (1.27mm) Steel Stiffener on both sides.	COLOR	Submit sample for approval				
DESIGN	6-Layer Open Steel Shelves in powder coated finish with Steel Stiffener on both sides.																		
Dimension	500mm (W) x 1000mm (D) x 2100mm (H)																		
CONSTRUCTION																			
Vertical Post	Ga. #14 (2.0mm thk) cold-rolled steel and roll formed into a modified angle shape with 38mm x 38mm holes.																		
Shelves	Fabricated in cold-rolled sheet Ga. #18 (1.27mm) double bended on all side with bottom support in rectangular form, welded.																		
Stiffener	Ga. #18 (1.27mm) Steel Stiffener on both sides.																		
COLOR	Submit sample for approval																		
5	<p>Storage Cabinet</p> <table border="1"> <tr> <td>DESIGN</td> <td>Powder-coated steel cabinet with 2 swinging doors, six (6) layer shelves, anti-tilt mechanism with central locking mechanism.</td> </tr> <tr> <td>Dimension</td> <td>920mm (W) x 450mm (D) x 1840mm (H)</td> </tr> <tr> <td>CONSTRUCTION</td> <td>Manufactured in cold rolled sheet Ga. #20 (0.90mm) with triangular plates on top and bottom shelves made from heavy duty black iron</td> </tr> <tr> <td>COLOR</td> <td>Light Gray (Submit sample for approval)</td> </tr> </table> 	DESIGN	Powder-coated steel cabinet with 2 swinging doors, six (6) layer shelves, anti-tilt mechanism with central locking mechanism.	Dimension	920mm (W) x 450mm (D) x 1840mm (H)	CONSTRUCTION	Manufactured in cold rolled sheet Ga. #20 (0.90mm) with triangular plates on top and bottom shelves made from heavy duty black iron	COLOR	Light Gray (Submit sample for approval)										
DESIGN	Powder-coated steel cabinet with 2 swinging doors, six (6) layer shelves, anti-tilt mechanism with central locking mechanism.																		
Dimension	920mm (W) x 450mm (D) x 1840mm (H)																		
CONSTRUCTION	Manufactured in cold rolled sheet Ga. #20 (0.90mm) with triangular plates on top and bottom shelves made from heavy duty black iron																		
COLOR	Light Gray (Submit sample for approval)																		

GENERAL SPECIFICATIONS

1. Hooks and brackets shall be provided with locking devices to prevent accidental dismounting of worktop when attached to the panels/supports. Panels that are perpendicular or parallel to a fix wall shall be anchored to the wall using metal connectors, otherwise all assemblies shall be properly anchored to the floor.
2. Modular panels shall be fully interchangeable and can be dismantled or assembled without the use of special tools.
3. Panels and worktops with thickness that are not commercially available shall be fabricated using the same material, laminated together using appropriate adhesives and applicable technology.
4. Materials or accessories deemed necessary to complete the modular workstations and modular display cabinets but not specifically mentioned in the Specifications, Bid Breakdown Form, working drawings or in the other contract documents are inferred and shall be supplied, installed and rendered by the contractor without extra cost to the owner. Such material shall be of the highest quality available and installed in an appropriate manner.
5. Modular units for the modular display cabinet shall be fully interchangeable and can be assembled or dismantled without the use of special tools.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____

***Section VIII. Checklist of Technical and
Financial Documents***

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

- (a) Valid PhilGEPS Certificate of Platinum Registration and Membership (Platinum Membership) (all pages);

Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within five (5) years period prior to the submission and opening of Bids; **and**
- (d) Original copy of Bid Security (Cash, Letter of Credit, Surety Bond). If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; **Or** Original copy of Notarized Bid Securing Declaration; **and**
- (e) Conformity with the Schedule of Requirements (Section VI) and Technical Specifications (Section VII), which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (f) Original duly signed Omnibus Sworn Statement (OSS); **and** if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Other documentary requirements under RA No. 9184 (as applicable)

For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos:

- (g) Copy of Treaty, International or Executive Agreement; **or**
- (h) Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (i) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

Class "B" Documents

- (j) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
- or**
- duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

Financial Documents

- (k) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; **and**

- (l) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);
or
A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

II. FINANCIAL COMPONENT ENVELOPE

- (m) Original of duly signed and accomplished Financial Bid Form; **and**
 (n) Original of duly signed and accomplished Price Schedule(s)/Bid Breakdown.

IMPORTANT REMINDERS

- A) Pursuant to Section 19.4 of the Instruction to Bidders, each and every page of the Bid Forms, under Section VI: Bidding Forms hereof, shall be signed by the duly authorized representative/s of the Bidder. Failure to do so shall be a ground for the rejection of the bid.
- B) Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by the duly authorized representative/s of the Bidder.
- C) Bid documents shall be compiled in a folder/binder with the Annexes properly labeled with tabs/separators.
- D) Bidders shall submit their bids through their duly authorized representative enclosed in separate sealed envelopes, which shall be submitted simultaneously:
- a) The first three individually sealed envelopes shall contain the folder/binder of the Eligibility Requirements and Technical Component of the bid; prepared in three copies labeled as follows:
- Envelop (1): ORIGINAL – Eligibility Requirements and Technical Component
Envelop (2): COPY1 – Eligibility Requirements and Technical Component
Envelop (3): COPY2 – Eligibility Requirements and Technical Component
- b) The next three individually sealed envelopes shall contain the folder/binder of the Financial Component of the bid; prepared in three copies labeled as follows:
- Envelop (4): ORIGINAL – Financial Component
Envelop (5): COPY1 – Financial Component
Envelop (6): COPY2 – Financial Component
- c) Bidders shall enclose, seal and mark the following:
- Envelop (7): Envelope (1) and Envelope (4) enclosed in one sealed envelope marked "ORIGINAL-BID"
- Envelop (8): Envelope (2) and Envelope (5) enclosed in one sealed envelope marked "COPY1-BID"
- Envelop (9): Envelope (3) and Envelope (6) enclosed in one sealed envelope marked "COPY2-BID"
- d) Envelopes (7) to (9) shall then be enclosed in a single sealed, signed final/outer envelope/package/box
- e) All envelopes (Envelopes (1) to (9) and the final/outer envelope/package/box) shall indicate the following:

- addressed to the Procuring Entity's BAC
- name and address of the Bidder in capital letters
- name of the contract/project to be bid in capital letters
- bear the specific identification/reference code of this bidding process
- bear a warning "DO NOT OPEN BEFORE..." the date and time for the opening of bids

<p>THE CHAIRPERSON BIDS AND AWARDS COMMITTEE 2ND FLOOR, SSS MAIN BUILDING EAST AVENUE, DILIMAN, QUEZON CITY</p> <p>NAME OF BIDDER : _____ ADDRESS : _____</p> <p>NAME OF PROJECT: _____ ITB REFERENCE NUMBER: _____</p> <p style="text-align: center;">DO NOT OPEN BEFORE (the date and time for the opening of bids)</p>

- E) Bids submitted after the deadline shall only be marked for recording purposes, shall not be included in the opening of bids, and shall be returned to the bidder unopened.
- F) Bidders shall submit a copy of the Authority to Notarize issued by the Regional Trial Court to the Notarial Public.



FORMS

Bid Form for the Procurement of Goods

Lot I – Modular Office Systems / Workstations for Main Office and NCR Branches

BID FORM

SUPPLY, DELIVERY, AND INSTALLATION OF MODULAR OFFICE SYSTEMS AND FURNITURE FOR MAIN OFFICE AND BRANCHES

Date: _____

Project Identification No.: _____

To: **SOCIAL SECURITY SYSTEM**
East Avenue, Diliman, Quezon City

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to Supply, Deliver, and Install Modular Office Systems and Furniture for Main Office and Branches (Lot I – Modular Office Systems/ Workstations for Main Office and NCR Branches) in conformity with the said PBDs for the sum of **[total Bid amount in words and figures]** or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules/Bid Breakdown attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules/Bid Breakdown,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address of agent	Amount and Currency	Purpose of Commission or gratuity
---------------------------	---------------------	-----------------------------------

(if none, state “None”)

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.



The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices/Bid Breakdown, shall be a ground for the rejection of our bid.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____



Bid Form for the Procurement of Goods
Lot II – Seating Furniture for Main Office and NCR Branches

BID FORM

**SUPPLY, DELIVERY, AND INSTALLATION OF MODULAR OFFICE SYSTEMS
AND FURNITURE FOR MAIN OFFICE AND BRANCHES**

Date: _____
Project Identification No.: _____

To: **SOCIAL SECURITY SYSTEM**
East Avenue, Diliman, Quezon City

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to Supply, Deliver, and Install Modular Office Systems and Furniture for Main Office and Branches (Lot II – Seating Furniture for Main Office and NCR Branches) in conformity with the said PBDs for the sum of **[total Bid amount in words and figures]** or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules/Bid Breakdown attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules/Bid Breakdown,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address of agent	Amount and Currency	Purpose of Commission or gratuity

(if none, state “None”)

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.



The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices/Bid Breakdown, shall be a ground for the rejection of our bid.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____



Bid Form for the Procurement of Goods
Lot III – Contract Furniture for Main Office and NCR Branches

BID FORM

**SUPPLY, DELIVERY, AND INSTALLATION OF MODULAR OFFICE SYSTEMS
AND FURNITURE FOR MAIN OFFICE AND BRANCHES**

Date: _____
Project Identification No.: _____

To: **SOCIAL SECURITY SYSTEM**
East Avenue, Diliman, Quezon City

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to Supply, Deliver, and Install Modular Office Systems and Furniture for Main Office and Branches (Lot III – Contract Furniture for Main Office and NCR Branches) in conformity with the said PBDs for the sum of **[total Bid amount in words and figures]** or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules/Bid Breakdown attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules/Bid Breakdown,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address of agent	Amount and Currency	Purpose of Commission or gratuity

(if none, state “None”)

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.



The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices/Bid Breakdown, shall be a ground for the rejection of our bid.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____



Bid Form for the Procurement of Goods

Lot IV – Steel Shelves, Cabinets & Drawers for Main Office and NCR Branches

BID FORM

SUPPLY, DELIVERY, AND INSTALLATION OF MODULAR OFFICE SYSTEMS AND FURNITURE FOR MAIN OFFICE AND BRANCHES

Date: _____

Project Identification No.: _____

To: **SOCIAL SECURITY SYSTEM**
East Avenue, Diliman, Quezon City

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to Supply, Deliver, and Install Modular Office Systems and Furniture for Main Office and Branches (Lot IV – Steel Shelves, Cabinets & Drawers for Main Office and NCR Branches) in conformity with the said PBDs for the sum of **[total Bid amount in words and figures]** or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules/Bid Breakdown attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules/Bid Breakdown,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address of agent	Amount and Currency	Purpose of Commission or gratuity
_____	_____	_____
_____	_____	_____
_____	_____	_____

(if none, state “None”)

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.



The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices/Bid Breakdown, shall be a ground for the rejection of our bid.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____



Bid Form for the Procurement of Goods

Lot V – Modular Office Systems / Workstations for Luzon, Visayas, and Mindanao Branches

BID FORM

SUPPLY, DELIVERY, AND INSTALLATION OF MODULAR OFFICE SYSTEMS AND FURNITURE FOR MAIN OFFICE AND BRANCHES

Date: _____

Project Identification No.: _____

To: **SOCIAL SECURITY SYSTEM**
East Avenue, Diliman, Quezon City

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to Supply, Deliver, and Install Modular Office Systems and Furniture for Main Office and Branches (Lot V – Modular Office Systems / Workstations for Luzon, Visayas, and Mindanao Branches) in conformity with the said PBDs for the sum of **[total Bid amount in words and figures]** or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules/Bid Breakdown attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules/Bid Breakdown,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address of agent	Amount and Currency	Purpose of Commission or gratuity
_____	_____	_____
_____	_____	_____
_____	_____	_____

(if none, state “None”)

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.



The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices/Bid Breakdown, shall be a ground for the rejection of our bid.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____



Bid Form for the Procurement of Goods
Lot VI – Seating Furniture for Luzon, Visayas, and Mindanao Branches

BID FORM

**SUPPLY, DELIVERY, AND INSTALLATION OF MODULAR OFFICE SYSTEMS
AND FURNITURE FOR MAIN OFFICE AND BRANCHES**

Date: _____
Project Identification No.: _____

To: **SOCIAL SECURITY SYSTEM**
East Avenue, Diliman, Quezon City

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to Supply, Deliver, and Install Modular Office Systems and Furniture for Main Office and Branches (Lot VI – Seating Furniture for Luzon, Visayas, and Mindanao Branches) in conformity with the said PBDs for the sum of **[total Bid amount in words and figures]** or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules/Bid Breakdown attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules/Bid Breakdown,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address of agent	Amount and Currency	Purpose of Commission or gratuity

(if none, state “None”)

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.



The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices/Bid Breakdown, shall be a ground for the rejection of our bid.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____



Bid Form for the Procurement of Goods

Lot VII – Contract Furniture for Luzon, Visayas, and Mindanao Branches

BID FORM

SUPPLY, DELIVERY, AND INSTALLATION OF MODULAR OFFICE SYSTEMS AND FURNITURE FOR MAIN OFFICE AND BRANCHES

Date: _____

Project Identification No.: _____

To: **SOCIAL SECURITY SYSTEM**
East Avenue, Diliman, Quezon City

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to Supply, Deliver, and Install Modular Office Systems and Furniture for Main Office and Branches (Lot VII – Contract Furniture for Luzon, Visayas, and Mindanao Branches) in conformity with the said PBDs for the sum of **[total Bid amount in words and figures]** or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules/Bid Breakdown attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules/Bid Breakdown,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address of agent	Amount and Currency	Purpose of Commission or gratuity
---------------------------	---------------------	-----------------------------------

(if none, state “None”)

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.



The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices/Bid Breakdown, shall be a ground for the rejection of our bid.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____



Bid Form for the Procurement of Goods

Lot VIII – Steel Shelves, Cabinets & Drawers for Luzon, Visayas, and Mindanao Branches

BID FORM

SUPPLY, DELIVERY, AND INSTALLATION OF MODULAR OFFICE SYSTEMS AND FURNITURE FOR MAIN OFFICE AND BRANCHES

Date: _____

Project Identification No.: _____

To: **SOCIAL SECURITY SYSTEM**
East Avenue, Diliman, Quezon City

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to Supply, Deliver, and Install Modular Office Systems and Furniture for Main Office and Branches (Lot VIII – Steel Shelves, Cabinets & Drawers for Luzon, Visayas, and Mindanao Branches) in conformity with the said PBDs for the sum of **[total Bid amount in words and figures]** or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules/Bid Breakdown attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules/Bid Breakdown,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address of agent	Amount and Currency	Purpose of Commission or gratuity
---------------------------	---------------------	-----------------------------------

(if none, state “None”)

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.



The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices/Bid Breakdown, shall be a ground for the rejection of our bid.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____



Price Schedule(s)/Bid Breakdown

Name of Bidder _____ Invitation to Bid Number _____

Lot I – Modular Office Systems/ Workstation for Main Office and NCR Branches

Cost Component	No. of Sets	Cost per Set	Total Cost
Executive Workstation	19		
Supervisor’s Workstation	38		
Non-Supervisor’s Workstation	200		
TOTAL			

Note:

1. Any bid exceeding the ABC P 7,837,820.00 shall not be accepted.
2. Bids must be inclusive of freight cost and all applicable charges and taxes.
3. Fill up all required items/field in the bid breakdown. Failure to indicate any of the following shall mean outright disqualification since bid is considered Non-Responsive.
 - If the item is given for free, indicate dash (-), zero (0) or free
 - If the item is not applicable, indicate N/A
4. All documents shall be signed, and each and every page thereof shall be initialled, by the duly authorized representative/s of the Bidder.
5. Warranty requirement is at no cost to SSS.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____



Price Schedule(s)/Bid Breakdown

Name of Bidder _____ Invitation to Bid Number _____

Lot II – Seating Furniture for Main Office and NCR Branches

Cost Component	No. of Sets	Cost per Set	Total Cost
Executive Chair	54		
Non-Supervisor’s Chair	799		
Conference Chair	63		
Guest Chair 1	22		
Guest Chair 2	150		
4-Seater Gang Chair	18		
5-Seater Gang Chair	33		
Stackable Chair	11		
Accent Chair 1	1		
Accent Chair 2	1		
2-Seater Sofa	1		
TOTAL			

Note:

1. Any bid exceeding the ABC P 11,702,100.00 shall not be accepted.
2. Bids must be inclusive of freight cost and all applicable charges and taxes.
3. Fill up all required items/field in the bid breakdown. Failure to indicate any of the following shall mean outright disqualification since bid is considered Non-Responsive.
 - If the item is given for free, indicate dash (-), zero (0) or free
 - If the item is not applicable, indicate N/A
4. All documents shall be signed, and each and every page thereof shall be initialled, by the duly authorized representative/s of the Bidder.
5. Warranty requirement is at no cost to SSS.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____



Price Schedule(s)/Bid Breakdown

Name of Bidder _____ Invitation to Bid Number _____

Lot III – Contract Furniture for Main Office and NCR Branches

Cost Component	No. of Sets	Cost per Set	Total Cost
Guard Station	1		
Manager’s Back Cabinet	6		
Generalist/ Transaction Counter	33		
Conference Table	5		
Meeting Table, 4-Seater	5		
Free-Standing Printer Table	1		
Training Table	19		
Foldable Working Table	20		
Center Table	1		
TOTAL			

Note:

1. Any bid exceeding the ABC P 3,444,050.00 shall not be accepted.
2. Bids must be inclusive of freight cost and all applicable charges and taxes.
3. Fill up all required items/field in the bid breakdown. Failure to indicate any of the following shall mean outright disqualification since bid is considered Non-Responsive.
 - If the item is given for free, indicate dash (-), zero (0) or free
 - If the item is not applicable, indicate N/A
4. All documents shall be signed, and each and every page thereof shall be initialled, by the duly authorized representative/s of the Bidder.
5. Warranty requirement is at no cost to SSS.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____



Price Schedule(s)/Bid Breakdown

Name of Bidder _____ Invitation to Bid Number _____

Lot IV – Steel Shelves, Cabinets & Drawers for Main Office and NCR Branches

Cost Component	No. of Sets	Cost per Set	Total Cost
Mobile Pedestal Drawer	171		
4-Drawer Lateral Filing Cabinet	157		
4-Drawer Vertical Filing Cabinet	117		
Steel Open Shelves	184		
7-layer Steel Racks	1 lot		
Storage Cabinet	23		
Modular Wall Display Cabinet	1		
TOTAL			

Note:

1. Any bid exceeding the ABC P 15,242,130.00 shall not be accepted.
2. Bids must be inclusive of freight cost and all applicable charges and taxes.
3. Fill up all required items/field in the bid breakdown. Failure to indicate any of the following shall mean outright disqualification since bid is considered Non-Responsive.
 - If the item is given for free, indicate dash (-), zero (0) or free
 - If the item is not applicable, indicate N/A
4. All documents shall be signed, and each and every page thereof shall be initialled, by the duly authorized representative/s of the Bidder.
5. Warranty requirement is at no cost to SSS.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____



Price Schedule(s)/Bid Breakdown

Name of Bidder _____ Invitation to Bid Number _____

Lot V – Modular Office Systems/ Workstation for Luzon, Visayas, and Mindanao Branches

Cost Component	No. of Sets	Cost per Set	Total Cost
Executive Workstation	10		
Supervisor’s Workstation	62		
Non-Supervisor’s Workstation	160		
UMID Capture Workstation	7		
TOTAL			

Note:

1. Any bid exceeding the ABC P 9,921,564.00 shall not be accepted.
2. Bids must be inclusive of freight cost and all applicable charges and taxes.
3. Fill up all required items/field in the bid breakdown. Failure to indicate any of the following shall mean outright disqualification since bid is considered Non-Responsive.
 - If the item is given for free, indicate dash (-), zero (0) or free
 - If the item is not applicable, indicate N/A
4. All documents shall be signed, and each and every page thereof shall be initialled, by the duly authorized representative/s of the Bidder.
5. Warranty requirement is at no cost to SSS.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____



Price Schedule(s)/Bid Breakdown

Name of Bidder _____ Invitation to Bid Number _____

Lot VI – Seating Furniture for Luzon, Visayas, and Mindanao Branches

Cost Component	No. of Sets	Cost per Set	Total Cost
Executive Chair	27		
Non-Supervisor’s Chair	559		
Conference Chair	73		
Guest Chair 1	13		
Guest Chair 2	66		
4-Seater Gang Chair	175		
5-Seater Gang Chair	16		
Stackable Chair	19		
TOTAL			

Note:

1. Any bid exceeding the ABC P 12,884,545.00 shall not be accepted.
2. Bids must be inclusive of freight cost and all applicable charges and taxes.
3. Fill up all required items/field in the bid breakdown. Failure to indicate any of the following shall mean outright disqualification since bid is considered Non-Responsive.
 - If the item is given for free, indicate dash (-), zero (0) or free
 - If the item is not applicable, indicate N/A
4. All documents shall be signed, and each and every page thereof shall be initialled, by the duly authorized representative/s of the Bidder.
5. Warranty requirement is at no cost to SSS.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____



Price Schedule(s)/Bid Breakdown

Name of Bidder _____ Invitation to Bid Number _____

Lot VII – Contract Furniture for Luzon, Visayas, and Mindanao Branches

Cost Component	No. of Sets	Cost per Set	Total Cost
Guard Station	7		
Manager’s Back Cabinet	6		
Forms Writing Counter	12		
Generalist/ Transaction Counter	17		
Information Booth	3		
Conference Table	3		
Meeting Table, 4-Seater	5		
Free-Standing Printer Table	4		
Training Table	4		
TOTAL			

Note:

1. Any bid exceeding the ABC P 2,722,309.00 shall not be accepted.
2. Bids must be inclusive of freight cost and all applicable charges and taxes.
3. Fill up all required items/field in the bid breakdown. Failure to indicate any of the following shall mean outright disqualification since bid is considered Non-Responsive.
 - If the item is given for free, indicate dash (-), zero (0) or free
 - If the item is not applicable, indicate N/A
4. All documents shall be signed, and each and every page thereof shall be initialled, by the duly authorized representative/s of the Bidder.
5. Warranty requirement is at no cost to SSS.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____



Price Schedule(s)/Bid Breakdown

Name of Bidder _____ Invitation to Bid Number _____

Lot VIII – Steel Shelves, Cabinets & Drawers for Luzon, Visayas, and Mindanao Branches

Cost Component	No. of Sets	Cost per Set	Total Cost
Mobile Pedestal Drawer	198		
4-Drawer Lateral Filing Cabinet	300		
4-Drawer Vertical Filing Cabinet	21		
Steel Open Shelves	254		
Storage Cabinet	9		
TOTAL			

Note:

1. Any bid exceeding the ABC P 17,932,656.00 shall not be accepted.
2. Bids must be inclusive of freight cost and all applicable charges and taxes.
3. Fill up all required items/field in the bid breakdown. Failure to indicate any of the following shall mean outright disqualification since bid is considered Non-Responsive.
 - If the item is given for free, indicate dash (-), zero (0) or free
 - If the item is not applicable, indicate N/A
4. All documents shall be signed, and each and every page thereof shall be initialled, by the duly authorized representative/s of the Bidder.
5. Warranty requirement is at no cost to SSS.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____



Formula in the Computation of NFCC

NAME OF PROJECT

NAME OF COMPANY

NFCC = 15 (Current Assets – Current Liabilities) – Value of All Outstanding Works under On-going Contracts including Awarded Contracts yet to be started)

YEAR	CURRENT ASSETS	CURRENT LIABILITIES
TOTAL		

Value of Outstanding Works under On-going Contracts:

CONTRACT DESCRIPTION	TOTAL CONTRACT AMOUNT AT AWARD	PERCENTAGE OF PLANNED AND ACTUAL ACCOMPLISHMENT	ESTIMATED COMPLETION TIME
TOTAL			

Use additional sheet/s, if necessary

FORMULA:

$$15 \left(\frac{\text{Current Assets}}{\text{Current Assets}} - \frac{\text{Current Liabilities}}{\text{Current Liabilities}} \right) - \frac{\text{Total Outstanding Works}}{\text{Total Outstanding Works}} = \text{NFCC}$$

P _____
NFCC

Prepared and Submitted by:

Signature over Printed Name



(Name of Bank)

COMMITTED LINE OF CREDIT CERTIFICATE

Date: _____

Social Security System (SSS)
SSS Main Building, East Avenue
Diliman, Quezon City

CONTRACT PROJECT	:	_____
COMPANY/FIRM	:	_____
ADDRESS	:	_____
BANK/FINANCING	:	_____
INSTITUTION	:	_____
ADDRESS	:	_____
AMOUNT	:	_____

This is to certify that the above Bank/Financing Institution with business address indicated above, commits to provide the (Supplier/Distributor/Manufacturer/Contractor), if awarded the above-mentioned Contract, a credit line in the amount specified above which shall be exclusively used to finance the performance of the above-mentioned contract subject to our terms, conditions and requirements.

The credit line shall be available within fifteen (15) calendar days after receipt by the (Supplier/Distributor/Manufacturer/Contractor) of the Notice of Award and such line of credit shall be maintained until issuance of Certificate of Acceptance by the Social Security System.

This Certification is being issued in favor of said (Supplier/Distributor/Manufacturer/Contractor) in connection with the bidding requirement of (Name of Procuring Entity) for the above-mentioned Contract. We are aware that any false statements issued by us make us liable for perjury.

The committed line of credit cannot be terminated or cancelled without the prior written approval of Social Security System.

Name and Signature of Authorized Financing Institution Office

Office Designation

Concurred by:

Name & Signature of (Supplier/Distributor/Manufacturer/Contractor) Authorized Representative

Official Designation

SUBSCRIBED AND SWORN TO BEFORE ME this _____ day of _____ at _____
Philippines, Affiant exhibited to me his/her competent Evidence of Identity (as defines by the 2004
Rules on Notarial Practice _____ issued on _____ at _____, Philippines.

NOTARY PUBLIC

Doc No. : _____
Page No. : _____
Book No. : _____
Series of : _____

(Note: The amount committed should be machine validated in the Certificate itself)



FORM-05

STATEMENT OF ON-GOING GOVERNMENT AND PRIVATE CONTRACTS

NAME OF CONTRACT	DATE OF CONTRACT	CONTRACT DURATION	CONTACT PERSON, CONTACT NO., ADDRESS, AND EMAIL ADDRESS	KINDS OF GOODS	AMOUNT OF CONTRACT	VALUE OF OUTSTANDING CONTRACT	REMARKS (Indicate "With NDA" or "Without NDA")

NOTE: INCLUDING PROJECTS WITH NON-DISCLOSURE AGREEMENT(NDA).

FORM-06

**STATEMENT OF SINGLE LARGEST COMPLETED CONTRACT SIMILAR TO
THE PROJECT TO BE BID EQUIVALENT TO AT LEAST 50% OF THE ABC
WITH ATTACHED CERTIFICATE OF FINAL COMPLETION**

**LOT I – MODULAR OFFICE SYSTEMS / WORKSTATIONS FOR MAIN OFFICE
AND NCR BRANCHES**

NAME OF CONTRACT	CONTRACT TERM	AMOUNT OF CONTRACT	CONTACT PERSON, CONTACT NO., ADDRESS, AND EMAIL ADDRESS



FORM-06-A

**STATEMENT OF SINGLE LARGEST COMPLETED CONTRACT SIMILAR TO
THE PROJECT TO BE BID EQUIVALENT TO AT LEAST 50% OF THE ABC
WITH ATTACHED CERTIFICATE OF FINAL COMPLETION**

LOT II – SEATING FURNITURE FOR MAIN OFFICE AND NCR BRANCHES

NAME OF CONTRACT	CONTRACT TERM	AMOUNT OF CONTRACT	CONTACT PERSON, CONTACT NO., ADDRESS, AND EMAIL ADDRESS



FORM-06-B

**STATEMENT OF SINGLE LARGEST COMPLETED CONTRACT SIMILAR TO
THE PROJECT TO BE BID EQUIVALENT TO AT LEAST 50% OF THE ABC
WITH ATTACHED CERTIFICATE OF FINAL COMPLETION**

LOT III – CONTRACT FURNITURE FOR MAIN OFFICE AND NCR BRANCHES

NAME OF CONTRACT	CONTRACT TERM	AMOUNT OF CONTRACT	CONTACT PERSON, CONTACT NO., ADDRESS, AND EMAIL ADDRESS



FORM-06-C

**STATEMENT OF SINGLE LARGEST COMPLETED CONTRACT SIMILAR TO
THE PROJECT TO BE BID EQUIVALENT TO AT LEAST 50% OF THE ABC
WITH ATTACHED CERTIFICATE OF FINAL COMPLETION**

**LOT IV – STEEL SHELVES, CABINETS & DRAWERS FOR MAIN OFFICE AND
NCR BRANCHES**

NAME OF CONTRACT	CONTRACT TERM	AMOUNT OF CONTRACT	CONTACT PERSON, CONTACT NO., ADDRESS, AND EMAIL ADDRESS



FORM-06-D

**STATEMENT OF SINGLE LARGEST COMPLETED CONTRACT SIMILAR TO
THE PROJECT TO BE BID EQUIVALENT TO AT LEAST 50% OF THE ABC
WITH ATTACHED CERTIFICATE OF FINAL COMPLETION**

**LOT V – MODULAR OFFICE SYSTEMS / WORKSTATIONS FOR LUZON,
VISAYAS, AND MINDANAO BRANCHES**

NAME OF CONTRACT	CONTRACT TERM	AMOUNT OF CONTRACT	CONTACT PERSON, CONTACT NO., ADDRESS, AND EMAIL ADDRESS



FORM-06-E

**STATEMENT OF SINGLE LARGEST COMPLETED CONTRACT SIMILAR TO
THE PROJECT TO BE BID EQUIVALENT TO AT LEAST 50% OF THE ABC
WITH ATTACHED CERTIFICATE OF FINAL COMPLETION**

**LOT VI – SEATING FURNITURE FOR LUZON, VISAYAS, AND MINDANAO
BRANCHES**

NAME OF CONTRACT	CONTRACT TERM	AMOUNT OF CONTRACT	CONTACT PERSON, CONTACT NO., ADDRESS, AND EMAIL ADDRESS



FORM-06-F

**STATEMENT OF SINGLE LARGEST COMPLETED CONTRACT SIMILAR TO
THE PROJECT TO BE BID EQUIVALENT TO AT LEAST 50% OF THE ABC
WITH ATTACHED CERTIFICATE OF FINAL COMPLETION**

**LOT VII – CONTRACT FURNITURE FOR LUZON, VISAYAS, AND MINDANAO
BRANCHES**

NAME OF CONTRACT	CONTRACT TERM	AMOUNT OF CONTRACT	CONTACT PERSON, CONTACT NO., ADDRESS, AND EMAIL ADDRESS



FORM-06-G

**STATEMENT OF SINGLE LARGEST COMPLETED CONTRACT SIMILAR TO
THE PROJECT TO BE BID EQUIVALENT TO AT LEAST 50% OF THE ABC
WITH ATTACHED CERTIFICATE OF FINAL COMPLETION**

**LOT VIII – STEEL SHELVES, CABINETS & DRAWERS FOR LUZON, VISAYAS,
AND MINDANAO BRANCHES**

NAME OF CONTRACT	CONTRACT TERM	AMOUNT OF CONTRACT	CONTACT PERSON, CONTACT NO., ADDRESS, AND EMAIL ADDRESS



Bid Securing Declaration Form

Lot I – Modular Office Systems / Workstations for Main Office and NCR Branches

REPUBLIC OF THE PHILIPPINES) CITY OF _____) S.S.

BID SECURING DECLARATION

Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory’s legal capacity] Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

GPPB Resolution No. 16-2020, dated 16 September 2020



Bid Securing Declaration Form

Lot II – Seating Furniture for Main Office and NCR Branches

REPUBLIC OF THE PHILIPPINES) CITY OF _____) S.S.

BID SECURING DECLARATION

Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory’s legal capacity] Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

GPPB Resolution No. 16-2020, dated 16 September 2020



Bid Securing Declaration Form

Lot III – Contract Furniture for Main Office and NCR Branches

REPUBLIC OF THE PHILIPPINES) CITY OF _____) S.S.

BID SECURING DECLARATION

Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity] Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

GPPB Resolution No. 16-2020, dated 16 September 2020



Bid Securing Declaration Form

Lot IV – Steel Shelves, Cabinets, & Drawers for Main Office and NCR Branches

REPUBLIC OF THE PHILIPPINES) CITY OF _____) S.S.

BID SECURING DECLARATION

Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory’s legal capacity] Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

GPPB Resolution No. 16-2020, dated 16 September 2020



Bid Securing Declaration Form

Lot V – Modular Office Systems / Workstations for Luzon, Visayas, and Mindanao Branches

REPUBLIC OF THE PHILIPPINES) CITY OF
_____) S.S.

BID SECURING DECLARATION

Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of [month]
[year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED
REPRESENTATIVE]
[Insert signatory's legal capacity] Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

GPPB Resolution No. 16-2020, dated 16 September 2020



Bid Securing Declaration Form

Lot VI – Seating Furniture for Luzon, Visayas, and Mindanao Branches

REPUBLIC OF THE PHILIPPINES) CITY OF _____) S.S.

BID SECURING DECLARATION

Project Identification No.: [Insert number]

To: *[Insert name and address of the Procuring Entity]*

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of *[month]* *[year]* at *[place of execution]*.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity] Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

GPPB Resolution No. 16-2020, dated 16 September 2020



Bid Securing Declaration Form

Lot VII – Contract Furniture for Luzon, Visayas, and Mindanao Branches

REPUBLIC OF THE PHILIPPINES) CITY OF _____) S.S.

BID SECURING DECLARATION

Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory’s legal capacity] Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

GPPB Resolution No. 16-2020, dated 16 September 2020



Bid Securing Declaration Form

Lot VIII – Steel Shelves, Cabinets & Drawers for Luzon, Visayas, and Mindanao Branches

REPUBLIC OF THE PHILIPPINES) CITY OF _____) S.S.

BID SECURING DECLARATION

Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity] Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

GPPB Resolution No. 16-2020, dated 16 September 2020



Contract Agreement Form for the Procurement of Goods (Revised)

[Not required to be submitted with the Bid, but it shall be submitted within ten (10) days after receiving the Notice of Award]

CONTRACT AGREEMENT

**SUPPLY, DELIVERY AND INSTALLATION OF MODULAR OFFICE SYSTEMS
AND FURNITURE FOR MAIN OFFICE AND BRANCHES**

ITB-SSS-Goods-2023-____

THIS AGREEMENT made between:

SOCIAL SECURITY SYSTEM, a government-owned and controlled corporation created pursuant to Republic Act No. 11199, with principal office address at SSS Building, East Avenue, Diliman, Quezon City, represented herein by its Approving Authority and (Position of Approving Authority), (Name of Approving Authority) and (Position of Signatory), (Name of signatory), duly authorized pursuant to Administrative Order _____, _____ (pertaining to Approving Authority) (Annex “A”) and Office Order _____, _____ (Annex “B”) (pertaining to signatories), hereinafter referred to as the “SSS”;

- a n d -

(NAME OF SUPPLIER), of legal age, Filipino, single/married, with principal address at _____, hereinafter referred to as the “Supplier”.

If corporation

(NAME OF SUPPLIER), a corporation duly created and existing pursuant to the laws of the Republic of the Philippines, with principal office address at _____, represented herein by its (Position of Signatory), (Name of Signatory), duly authorized pursuant to _____, _____, hereinafter referred to as the “Supplier”.

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly [brief description of goods and services] (PROJECT) and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [contract price in words and figures in specified currency] (hereinafter called “the Contract Price”).

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, viz.:
 - a. Philippine Bidding Documents (PBDs);
 - i. Schedule of Requirements;
 - ii. Technical Specifications;
 - iii. General and Special Conditions of Contract; and
 - iv. Supplemental or Bid Bulletins, if any



- b. Supplier's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (e.g., Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- c. Performance Security;
- d. Notice of Award of Contract; and the Bidder's conforme thereto; and
- e. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. **Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.**

- 3. In consideration for the sum of *[total contract price in words and figures]* or such other sums as may be ascertained, *[Named of the bidder]* agrees to *[state the object of the contract]* in accordance with his/her/its Bid.
- 4. SSS agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the date and place indicated in their respective acknowledgments.

[Insert Name and Signature]

[Insert Name and Signature]

[Insert Position of Signatory]

[Insert Position of Signatory]

for:

SSS

for:

[Insert Name of Supplier]



(In case of double acknowledgment which is usually used by the SSS)

SIGNED IN THE PRESENCE OF:

(Name of Certifying officer as to availability of funds)

(Position of Certifying Officer)

(Department/Office of Certifying Officer)

FUNDS AVAILABLE:

APP No.: _____

FIRST ACKNOWLEDGMENT

Republic of the Philippines)
_____) S.S.

BEFORE ME, a Notary Public for and in _____, Philippines, on this _____ day of _____ personally appeared:

Name	Competent Evidence of Identity	Date/Place of Issue

known to me to be the same person who executed the foregoing Agreement, consisting of _____ (____) pages, including this page and excluding annexes, and he/she/they acknowledged to me that the same is his/her/their free and voluntary act and deed as well as the free and voluntary act and deed of the principal he/she /they represent/s in this instance.

WITNESS MY HAND AND SEAL on the date and place first above written.

Doc. No. _____;
Page No. _____;
Book No. _____;
Series of 20__.



SIGNED IN THE PRESENCE OF:

SECOND ACKNOWLEDGMENT

Republic of the Philippines)
_____) S.S.

BEFORE ME, a Notary Public for and in _____, Philippines, on this _____ day of _____ personally appeared:

Name	Competent Evidence of Identity	Date/Place of Issue

known to me to be the same person who executed the foregoing Agreement, consisting of _____ (__) pages, including this page and excluding annexes, and he/she/they acknowledged to me that the same is his/her/their free and voluntary act and deed (if corporation to include succeeding phrase) as well as the free and voluntary act and deed of the principal he/she/they represent/s in this instance.

WITNESS MY HAND AND SEAL on the date and place first above written.

Doc. No. _____;
Page No. _____;
Book No. _____;
Series of 20__.

GPPB Resolution No. 16-2020, dated 16 September 2020



Omnibus Sworn Statement (Revised)

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, *[Name of Affiant]*, of legal age, *[Civil Status]*, *[Nationality]*, and residing at *[Address of Affiant]*, after having been duly sworn in accordance with law, do hereby depose and state that:

1. **Select one, delete the other:**

[If a sole proprietorship:] I am the sole proprietor or authorized representative of *[Name of Bidder]* with office address at *[address of Bidder]*;

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of *[Name of Bidder]* with office address at *[address of Bidder]*;

2. **Select one, delete the other:**

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of *[Name of Bidder]*, I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for *[Name of the Project]* of the *[Name of the Procuring Entity]* as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for *[Name of the Project]* of the *[Name of the Procuring Entity]*, as shown in the attached [state title of attached documents showing proof of authorization (e.g., duly notarized Secretary’s Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

3. *[Name of Bidder]* is not “blacklisted” or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. *[Name of Bidder]* is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. **Select one, delete the rest:**

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a) Carefully examining all of the Bidding Documents;
 - b) Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c) Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d) Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. **In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s.1930, as amended, or the Revised Penal Code.**

IN WITNESS WHEREOF, I have hereunto set my hand this ___ day of ___, 20__ at _____, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

GPPB Resolution No. 16-2020, dated 16 September 2020

