## PROJECT: INTERNAL FIREWALL

## QUERIES/CLARIFICATIONS RAISED DURING THE PRE-BID CONFERENCE:

Query/Clarifications	TWG/BAC Reply
Where does the transceiver be put in use? Is that to be put in the firewall or on the devices?	This will be connected to the CISCO core switch.

## **WRITTEN QUERIES:**

	Query/Clarifications	TWG/BAC Reply
HALL	SON Computer Systems Inc	I WG/BAC Reply
1	If possible, to consider that "Only Bidders	We maintain our requirement.
ı	who are allowed to join are bidders that don't	vve maintain our requirement.
	have any history of blacklisting with Philgeps	
	within 6 months" for Procurement of Goods	
	Internet Firewall. This refers to the	
	discussion from the Prebid Conference	
CVA/F	dated March 27, 2025 @ 2:30pm	
	PKS IT Solutions Inc.	NAT
2	On page 33; Item #16:	We maintain our requirement.
	Must support Full configuration of DNS,	
	DHCP and NTP.	
	Using the Internal Firewall as a DHCP	
	Server will cause so much toll on the Firewall	
	performance. This is not best practice	
	because it is prone to error and downtime.	
	Is this the current configuration of SSS for its	
	Internal Firewall?	
	If this is not the case, then we would like to	
	request to remove "DHCP" as part of this	
	statement.	
3	On page 33; Item #18:	We maintain our requirement.
	The system must support flow and proxy-	
	based antivirus options for choice between	
	protection and performance.	
	This statement is very specific to flow/proxy	
	based AV which may be proprietary to a	
	certain brand, can we propose an equivalent	
	functionality such as a network antivirus for	
	this particular requirement?	
4	On page 33; Item #20:	The ability to allow or block specific grayware
	Shall provide ability allow or block specific	groups such as adware, BHOs, and keyloggers
	grayware groups such as adwares, BHO and	gives administrators granular control over
	keyloggers. Since malware protection	network security.
	should be automatic and updated rather than	
	defining it manually, can you please	
_	clarify/define the meaning of this statement?	
5	On page 36; Item #10:	We maintain our requirement.
	The system must be capable of managing a	
	maximum of 1800 logical systems on a	
	single virtual or physical appliance.	
	We believe that this requirement is very large	
	and may not be logical at this point. Kindly	
	consider lowering this down to maybe 500 or	
	800 logical systems since SSS may not be	
	able to consume this much at this point.	
6	On page 36; Item #16:	The 55 days analytics shall be performed within
	The system must be capable of having a	six (6) months log retention.
	maximum of 55 days Analytics.	
	Can you share more information about this	
	statement because on Item #13 (The system	

must support six (6) months log retention.) there was a mention of six (6) months log retention? This is somewhat confusing since the log retention requirements is six (6) months and now the analytics is being defined as 55 days maximum. Does it mean the log retention is on log file only and without any analytics on it? Or should the 55 days be within the six (6) months log retention? To avoid any ambiguity, perhaps SSS may consider removing Item #16 and retain Item #13 only. On page 36; Item #18: We maintain our requirement. The system must have a Collector sustained log rate of at least 25,000 logs/sec. Is there a business case that requires the 25,000 log/sec? Will SSS consider to lowering this to 20,000 log/sec? On page 38; Item #4.4: 8 Bidder must have one installed Firewall setup Bidder must have one installed Firewall or any firewall implementation (any brand). similar to SSS set up. Bidder must provide a Bidder must provide a copy of the project copy of the project acceptance and/or, acceptance and or, contact person, contact contact person, contact number and email number and email address. address. Kindly clarify or define the meaning of "one installed Firewall similar to SSS set up "since there was no mention in the Bid Documents about the current Internal Firewall setup of SSS. There were no drawings or designs included in the Bid Documents, too. While we do understand the logic behind this, the phrase "one installed Firewall similar to SSS set up "may be subjective and may cause disqualification of any bidder since the word "similar" may pose different meaning or interpretation to every individual. This is most especially true to those bidders who do not have experience to be a contractor of SSS. What will happen if a bidder submits something which he thinks is "similar" but at the end of the day SSS will say "No. It's not similar."? We know SSS BAC will be the final arbiter being the Procuring Entity; however, can we say that this is fair? Honestly, this requirement is very much favorable/advantageous to the incumbent contractor of SSS because they know every detail of the current setup. Is SSS willing to the Internal share configuration/setup to all prospective bidders to satisfy this requirement of the bid? Or maybe SSS should define which are the internal firewall setup that can be considered as "similar" to be more defined and be fair to all bidders. On page 38; Item #4.5: This amends Page 38: Item 4.5 We find the requirement for One (1) Cisco Certified Internetwork Expert and One (1) Bidder must have at least one (1) Cisco Cisco Certified Network Professional to be Certified engineer (Cisco Certified Network restrictive rather than descriptive since the Professional) that will be involved on the primary item that SSS will procure in this bid project. is an Internal Firewall not Cisco Switches. And based on Technical Specifications, SSS needs 16 x 40GE QSFP+ Cisco Transceiver and 4 x 10GE Cisco Transceiver which are

	not really critical part of the Internal Firewall.	
	Do these Cisco products require Cisco	
	Certified Engineers to be	
	installed/connected? These items may be	
	installed/connected by Network Engineers	
	who do not necessarily have Cisco	
	Certifications. Besides, we do believe that	
	SSS has a live maintenance contract with	
	your Network Maintenance Provider in case	
	we need further assistance during the	
	implementation of the Internal Firewall. This	
	is beside the usual network engineers that	
	the bidders employ. May we request that	
	these requirements be removed since, as	
	mentioned, those are restrictive rather than	
	descriptive?	
AMT		
10	From: Bidder must have at least 2 Cisco	Refer to Item No. 9.
	Certified engineers that will be	
	involved on the project	
	One (1) Cisco Certified Internetwork	
	Expert One (1) Cisco Certified	
	Network Professional	
	To: One (1) Ciaco Cortified Notwork	
	To: One (1) Cisco Certified Network Professional	
11	From: Opening of Bids April 10, 2025	Submission and Opening of Bids shall be on
' '	To: April 23, 2025, for us to have ample time	24 April 2025, 2:00 p.m.
	to prepare the bid	217 pm 2020, 2.00 p.m.
Univ	versal Access and Systems Solutions Phils.	Inc
12	Page 35, Item No. 18.	Yes. You can propose higher than 1RU.
	Must be at least 1RU Rackmount.	
	May we clarify if we can propose an	
	appliance that is 2RU in height which is	
	higher than 1RU?	
13	Page 36, Item No.11	Yes. Higher specification is acceptable.
	The system must have 2x 2.5GbE RJ45	
	ports.	
	Does the items in the TOR indicate minimum	
	requirements? Can we propose solution with	
	higher specs? (ex. 2x10G SFP ports instead	
4.4	of 2x2.5GbE)	Transpolitor Consideration:
14	Page 37, Item No.06 and 7	Transceiver Specification:
	Hardware Specification Requirement – Internal Firewall" -16x40GE QSF+ Cisco	-16x40GE QSF+ Cisco Transceiver -4x10GE Cisco Transceiver
	Transceiver -4x10GE Cisco Transceiver	CISCO HAIISCEIVEI
	What is the specification of the required	Multimode
	Cisco Transceivers? Single-mode or	Transceivers will be used to connect FW to the
	Multimode? What are the exact models of	Cisco Core Switch.
	the Core switches where we will provide the	Sisso Coro Switch.
	transceivers?" What is the use of the	
	transceivers this for firewall? What is the	
	specific cisco transceiver?	
	2.1 What are the model/s of the Cisco	2.1 Model: Cisco Nexus 7700 Series Switches
	Switch/es where the Cisco Transceivers will	
	be used?	
	2.2 What is the specifications of the	2.2 Refer to #. 06 and 07. Multimode
	transceivers required? Single mode or	
	Multimode?	2.2 For Cioco Core Coditate and Community
	2.3 Does the quantity indicated in the TOR	2.3 For Cisco Core Switch only. Separate
	for the existing Cisco Core switch alone or does this cover also the transceivers for the	Transceivers for Firewall
	firewalls?	
	2.4 If the cisco transceiver count indicated	2.4 Yes. Propose transceivers on the firewall
	also cover the accessories for the firewall,	must be the same brand with your proposed
	can we propose the transceivers on the	firewall

	firewall to be the same brand with our	
15	proposed firewall?	Yes. Certificate of Manufacturer Partnership is
15	Page 38, Item No.4.1 Certificate from Manufacturer of Firewall	acceptable.
	devices stating that the bidder is at least a	acceptable.
	Certified Expert Partner or equivalent (state	
	the level of partnership).	
	Considering that each vendor/manufacturer has a different partner policy, may we	
	provide their standard partner policy	
	certificates?	
16	Page 39, Item No.2.5	No specific venue for the annual performance
	-Annual Performance Review/Assessment Sessions attended by fifteen (15) SSS	review. This will be discussed during project implementation.
	technical personnel must be conducted by	implementation.
	the winning bidder per year for Three (3)	
	years, at no cost to SSS.	
	May we know if there is specific venue for this Annual Performance Review of	
	Assessment Sessions?	
17	Do you have an existing WAN switch to split	Yes. WAN Switch is available.
	the ISP connection to the primary and secondary firewall?	
18	May we kindly request to extend the bidding	Please refer to Item 11.
	submission to April 16, 2025?	
	OVE Communications Inc	
19	May we know if the three (3) years warranty covers both parts and labor? Additionally,	Yes. This includes the three (3) years warranty covers both parts and labor. It includes on-site
	does it include on-site support, replacement,	support, replacement, or preventive
	or preventive maintenance service?	maintenance service
20	May we clarify if the 24x7 on-call support	Yes. The 24x7 on-call support includes both
	includes both remote and onsite support assistance? Additionally, what is the	remote and onsite support assistance.
	assistance? Additionally, what is the expected response and resolution time for	For the resolution time, please refer to Bid Docs Section V. Special Conditions of Contract item
	critical and non-critical issues?	5.1
21	May we clarify the duration of the firewall	The duration of Firewall license is three (3)
	license subscription? Is it for 1 year or 3 years?	Years.
22	May we confirm whether the Annual	The annual performance review shall be
	Performance Review/Assessment Sessions	conducted face to face. The duration will be one
	must be conducted in a physical, virtual or hybrid format? Additionally, are there any	or two days. The agenda or evaluation criteria will be discussed during project implementation
	specific requirements regarding the duration,	and based on your performance.
	agenda or evaluation criteria for these	
	sessions?	
IRE	NDS AND TECHNOLOGIES INC. On page 16, 5.3 For this purpose, contracts	For this purpose, contracts similar to the
	similar to the Project shall be: a. Supply,	Project shall be:
	Delivery, Installation and Configuration into	
	Operational State of Firewall b. Completed	a. Supply, Delivery, Installation and Con-
	within five (5) years prior to the deadline for the submission and receipt of bids. Question	figuration into Operational State of Fire- wall or Next Generation Intrusion Pre-
	1.1 As option to above definition of similar	vention System (NGIPS)
	contract, kindly consider Procurement of	, , , , , , , , , , , , , , , , , , , ,
	Next Generation Intrusion Prevention	This amends Section 3. Clause 5.3 of page 16.
	System NGIPS completed within five (5) years prior to the deadline for the submission	
	and receipt of bids.	
	On page 26, Item n The Service Provider	2.1 We maintain our requirement.
	must provide support to Move, Add Changes, Integrate and Delete	2.2 This applies both to HO and DR relocation.
	Configuration Services while under warranty	2.2 The applied both to 110 and bit folloation.
	at no cost to SSS. Question 2.1 Can you	
	consider 3 requests for Move, Add Changes,	
	Integrate and Delete Configuration per year?	

Question 2.2 For the "Move" requirement, Is this within HO and DR relocation only?	
On page 47, Price Schedule breakdown. The description of item 2 below price schedule/bid breakdown is different from the	Section VI. Schedule of Requirements is correct.
description in Section VI Schedule of requirement item 2 page 31. Question 3.1	This amends Bid Breakdown Item 2.
Which is correct?	2. Internal Firewall Hardware for Disaster Recovery Site