



Republic of the Philippines
SOCIAL SECURITY SYSTEM

East Avenue, Diliman Quezon City * Trunkline Number: (+632) 8709 7198
Email: ussaptayo@sss.gov.ph * Website: www.sss.gov.ph



16 October 2025

Dear Sir/Madam,

Please furnish us with your quotation on or before **NOVEMBER 03, 2025 @ 10:00 AM** for the items listed in the attached **Request for Quotation (RFQ)**.

Kindly accomplish the **RFQ Form No. 25-10-173_17 Items/Lots, Tools and Equipment for EFMD-MBET** together with the **Bidder's Information** and indicate your confirmation on the **Terms and Conditions** by signing the **Certification**.

Refer to the Instruction to Suppliers for the procedure on the submission of quotation.

Thank you.

Respectfully yours,

JUNJIE M. LABANGCO
Department Manager III,

PHILGEPS REF. NO.: 12494072
DATE PUBLISHED : 10/16/25
POSTED BY : AMY
POSTPONED : 10/22/25; 10/27/25

REQUEST FOR QUOTATION (RFQ) FORM

RFQ Number 25-10-173		RFQ Date October 16, 2025	ABC ₱ 991,178.00 (Part of ₱ 1,785,070.00)	APP NO. 2025-0190
Tools and Equipment for EFMD-MBET				
Item/Lot No.	Quantity	PARTICULARS	Bid/Cost Breakdown	
			Unit Cost (As Read)	Total Cost (As Read)
(a)	(b)	(c)	(d)	(e) = (b) * (d)
1	2 Sets	Cordless Brushless Hammer Drill (Heavy Duty) ABC: ₱ 32,480.00 / Set	₱ _____ / Set	₱ _____
2	1 Unit	Angle Grinder (Corded) ABC: ₱ 10,850.00 / Unit	₱ _____ / Unit	₱ _____
3	1 Set	Heavy Duty Table Saw ABC: ₱ 44,996.00 / Set	₱ _____ / Set	₱ _____
4	1 Set	Green Beam Multiline Laser Level ABC: ₱ 32,662.00 / Set	₱ _____ / Set	₱ _____
5	1 Set	Planer, Heavy Duty (Corded) ABC: ₱ 7,875.00 / Set	₱ _____ / Set	₱ _____
6	1 Unit	Plunge Router (Corded) ABC: ₱ 13,019.00 / Unit	₱ _____ / Unit	₱ _____
7	1 Unit	Palm Router, 1/4" ABC: ₱ 3,065.00 / Unit	₱ _____ / Unit	₱ _____
8	1 Unit	Air Compressor ABC: ₱ 37,201.00 / Unit	₱ _____ / Unit	₱ _____
9	2 Pieces	Spray Gun w/ Brass Connector ABC: ₱ 2,320.00 / Piece	₱ _____ / Piece	₱ _____
10	1 Set	Rotary Hammer 40mm (1-9/16") SDS-MAX Shank with AVT om Carrying Case ABC: ₱ 76,580.00 / Set	₱ _____ / Set	₱ _____
11	1 Unit	Circular Saw Machine ABC: ₱ 23,380.00 / Unit	₱ _____ / Unit	₱ _____
12	1 Set	Finishing Sander ABC: ₱ 6,370.00 / Set	₱ _____ / Set	₱ _____
13	1 Set	Wall Scanner / Detector ABC: ₱ 61,040.00 / Set	₱ _____ / Set	₱ _____

14	2 Sets	Hand Drill (Corded) ABC: ₱ 11,345.00 / Set	₱ _____ / Set	₱ _____
15 (Lot)	1 Lot, Safety Equipment		Unit Cost	Total Cost
	4 Sets	Safety Harness Heavy Duty Belt with Pole Strap	₱ _____ / Set	₱ _____
	2 Units	Auto-Darkening Welding Helmet	₱ _____ / Unit	₱ _____
	2 Pairs	Premium Stick Welding/ Material Handling Gloves	₱ _____ / Pair	₱ _____
	2 Pieces	Welding Apron with Sleeves (Heavy duty)	₱ _____ / Piece	₱ _____
	ABC: ₱ 33,188.00 / Lot		Total Cost (Lot)	₱ _____
16 (Lot)	1 Lot, Hand Tools		Unit Cost	Total Cost
	1 Piece	Claw hammer (Heavy Duty) 21mm	₱ _____ / Piece	₱ _____
	1 Piece	Claw hammer (Heavy Duty) 27mm	₱ _____ / Piece	₱ _____
	2 Pieces	Heavy Duty Bi-Metal Hand Saw	₱ _____ / Piece	₱ _____
	2 Sets	Cushion Grip 6pcs Screw Driver Set	₱ _____ / Set	₱ _____
	2 Pieces	Claw bar	₱ _____ / Piece	₱ _____
	2 Pieces	Riveter (Heavy duty)	₱ _____ / Piece	₱ _____
	2 Sets	3pcs Pliers Set	₱ _____ / Set	₱ _____
	1 Piece	Adjustable Wrench, 8"	₱ _____ / Piece	₱ _____
	1 Piece	Adjustable Wrench, 15"	₱ _____ / Piece	₱ _____
	1 Piece	Straight Pipe Wrench, 12" (Heavy Duty)	₱ _____ / Piece	₱ _____
	1 Piece	Straight Pipe Wrench, 14" (Heavy Duty)	₱ _____ / Piece	₱ _____
	1 Piece	Straight Pipe Wrench, 18" (Heavy Duty)	₱ _____ / Piece	₱ _____
2 Pieces	Metal Clamp Vise Grip	₱ _____ / Piece	₱ _____	

	2 Pieces	C-Clamps Vise-Grip	₱ _____ / Piece	₱ _____
	1 Set	Router Bit Set 12 pieces 1/4" Shank	₱ _____ / Set	₱ _____
	1 Set	Metal Drill Bit Set, 25 pcs	₱ _____ / Set	₱ _____
	1 Set	Socket Wrench Set	₱ _____ / Set	₱ _____
	2 Sets	Allen Hex Key Wrench Set, 9 pcs	₱ _____ / Set	₱ _____
	ABC: ₱ 57,232.00 / Lot			Total Cost (Lot) ₱ _____
17 (Lot)	1 Lot, Sound System Equipment		Unit Cost	Total Cost
	2 Units	Audio Mixer (16 Channels)	₱ _____ / Unit	₱ _____
	2 Units	Audio Feedback Suppression Processor with Full LCD Display	₱ _____ / Unit	₱ _____
	2 Units	Multi Input Audio-Video Direct Box (Passive)	₱ _____ / Unit	₱ _____
	100 Pieces	Male XLR connector	₱ _____ / Piece	₱ _____
	100 Pieces	Female XLR connector	₱ _____ / Piece	₱ _____
	10 Rolls	Microphone Cable	₱ _____ / Roll	₱ _____
	ABC: ₱ 491,430.00 / Lot			Total Cost (Lot)
Grand Total Cost				₱ _____
Total Offered Quotation (Inclusive of VAT) in words: <hr/> <hr/>				
Please completely fill-out and submit this form together with Annex A – Technical Specification / Statement of Compliance				
Validity of Quotation/Offer	Three (3) months from deadline of submission of quotation up to approval of award.			
Delivery Terms and Place	<ul style="list-style-type: none"> To be delivered within Ten (10) Calendar Days from receipt of approved Purchase Order / Job Order including the period for inspection and acceptance of 1-5 working days. To be delivered at Office Services Department Warehouse, Annex Building, SSS Main Office, East Avenue, Diliman, Quezon City 			

Payment Terms	<ul style="list-style-type: none"> • Government Terms • One-time payment, upon delivery of items/services and submission of complete billing documents. • Payment shall be directly credited to the Supplier's bank account. • SSS shall withhold the applicable taxes from the amount payable in accordance with the BIR Regulations. 		
BIDDER'S INFORMATION			
Business Name	Address		
Name of Company Representative	Email Address	Telephone/Mobile Number	
PhilGEPS Registration No.	SS Number	BIR TIN	

TERMS AND CONDITIONS

1. **For contract price amounting to P100,000.00 and above**, the winning Supplier shall be required to post a Performance Security from receipt of Notice of Award equivalent to % of Contract Price as follows:
 - 5% (Goods & Consulting Services) or 10% (Infrastructure) Cash, Cashier's/Manager's Check, Bank Draft/Guarantee, or
 - 30% Surety Bond callable upon demand.
2. If two (2) or more Suppliers submitted the same price quotation and have been post-qualified as the suppliers with Lowest Calculated and Responsive Quotations, the procuring unit shall use "draw lots" or similar method of chance to break the tie.
3. Alternative offer shall not be allowed. Any bid exceeding the ABC shall be a ground for disqualification.
4. Incompletely filled out Bid Breakdown shall be considered non-responsive and automatically disqualified but specifying a zero (0), dash (-), or the word "free" for the said item would mean that it is being offered for FREE to the SSS.
5. All prices must be rounded off to two decimal places. Any prices presented otherwise will be rounded off to two decimal places and arithmetically corrected during the evaluation process.
6. In case of discrepancy between the submitted quotation and the quotation after arithmetical correction, the supplier shall be informed of such discrepancy for confirmation of the new amount. **If the bidder fails to confirm the arithmetical corrections within three (3) calendar days from receipt of notification, the quotation as calculated shall be considered unconfirmed and result to disqualification of bidder.**
7. In case a prospective supplier/service provider submits a filled-out RFQ with a supporting document (i.e., a price quotation in a different format), both documents shall be considered provided that the terms and conditions stated therein is in conformity with the requirements of the RFQ. **In case of discrepancies, the submitted quotation shall be considered ineligible or not compliant.** Submissions not using the RFQ form shall be considered only if they fully address and certify compliance with all the stated requirements, terms, and conditions of this RFQ.
8. Quantity is subject to change but not to exceed the contract amount
9. Award shall be on a per **"ITEM/LOT BASIS"** and the date of conduct/start of the project is subject to change.

INSTRUCTIONS TO SUPPLIERS

1. For clarification of details, please contact **Procurement Planning and Management Department** at **8709-7198 local 3400-3411** or via e-mail **ppmd@sss.gov.ph/bacsealedquotations@sss.gov.ph**.
2. Supplier should indicate "COMPLY" or "NOT COMPLY" in the STATEMENT OF COMPLIANCE COLUMN, if applicable. Failure to indicate compliance and non-compliance will mean automatic disqualification.
3. Sealed Quotations may be submitted through the following:
 - a. DROP BOX located at Procurement Planning & Management Dept. (PPMD), 2nd Floor, SSS Main Bldg., East Ave., Diliman, Quezon City. It shall be addressed to Atty. JUNJIE M. LABANGCO - Department Manager III of the PPMD. Indicate in the sealed envelope the RFQ Number, company name, name of company representative, business address, and contact details.

- b. ELECTRONIC MAIL at **bacsealedquotations@sss.gov.ph** with the following requirements:
- i. Quotations and attachments should be in portable document format (pdf), compressed/zipped and protected by a password. (See attached Guide in Creating password protected zip file folder.)
 - ii. File name of the zip file folder shall be by **RFQ number and Project Title**.
 - iii. The Supplier who timely submitted its Sealed Quotation but who fails to provide its password on the date and time of opening shall be disqualified.
 - iv. Passwords shall be made available only through email (**bacsealedquotations@sss.gov.ph**) or **SMS (09297421106)** during opening of bids which is scheduled on:

DATE: NOVEMBER 03, 2025

TIME: 1:30 PM – 2:00 PM

GENERAL CONDITIONS OF THE CONTRACT

1. The SUPPLIER shall deliver the goods in accordance with the description and quantity specifications of the Purchase Order/Job Order.
2. The SUPPLIER shall deliver the goods within the period indicated in the Purchase Order. A penalty of 1/10 of 1% of the total amount of the items shall be imposed for every day of delay in delivery.
3. The SUPPLIER shall deliver Goods/Services which must all be fresh stock, brand-new, unused, properly sealed, and which are not set to expire within two (2) years from date of delivery to the SSS, if applicable.
4. The SUPPLIER warrants that all the Goods/Services have no defects arising from design, materials, or workmanship or from any act or omission of the Supplier or the manufacturer that may develop under normal use of consumables, if applicable.
5. For Goods, the SUPPLIER shall replace any defective item within twenty-four (24) hours from the time that it was notified by the SSS of the defect. Defects detected only after the item is installed and used are covered by the replacement warranty which will be in effect for every item until its expiry date. Replacement of defective item shall have no cost on the SSS, if applicable.
6. To assure that manufacturing defects shall be corrected by the SUPPLIER, a warranty security shall be required from the SUPPLIER for a minimum of three (3) months in the case of expendable items, or a minimum period of one (1) year in the case of non-expendable items, after the acceptance of the delivered items. The obligation for the warranty shall be covered, at the Supplier's option, by either retention money in an amount equivalent to five percent (5%) of total purchase price, or a special bank guarantee equivalent to five percent (5%) of the total purchase price with validity period starting from the date of acceptance. The said amounts shall only be released after the lapse of the warranty period
7. If the SUPPLIER, having been notified, fails to remedy the defect(s) within the specified period, the SSS may proceed to take such remedial action as may be necessary, at the SUPPLIER's risk and expense and without prejudice to any other rights which the SSS may have against the SUPPLIER under these Terms and Conditions and under the applicable law.
8. The pricing of the Goods/Services shall be in Peso and inclusive of Twelve Percent (12%) Value-Added Tax (VAT).

MISCELLANEOUS PROVISIONS

1. **Confidentiality.** Neither Party shall, without the prior written consent of the other, disclose or make available to any person, make public, or use directly or indirectly, except for the performance and implementation of the works, any confidential information acquired from an information holder in connection with the performance of this Agreement, unless: (i) the information is known to the disclosing Party, as evidenced by its written records, prior to obtaining the same from the information holder and is not otherwise subject to disclosure restrictions on the disclosing Party, (ii) the information is disclosed to the disclosing Party by a third party who did not receive the same, directly or indirectly, from an information holder, and who has no obligation of secrecy with respect thereto, or (iii) required to be disclosed by law.
The obligation of confidentiality by both Parties, as provided herein, shall survive the termination of this Agreement.
2. **Merger and Consolidation.** In case of merger, consolidation or change of ownership of the SUPPLIER with another company, it is the responsibility of the surviving company/consolidated company/acquiring entity to inform the SSS of the change in corporate structure/ownership. Failure to do so shall translate in such company assuming all liabilities of the acquired/merged company under this Agreement.

3. **Force Majeure.** The SUPPLIER shall not be liable for forfeiture of its performance security, liquidated damages, or termination for default if and to the extent that the SUPPLIER's delay in performance or other failure to perform its obligations under this Agreement is the result of a force majeure.
For purposes of this Agreement the terms "force majeure" and "fortuitous event" may be used interchangeably. In this regard, a fortuitous event or force majeure shall be interpreted to mean an event which the SUPPLIER could not have foreseen, or which though foreseen, was inevitable. It shall not include ordinary unfavorable weather conditions; and any other cause the effects of which could have been avoided with the exercise of reasonable diligence by the SUPPLIER. Such events may include, but not limited to, acts of the SSS in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.
4. **Non-Assignment.** Neither Party may assign the Contract in whole or in part without the consent of the other Party.
5. **Waiver.** Failure by either Party to insist upon the other the strict performance of any of the terms and conditions hereof shall not be deemed a relinquishment or waiver of any subsequent breach or default of the terms and conditions hereof, which can only be deemed made if expressed in writing and signed by its duly authorized representative. No such waiver shall be construed as modification of any of the provisions of this Agreement or as a waiver of any past or future default or breach hereof, except as expressly stated in such waiver.
6. **Cumulative Remedies.** Any and all remedies granted to the Parties under the applicable laws and this Agreement shall be deemed cumulative and may, therefore, at the sole option and discretion, be availed of by the aggrieved Party simultaneously, successively, or independently.
7. **No Employer-Employee Relationship.** It is expressly and manifestly understood and agreed that the employees of the SUPPLIER assigned to perform the PROJECT are not employees of the SSS. Neither is there an employer-employee relationship between the SSS and the SUPPLIER.
This Agreement does not create an employer-employee relationship between the SSS and the SUPPLIER including its personnel; that the PROJECT rendered by the personnel assigned by the SUPPLIER to the SSS in the performance of its obligation under this Agreement do not represent government service and will not be credited as such; that its personnel assigned to the SSS are not entitled to benefits enjoyed by SSS' officials and employees such as Personal Economic Relief Allowance (PERA), Representation and Transportation Allowance (RATA), ACA, etc.; that these personnel are not related within the third degree of consanguinity or affinity to the contracting officer and appointing authority of the SSS; that they have not been previously dismissed from the government service by reason of an administrative case; that they have not reached the compulsory retirement age of sixty-five (65); and that they possess the education, experience and skills required to perform the job. The SUPPLIER hereby acknowledges that no authority has been given by the SSS to hire any person as an employee of the latter. Any instruction given by the SSS or any of its personnel to the SUPPLIER's employees is to be construed merely as a measure taken by the former to ensure and enhance the quality of PROJECT performed hereunder. The SUPPLIER shall, at all times, exercise supervision and control over its employees in the performance of its obligations under this Agreement.
8. **Partnership.** Nothing in this Agreement shall constitute a partnership between the parties. No Party or its agents or employees shall be deemed to be the agent, employee or representative of any other Party.
9. **Compliance with SS Law.** The SUPPLIER shall report all its employees to the SSS for coverage and their contributions, as well as all amortizations for salary/education/calamity and other SSS loans shall be updated. Should the SUPPLIER fail to comply with its obligation under the provisions of the SS Law and Employees' Compensation Act, the SSS shall have the authority to deduct any unpaid SS and EC contributions, salary, educational, emergency and/or calamity loan amortizations, employer's liability for damages, including interests and penalties from the SUPPLIER's receivables under this Agreement.
Further, prescription does not run against the SSS for its failure to demand SS contributions or payments from the SUPPLIER. Moreover, the SUPPLIER shall forever hold in trust SS contributions or payments of its employees until the same is fully remitted to the SSS.
10. **Compliance with Labor Laws.** The SUPPLIER, as employer of the personnel assigned to undertake the PROJECT, shall comply with all its obligations under existing laws and their implementing rules and regulations on the payment of minimum wage, overtime pay, and other labor-related benefits as well as remittances or payment of the appropriate amount or contributions/payment (SSS, EC, Pag-IBIG, PhilHealth and taxes) with concerned government agencies/offices.
It is agreed further, that prior to the release of any payment by the SSS to the SUPPLIER, its President or its duly authorized representative, shall submit a sworn statement that all

moneys due to all the employees assigned to the PROJECT as well as benefits by law and other related labor legislation have been paid by the SUPPLIER and that he/she assumed full responsibility thereof.

11. **Compliance with Tax Laws.** The SUPPLIER shall, in compliance with tax laws, pay the applicable taxes in full and on time and shall regularly present to the SSS within the duration of this Agreement, tax clearance from the Bureau of Internal Revenue (BIR) as well as copy of its income and business tax returns duly stamped by the BIR and duly validated with the tax payments made thereon, if applicable. Failure by the SUPPLIER to comply with the foregoing shall entitle the SSS to suspend payment of the Contract Price.
12. **Liquidated Damages.** If the SUPPLIER fails to satisfactorily deliver any or all of the Goods and/or to perform the Services within the period(s) specified in the PBD inclusive of duly granted time extensions if any, the SSS shall, without prejudice to its other remedies under this Agreement and under the applicable law, deduct from the Contract Price, as liquidated damages, the applicable rate of one tenth (1/10) of one (1) percent of the cost of the unperformed portion for every day of delay until actual delivery or performance. Once the amount of liquidated damages reaches ten percent (10%), the SSS may rescind or terminate this Agreement, without prejudice to other courses of action and remedies open to it.
13. **Hold Free and Harmless.** The SUPPLIER agrees to defend, indemnify, and hold the SSS free and harmless from any and all claims, damages, expenses, fines, penalties and/or liabilities of whatever nature and kind, whether in law or equity, that may arise by reason of the implementation of the Agreement. In addition, the SUPPLIER agrees to indemnify the SSS for any damage as a result of said implementation.
14. **Settlement of Disputes.** All actions and controversies that may arise from the Contract involving but not limited to demands for specific performance of the obligations as specified herein and/or in the interpretation of any provisions or clauses contained herein, shall, in the first instance, be settled within thirty (30) calendar days through amicable means, such as, but not limited to mutual discussion. Should the dispute remain unresolved by the end of the afore-mentioned period, the dispute shall be settled in accordance with applicable provisions of Republic Act No. 9285, otherwise known as the Alternative Dispute Resolution Act of 2004.
15. **Venue of Actions.** Any suit or proceeding arising out of or relating to the contract shall be instituted in the appropriate court in Quezon City, the Parties hereto waiving any other venue.
16. **Governing Law.** This Agreement shall be governed by and interpreted according to the laws of the Republic of the Philippines.
17. **Amendments.** This Agreement may be amended only in writing and executed by the Parties or their duly authorized representatives.
18. **Separability.** If any one or more of the provisions contained in this Agreement or any document executed in connection herewith shall be invalid, illegal or unenforceable in any respect under any applicable law, then: (i) the validity, legality and enforceability of the remaining provisions contained herein or therein shall not in any way be affected or impaired and shall remain in full force and effect; and (ii) the invalid, illegal or unenforceable provision shall be replaced by the parties immediately with a term or provision that is valid, legal and enforceable and that comes closest to expressing the intention of such invalid, illegal or unenforceable term or provision.
19. **Binding Effect.** This Agreement shall be binding upon the Parties hereto, their assignee/s and successor/s-in-interest.
20. **Non-Publicity.** No press release in oral, written or electronic form shall be issued covering this transaction without prior written approval of the SSS. Inclusion in any reference lit shall also be undertaken only upon prior written approval of the SSS.

CERTIFICATION

This is to certify that my company conforms with the above Terms and Conditions, and that the data/quotation indicated is true, correct, and valid.



Owner/Company Representative
(Signature over Printed Name)


Date


Note: The Supplier must sign over printed name on the CERTIFICATION above. Non-compliance with this instruction is a ground for disqualification of submitted quotation.



ANNEX A. TECHNICAL SPECIFICATION


Suppliers/Bidders should indicate "**COMPLY**" or "**NOT COMPLY**" to each specification below. Please do not leave any portion blank as it will result to disqualification of quotation/bid.



Item/Lot No.	Specification	Statement of Compliance
1	<p>Cordless Brushless Hammer Drill (Heavy Duty)</p> <ul style="list-style-type: none"> • Capacity: Steel – 13mm / Wood – 38mm / Masonry – 13mm • Chuck Capacity: 1.5 – 13mm (1/16 – ½”) or higher • Impacts Per Minute (IPM): 0 - 30,000 (High) / 0 - 7,500 (Low) or higher • No Load Speed (RPM): 0 – 2,000 (High) / 0 – 500 (Low) or higher • Max Fastening Torque (Hard/Soft): 54 Nm / 30 Nm or higher • Max lock torque: 60 Nm or higher • Battery Voltage (Minimum): 18 V • Battery Capacity (Minimum): 3.0 Ah • Features: Built-in dual LED Lights with pre-glow and afterglow • Inclusions: 2 pcs 3.0 Ah Unit Battery, Charger, Carrying Case and Manual • Warranty: One (1) year warranty on all items from the date of completion of delivery. The supplier shall repair or replace any defective item or parts thereof at no extra cost to the owner • Other requirements: Name brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation <div style="text-align: center;">  </div> <p style="text-align: center;">Brand: _____ Model: _____</p>	
2	<p>Angle Grinder (Corded)</p> <ul style="list-style-type: none"> • Continuous Rating Input: 2,200 W • Wheel Diameter: 180 mm (7”) • Hole Diameter: 22.23 mm (7/8”) • No Load Speed: 8,500 min • Thread: M14x2.0 • Switch Type: Large Trigger • Side Grip Attachment Position: 3 Positions • Power Supply Cord 2.0 m (6.6 ft) • Features: Lightweight and compact 2,200W angle grinder • Warranty: One (1) year warranty on all items from the date of completion of delivery. The supplier shall repair or replace any defective item or parts thereof at no extra cost to the owner • Other requirements: Name brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation <div style="text-align: center;">  </div> <p style="text-align: center;">Brand: _____ Model: _____</p>	



Item/Lot No.	Specification	Statement of Compliance
3	<p>Heavy Duty Table Saw</p> <ul style="list-style-type: none"> • Saw blade diameter: 254 mm • Power: 1800W • Incline setting: 47 ° L / 2 ° R • Table size: 642 x 634 mm • Tool dimensions (W x L x H): 705 x 635 x 325 mm • No-load speed: 3,650 rpm • Cutting height 90°: 79 mm • Saw blade bore diameter: 30 mm • Max. cutting capacity on the right: 635 mm • Max. cutting capacity on the left: 255 mm • Features: <ul style="list-style-type: none"> ➢ Extremely compact and powerful ➢ Self-adjusting parallel guide for precise cuts ➢ Dust extraction ports on the protective guard and on the back of tool ➢ Tool-free lowering of the riving knife for concealed cuts • Inclusions: 1 pc. Angle guide, 1 pc. Dust extraction adapter, 1 pc. Parallel guide, 1 pc. Push stick, 1pc. Saw blade 254 x 30 mm, 1pc. User Manual • Warranty: One (1) year warranty on all items from the date of completion of delivery. The supplier shall repair or replace any defective item or parts thereof at no extra cost to the owner • Other requirements: Name brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation <div style="text-align: center;">  </div> <p>Brand: _____ Model: _____</p>	


Item/Lot No.	Specification	Statement of Compliance
4	<p>Green Beam Multiline Laser Level</p> <ul style="list-style-type: none"> • Laser Accuracy: +/-3mm@10m • CE Mark: Yes • Number of Beams: 3 • Visible Working Distance [Metric]: 70 m • Battery Source:18V • Line Diagram: 3 x 360° • Leveling Type: Self-leveling • Features: <ul style="list-style-type: none"> ➢ IP54 Rating: Debris/water resistant for tough jobsite conditions ➢ Integrated Magnetic Pivoting Base With 1/4" & 5/8" Thread: For flexible mounting options directly onto metal track, with the supplied ceiling bracket, or on a tripod ➢ Pendulum Lock: Helps prevent damage to internal components ➢ Fine Adjust: Accurately adjust the vertical laser line setting for precision and accuracy ➢ Green Beam Laser Diode: Provides full brightness for visibility and extended working range • Inclusions: 1 pc. 12V - 60 V Compact Charger, 1 pc. 4.0Ah Battery 18V / 20V Max • Warranty: One (1) year warranty on all items from the date of completion of delivery. The supplier shall repair or replace any defective item or parts thereof at no extra cost to the owner • Other requirements: Name brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation <div style="text-align: center;">  </div> <p>Brand: _____ Model: _____</p>	



Item/Lot No.	Specification	Statement of Compliance
5	<p>Planer, Heavy Duty (Corded)</p> <ul style="list-style-type: none"> • Rated input power: 710 W • Planing width: 82 mm • Planing depth: 0 – 1 mm • Adjustable rebating depth 0 – 9 mm • No-load speed: 16,500 rpm • Inclusions: HSS planer blade, resharpenable • Features: <ul style="list-style-type: none"> ➢ Heavy duty - Power, Performance and Robustness redefined ➢ 3 V-grooves for easy and flexible routing ➢ Switch-on lock for left-handers and right-handers • Warranty: One (1) year warranty on all items from the date of completion of delivery. The supplier shall repair or replace any defective item or parts thereof at no extra cost to the owner • Other requirements: Name brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation <div style="text-align: center;">  </div> <p>Brand: _____ Model: _____</p>	
6	<p>Plunge Router (Corded)</p> <ul style="list-style-type: none"> • Rated input power: 2000 W • No-load speed: 10,000 – 25,000 rpm • Compatible collet diameters: 1/2", 1/4", 8, 12 • Voltage, electrical: 230 V • Fine adjustment: 16 mm • Features: <ul style="list-style-type: none"> ➢ After-lock micro depth adjustment mechanism ➢ Extendable guide plate ➢ Speed dial on the left and lock on/off switch on the right handle, an easy to reach plunge lever and task specific dust extraction adapters for both surface and edge routing • Warranty: One (1) year warranty on all items from the date of completion of delivery. The supplier shall repair or replace any defective item or parts thereof at no extra cost to the owner • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation <div style="text-align: center;">  </div> <p>Brand: _____ Model: _____</p>	



Item/Lot No.	Specification	Statement of Compliance
7	<p>Palm Router, 1/4"</p> <ul style="list-style-type: none"> • Rated Voltage: 220-240V • Frequency: 50Hz/60Hz • Rated Power: 550W • No-load Speed: 30000rpm (minimum) • Chuck Size: 6mm (1/4") • Features: <ul style="list-style-type: none"> ➢ Multi-purpose machine for trimming, carving, grinding, grooving ➢ Transparent base, providing better work visibility ➢ Quick cutter changing chuck, convenient and fast when changing different cutter heads ➢ Dust-proof switch, extending switch lifespan • Warranty: One (1) year warranty on all items from the date of completion of delivery. The supplier shall repair or replace any defective item or parts thereof at no extra cost to the owner • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation <div style="text-align: center;">  </div> <p style="text-align: center;">Brand: _____ Model: _____</p>	
8	<p>Air Compressor</p> <ul style="list-style-type: none"> • Rated Power (Minimum): 3HP • Rated speed (Minimum): 980rpm • Air Tank Capacity (Minimum): 200L • Operating pressure: 8bar • Voltage Rating: 220V/60Hz • Productivity: 250L/min • Weight: 88kg • Features: <ul style="list-style-type: none"> ➢ Manometer: Equipped with an integrated manometer for precise monitoring of air pressure, ensuring you can maintain the correct pressure for any task. ➢ Variable Pressure: Offers adjustable pressure settings, allowing you to customize the compressor's output to suit different applications, ensuring optimal performance and efficiency. ➢ Temperature Protection: Designed with temperature protection to prevent overheating, ensuring safe operation and extending the life of the compressor ➢ Pressure Protection: Includes built-in protection to prevent overpressure, safeguarding the compressor and your tools from potential damage • Warranty: One (1) year warranty on all items from the date of completion of delivery. The supplier shall repair or replace any defective item or parts thereof at no extra cost to the owner 	



Item/Lot No.	Specification	Statement of Compliance
	<ul style="list-style-type: none"> • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation  <p style="text-align: center;">Brand: _____ Model: _____</p>	
9	<p>Spray Gun w/ Brass Connector</p> <ul style="list-style-type: none"> • Capacity: 600ml suction feed aluminum cup • Features: High pressure paint sprayer • Warranty: One (1) year warranty on all items from the date of completion of delivery. The supplier shall repair or replace any defective item or parts thereof at no extra cost to the owner • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation  <p style="text-align: center;">Brand: _____ Model: _____</p>	
10	<p>Rotary Hammer 40mm (1-9/16") SDS-MAX Shank with AVT om Carrying Case</p> <ul style="list-style-type: none"> • Continuous rating input (Minimum): 1,100W • Impact Energy: 8 J • Capacity: Concrete (w/ TCT Bit): 40 mm (1-9/16") Concrete (w/ Core Bit): 105 mm (4-1/8") • Blows Per Minute (BPM): 1,450 – 2,900 • No Load Speed (RPM): 250 – 500 • Power supply cord: 5.0 m (16.4 ft) • Features: <ul style="list-style-type: none"> ➢ Anti-Vibration Technology (AVT) is a synchronized, three-component system that more effectively reduces vibration resulting in a low 5 m/s² ➢ Air actuated counterbalance directs air pressure from the crank and barrel room into the counterbalance cylinders to move counterweight pistons in the opposite direction of the drive piston actively reducing vibration ➢ Vibration absorbing housing features a spring loaded main handle and upper housing that move independently of the motor and drive mechanism effectively isolating most of the vibration away from the user ➢ Integrated damper spring at the base of the impact bolt is engineered to absorb impact vibrations from the drill bit ➢ Lock-on or trigger activation in "Chipping Only" mode with a push button start/stop control 	




Item/Lot No.	Specification	Statement of Compliance
	<ul style="list-style-type: none"> ➤ Constant speed control automatically applies additional power to the motor to maintain speed under load to complete the most challenging jobs ➤ Soft start suppresses start-up reaction for more control and better accuracy ➤ LED service light notifies the user approximately 8 hours before the brushes need to be replaced ➤ LED power light indicates switch failure or cord damage <ul style="list-style-type: none"> • Warranty: One (1) year warranty on all items from the date of completion of delivery. The supplier shall repair or replace any defective item or parts thereof at no extra cost to the owner • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation <div style="text-align: center;">  </div> <p style="text-align: center;">Brand: _____ Model: _____</p>	
11	<p>Circular Saw Machine</p> <ul style="list-style-type: none"> • Continuous rating input (Minimum): 2,000W • Blade Diameter: 260 / 270 mm (10-1/4" / 10-5/8") • Max Cutting Capacity: <ul style="list-style-type: none"> 90°- 97 / 101 mm (3-13/16" / 4") 45°- 68 / 71 mm (2-11/16" / 2-13/16") 50°: 61 / 63 mm (2-3/8" / 2-1/2") • No Load Speed (RPM): 4,300 • Power supply cord: 2.5 m (8.2 ft.) • Features: <ul style="list-style-type: none"> ➤ Magnesium components create a lightweight saw that is well balanced and job site tough ➤ Rigid aluminum base provides smooth cutting thanks to its lightness, toughness and good bend resistance ➤ Handy guide rule allows operator to do extra-accurate straight cuts ➤ Soft grip provides increased comfort on the job ➤ Flat motor housing design for stability when changing the blade ➤ Externally accessible brushes for easy serviceability ➤ Double insulated • Warranty: One (1) year warranty on all items from the date of completion of delivery. The supplier shall repair or replace any defective item or parts thereof at no extra cost to the owner • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation <div style="text-align: center;">  </div> <p style="text-align: center;">Brand: _____ Model: _____</p>	



Item/Lot No.	Specification	Statement of Compliance
12	<p>Finishing Sander</p> <ul style="list-style-type: none"> • Pad Size: 4-1/2" x 4" • Abrasive Paper Size: 4-1/2" x 5-1/2" • Orbits Per Minute: 14,000 OPM • AMPS: 2 • Vibration (m/s²): 4 • Inclusions: Abrasive paper, dust bag and punch plate • Features: <ul style="list-style-type: none"> ➢ Engineered to operate at a low noise level with reduced vibration ➢ Large clamping lever for quick and easy paper installation ➢ Efficient through-the-pad dust collection system for a cleaner work environment ➢ Conveniently located on/off switch for easy onehanded operation ➢ Rubber-sealed switch prevents dust contamination for longer tool life ➢ Aluminum cast shoe base for increased durability • Warranty: One (1) year warranty on all items from the date of completion of delivery. The supplier shall repair or replace any defective item or parts thereof at no extra cost to the owner • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation <div style="text-align: center;">  </div> <p style="text-align: center;">Brand: _____ Model: _____</p>	
13	<p>Wall Scanner / Detector</p> <ul style="list-style-type: none"> • Max. detection depth: 200 mm • Detectable objects: magnetic metals (e.g. iron), non-magnetic metals (e.g. copper), live cables, low-voltage & data cables (Three-phase power cables, cavities), non-live cables, wooden substructures, water-filled plastic pipes, Empty plastic pipes • Detection depth, dry concrete, max.: 200 mm • Detection depth, early age concrete, max.: 60 mm • Detection depth, other wall types, max.: 80 mm • Detection depth, magnetic metal, max.: 200 mm • Detection depth, non-magnetic metal, max.: 80 mm • Detection depth, live cables, max.: 200 mm • Detection depth, wooden substructures, max.: 38 mm • Accuracy: ±5 mm • Views: Object view, Spot view, Signal View, Signal View 2D • Wall types: Concrete, Early age concrete, Drywall, Brick/Universal, Horizontal coring brick, Vertical coring brick, Panel Heating • Dust and splash protection: IP 5X • Documentation via: USB-C, SD-Card • Material identification: Magnetic metal, Non-magnetic metal, Non-metal material, Live cable • Inclusions: 2pcs - 12V Battery with 2.0Ah capacity, Fast charger, Protective bag, Carrying Strap, USB Type-C Cable and case • Warranty: One (1) year warranty on all items from the date of completion of delivery. The supplier shall repair or replace any defective item or parts thereof at no extra cost to the owner 	



Item/Lot No.	Specification	Statement of Compliance
	<ul style="list-style-type: none"> • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation <div style="text-align: center;">  <p>INCLUDES:</p> </div> <p style="text-align: center;">Brand: _____ Model: _____</p>	
14	<p>Hand Drill (Corded)</p> <ul style="list-style-type: none"> • Continuous rating input: 305W • Drilling Capacity on Steel: 10mm (3/8”), on Wood: 15mm (5/8”) • No Load Speed (RPM): 0 – 1,800 • Power supply cord 2.5 m (8.2ft) • Inclusions: Chuck key • Features: <ul style="list-style-type: none"> ➢ Reversing switch with variable speed control trigger • Warranty: One (1) year warranty on all items from the date of completion of delivery. The supplier shall repair or replace any defective item or parts thereof at no extra cost to the owner • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation <div style="text-align: center;">  </div> <p style="text-align: center;">Brand: _____ Model: _____</p>	
15	<p>1 Lot, Safety Equipment</p> <p>a. Safety Harness Heavy Duty Belt with Pole Strap</p> <ul style="list-style-type: none"> • Materials: Polyester Nylon, Heat treated steel alloy • Belt: 50 mm wide • Lanyard: 14mm diameter/1.5m polyester nylon rope • Big snap hook capacity: 5,000 lbs • Certification: EN 354 358 361 • Features: <ul style="list-style-type: none"> ➢ 4 points adjustable mating buckles ➢ Chest adjustable belt ➢ Removable waste strap ➢ Compliant to CE and ANSO standards for safety • Inclusions: <ul style="list-style-type: none"> ➢ Belt: 45mm X 1.33m Nylon Belt ➢ Webbing: 45mmx 1.69m Nylon Webbing ➢ 1 x buckle ➢ 3 x “D” ring ➢ 1 x adjusting loop ➢ 2 x CE Mark Double-lock snap hook 	




Item/Lot No.	Specification	Statement of Compliance
	<ul style="list-style-type: none"> ➤ 1 x rope hook bag ➤ 2 x bundle of belt ➤ 1 x cove <ul style="list-style-type: none"> • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation <div style="text-align: center;">  </div> <p style="text-align: center;">Brand: _____ Model: _____</p>	
	<p>b. Auto-Darkening Welding Helmet</p> <ul style="list-style-type: none"> • Optional Class: 1/1/1/2 • Viewing Area: 98 x 88 mm • Cartridge Area: 133 x 115 x 10 mm • Arc Sensor: 4 • Light State: 4 • Dark State: Variable Shade, 5-8, 9-13 • Shade Control: Internal, Variable • Sensitivity Control: Low-High, by infinitely dial knob • UV/IR Protection: DIN 16 • Dark to Light: 0.0.1 S- Sensitivity key-press • Low Amperage Tig Rated: > 5 Amps (DC/AC) • Grinding Function: Yes • Low Volume Alarm: Yes • ADF Self Check: Yes • Approved: CE, ANZI Z87, CSA 794, AS/NZS <ul style="list-style-type: none"> • Warranty: One (1) year warranty on all items from the date of completion of delivery. The supplier shall repair or replace any defective item or parts thereof at no extra cost to the owner <ul style="list-style-type: none"> • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation <div style="text-align: center;">  </div> <p style="text-align: center;">Brand: _____ Model: _____</p>	




Item/Lot No.	Specification	Statement of Compliance
	<p>c. Premium Stick Welding/ Material Handling Gloves</p> <ul style="list-style-type: none"> • Material: Top Grain Pigskin, 4 ply Aramid fiber sewn • Length: 14.5 • Color: Natural Leather • Features: <ul style="list-style-type: none"> ➤ Oil & Water Resistant Top Grain Pigskin ➤ Premium Cotton Lining Palm and Back of hand ➤ Medium / Heavy Duty Welding, Cutting, Material Handling • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation <div style="text-align: center;">  </div> <p style="text-align: center;">Brand: _____ Model: _____</p>	
	<p>d. Welding Apron with Sleeves (Heavy duty)</p> <ul style="list-style-type: none"> • Color: Denim Blue • Features: <ul style="list-style-type: none"> ➤ One size fits all ➤ Made of good quality denim • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation <div style="text-align: center;">  <p>WELDING APRON</p> </div> <p style="text-align: center;">Brand: _____ Model: _____</p>	




Item/Lot No.	Specification	Statement of Compliance
16	<p>1 Lot, Hand Tools</p> <p>a. Claw Hammer (Heavy Duty)</p> <ul style="list-style-type: none"> Length: 21mm Handle: Fiberglass Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation  <p>Brand: _____ Model: _____</p>	
	<p>b. Claw Hammer (Heavy Duty)</p> <ul style="list-style-type: none"> Length: 27mm Handle: Fiberglass Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation  <p>Brand: _____ Model: _____</p>	
	<p>c. Heavy Duty Bi-Metal Hand Saw</p> <ul style="list-style-type: none"> Size: 18" Features: <ul style="list-style-type: none"> ➤ Induction Hardened Teeth for Long Lasting Sharpness, Smooth and Clean Cuts ➤ Triple Ground Teeth: For fast and smooth cutting ➤ Bi-Material: Ergonomic handle anti-slip and enhanced comfort ➤ Ultrasonically Welded Handle: Ensuring secure and reliable cutting performance over time Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation  <p>Brand: _____ Model: _____</p>	



Item/Lot No.	Specification	Statement of Compliance
	<p>d. Cushion Grip 6pcs Screw Driver Set</p> <ul style="list-style-type: none"> • Inclusions: <ul style="list-style-type: none"> ➤ 1 x Phillips: 1 X 100 mm ➤ 1 x Philips: 2 X 150mm ➤ 1 x Slotted Parallel: 5mm X 100mm ➤ 1 x Slotted Parallel: 5mm X 150mm ➤ 1 x Slotted: 6.5mm X 150mm ➤ 1 x Slotted: 5mm • Features: <ul style="list-style-type: none"> ➤ High grade steel bar for high torque and reduced tip breakage ➤ Magnetic tips • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation <div style="text-align: center;">  </div> <p>Brand: _____ Model: _____</p>	
	<p>e. Claw Bar</p> <ul style="list-style-type: none"> • Size: 24 inches • Material: 3/4" Diameter high carbon steel • Features: <ul style="list-style-type: none"> ➤ Hexagonal forged steel pry bar • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation <div style="text-align: center;">  </div> <p>Brand: _____ Model: _____</p>	


Item/Lot No.	Specification	Statement of Compliance
	<p>f. Riveter (Heavy Duty)</p> <ul style="list-style-type: none"> • Body: Steel (nickel plated) • Applicable Rivet Size: 3/32", 1/8", 5/32" & 3/16" • Features: <ul style="list-style-type: none"> ➤ Non-slip grip and wrench for changing nose pieces ➤ Spring loaded handle ejects rivets stem • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation <div style="text-align: center;">  </div> <p style="text-align: center;">Brand: _____ Model: _____</p>	
	<p>g. 3 pcs Pliers Set</p> <ul style="list-style-type: none"> • Material: Chrome Vanadium • Inclusions: <ul style="list-style-type: none"> ➤ Combination Plier ➤ Long Nose Plier ➤ Diagonal Side Cutter • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation <div style="text-align: center;">  </div> <p style="text-align: center;">Brand: _____ Model: _____</p>	



Item/Lot No.	Specification	Statement of Compliance
	<p>h. Adjustable Wrench, 8"</p> <ul style="list-style-type: none"> • Size: 8" • Material: Triple-coated Chrome Vanadium steel • Jaw Opening: 7/8" • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation  <p>Brand: _____ Model: _____</p>	
	<p>i. Adjustable Wrench, 15"</p> <ul style="list-style-type: none"> • Size: 15" • Material: Triple-coated Chrome Vanadium steel • Jaw Opening: 1-11/16" • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation  <p>Brand: _____ Model: _____</p>	
	<p>j. Straight Pipe Wrench, 12" (Heavy Duty)</p> <ul style="list-style-type: none"> • Material: Aluminum • Length: 12" • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation  <p>Brand: _____ Model: _____</p>	


Item/Lot No.	Specification	Statement of Compliance
	<p>k. Straight Pipe Wrench, 14" (Heavy Duty)</p> <ul style="list-style-type: none"> • Material: Aluminum • Length: 14" • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation  <p>Brand: _____ Model: _____</p>	
	<p>l. Straight Pipe Wrench, 18" (Heavy Duty)</p> <ul style="list-style-type: none"> • Material: Aluminum • Length: 18" • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation  <p>Brand: _____ Model: _____</p>	
	<p>m. Metal Clamp Vise Grip</p> <ul style="list-style-type: none"> • Size: 10" • Materials: Corrosion-resistant chrome plated finish • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation  <p>Brand: _____ Model: _____</p>	


Item/Lot No.	Specification	Statement of Compliance
	<p>n. C-Clamps Vise-Grip</p> <ul style="list-style-type: none"> • Jaw Type: C-Clamp/Regular Tips • Jaw Capacity: 3-3/8 Inches • Length: 11 inches • Finish: Nickel Plated • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation  <p>Brand: _____ Model: _____</p>	
	<p>o. Router Bit Set 12 pieces 1/4" Shank</p> <ul style="list-style-type: none"> • Inclusion: 2 pcs. Roundover bits, 1 pc. Laminate trim bit, 1 pc. chamfer/laminate trim bit, 2 pcs. core box bits, 3 pcs. straight bits (2 flutes) (6mm, 12mm and 16mm), 1 pc. edge forming bit, 1 pc. V-groove bit (12.7mm), 1 pc. Dovetail bit (12.7mm), Plastic case with printed sleeve with Euro hole • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation  <p>Brand: _____ Model: _____</p>	
	<p>p. Metal Drill Bit Set, 25 pcs.</p> <ul style="list-style-type: none"> • Sizes: 1, 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 4.8, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13mm • Inclusions: Metal box, HSS-R Drill Bit: 1mm – 13mm • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation  <p>Brand: _____ Model: _____</p>	



Item/Lot No.	Specification	Statement of Compliance
	<p>q. Socket Wrench Set</p> <ul style="list-style-type: none"> • Inclusions: Metal box, HSS-R Drill Bit: 1mm – 13mm <ul style="list-style-type: none"> ➤ 17 Pieces 1/2" DR 6 Point Sockets: 10, 11, 12, 13, 14, 15, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm ➤ 7 Pieces 1/2" DR Accessories Spark Plug Socket ➤ Fully Polished Ratchet ➤ Sliding T-Bar 10" ➤ Universal Joint ➤ Flex Handle 17" ➤ Extension Bar 5" ➤ Extension Bar 10" ➤ Carrying Case • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation <div style="text-align: center;">  </div> <p>Brand: _____ Model: _____</p>	
	<p>r. Allen Hex Key Wrench Set, 9 pcs</p> <ul style="list-style-type: none"> • Sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10mm • Inclusions: Handy belt clip, Allen Hex Key Wrench: 1.5mm - 10mm • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation <div style="text-align: center;">  </div> <p>Brand: _____ Model: _____</p>	

Item/Lot No.	Specification	Statement of Compliance
17	1 Lot, Safety Equipment	
	<p>a. Audio Mixer (16 Channels)</p> <ul style="list-style-type: none"> • 16-Channel Mixing Console • Max. 10 Mic / 16 Line Inputs (8 mono + 4 stereo) • 4 Group Buses + 1 Stereo Bus • High-grade effects: SPX with 24 programs • 4 AUX (incl. FX) • 24-bit / 192kHz 2in / 2out USB Audio functions • Works with the iPad (2 or later) through the Apple iPad Camera Connection Kit / Lightning to USB Camera Adapter • PAD switch on mono inputs • +48V phantom power • Internal Universal Power Supply for world-wide use • XLR balanced outputs • Features: <ul style="list-style-type: none"> ➢ SPX digital multi-effect processor ➢ Comprehensive suite of 24 editable digital effects ➢ High-quality reverb and delay expand the spatial quality of the sound with remarkable realism and naturalness • Warranty: One (1) year warranty on all items from the date of completion of delivery. The supplier shall repair or replace any defective item or parts thereof at no extra cost to the owner • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation <div style="text-align: center;">  </div> <p>Brand: _____ Model: _____</p>	

Item/Lot No.	Specification	Statement of Compliance
	<p>b. Audio Feedback Suppression Processor with Full LCD Display</p> <ul style="list-style-type: none"> • Number of Inputs: 2 • Input Connectors: Female XLR and ¼" TRS • Input type: Electronically balanced/ unbalanced, RF filtered • Input Impedance: Balanced 50kΩ, Unbalanced 25 kΩ • Max input line level: +20 dBu • CMRRL > 40dB, typically >55dB @ 1kHz • Number of Outputs: 2 • Output Connectors: Male XLR and ¼" TRS • Output type: Electronically balanced/ unbalanced, RF filtered • Output Impedance: Balanced > 120kΩ, Unbalanced > 60 kΩ • Max Output line level: +20 dBu • A/D Dynamic Range: >113 dB A-weighted, >110 dB, unweighted, 22kHz BW • Type IV Dynamic Range: >119 dB A-weighted, 22kHz BW; >117dB, unweighted, 22kHz BW • A/D Conversion: 24-bit • Sample Rate: 48kHz • D/A Dynamic Range: 112 dB A-weighted, 109 dB unweighted • D/A Conversion: 24-bit • Dynamic Range: >109 dB A-weighted, >106 dB, unweighted, 22kHz BW • THD+Noise: 0.003% typical at +4 dBu, 1kHz • Frequency Response: 20Hz - 20kHz, +/- 0.5dB • Interchannel Crosstalk: >80 dB typical • Crosstalk input to output: >80 dB • Power Consumption: 9 W • Unit Weight: 4.5 lbs. (2.04 kg) • Dimensions: 1.75"(H) x 5.75"(D) x 19"(W) • Features: <ul style="list-style-type: none"> ➢ Wizard setup function ➢ Full LCD Display ➢ 24 Programmable Filters per Channel ➢ Stereo or Dual Independent Channel Processing ➢ Live and Fixed Filter Modes ➢ Selectable Filter Lift Times ➢ Application-specific filter types includes: Speech and Music Low, Med and High ➢ Input channel metering ➢ 24 LED per Channel Filter Metering ➢ XLR and TRS inputs and outputs • Warranty: One (1) year warranty on all items from the date of completion of delivery. The supplier shall repair or replace any defective item or parts thereof at no extra cost to the owner • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation <p>Front</p>  <p>Back</p>  <p>Brand: _____ Model: _____</p>	

Item/Lot No.	Specification	Statement of Compliance
	<p>c. Multi Input Audio-Video Direct Box (Passive)</p> <ul style="list-style-type: none"> • Inputs: 1/8" TRS , 1/4" TRS, Stereo RCA (Line Level), 1/4", Pressure Posts (Speaker level) • Outputs: 1 x XLR • Output Impedance: 150Ω Nominal @ 1kHz • Maximum Input Level: 100W rated @ 8Ω (Speaker) • Controls: Level, Filter, Ground lift • Filter: 4.8kHz High Cut • Frequency Response: 20 Hz - 20kHz (+/- 1 dB) • Dimensions: 1.85" (H) x 4.6" (W) x 4.4" (D) • Warranty: One (1) year warranty on all items from the date of completion of delivery. The supplier shall repair or replace any defective item or parts thereof at no extra cost to the owner • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation <div style="text-align: center;">  </div> <p style="text-align: center;">Brand: _____ Model: _____</p>	
	<p>d. Male XLR connector</p> <ul style="list-style-type: none"> • Connection type: XLR • Gender: Male • Capacitance between contacts: ≤ 4 pF • Contact resistance: ≤ 3 mΩ • Rated current per contact: 16A • Rated voltage: < 50 V • Wire size: max. 2.5mm • Wire size: max. 14 AWG • Wiring: Solder contacts • Locking device: Latch lock • Flammability: UL 94 HB • Standard compliance: IEC 61076-2-103 • Protection class: IP 40 • Solderability: Complies with IEC 68-2-20 • Temperature range: -30°C to +80°C • Features: <ul style="list-style-type: none"> ➢ Male connector with improved locking recess without "window", more stringent housing increases durability ➢ Improved chuck-type strain relief provides higher pull-out force and makes assembly easier and faster ➢ Boot with polyurethane gland gives high protection to cable bending stresses ➢ Colored rings and boots available for coding or identification ➢ Sleek and ergonomic design - valuable and handy ➢ Rugged zinc diecast shell, long lasting and dependable ➢ Internal thread on shell is well-protected against any damage 	

Item/Lot No.	Specification	Statement of Compliance
	<ul style="list-style-type: none"> • Warranty: One (1) year warranty on all items from the date of completion of delivery. The supplier shall repair or replace any defective item or parts thereof at no extra cost to the owner • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation <div style="text-align: center;">  </div> <p style="text-align: center;">Brand: _____ Model: _____</p>	
	<p>e. Female XLR Connector</p> <ul style="list-style-type: none"> • Connection type: XLR • Gender: Female • Capacitance between contacts: ≤ 4 pF • Contact resistance: ≤ 3 mΩ • Rated current per contact: 16A • Cable O.D: 3.5 - 8.0 mm • Wire size: max. 2.5mm • Wire size: max. 14 AWG • Locking device: Latch lock • Flammability: UL 94 HB • Standard compliance: IEC 61076-2-103 • Protection class: IP 40 • Solderability: Complies with IEC 68-2-20 • Temperature range: -30°C to +80°C • Features: <ul style="list-style-type: none"> ➢ Unique cage design of female contact for low contact resistance and high integrity ➢ Female contact incorporates a solder barrier to prevent solder running into the contact mating area ➢ Female connector with an improved solid metal latch which is larger and easier to handle ➢ Additional ground spring contacts for better shell ground continuity ➢ Improved chuck-type strain relief provides higher pull-out force and makes assembly easier and faster ➢ Boot with polyurethane gland gives high protection to cable bending stresses ➢ Colored rings and boots available for coding or identification ➢ Sleek and ergonomic design - valuable and handy ➢ Rugged zinc diecast shell, long-lasting and dependable ➢ Internal thread on shell is well-protected against any damage • Warranty: One (1) year warranty on all items from the date of completion of delivery. The supplier shall repair or replace any defective item or parts thereof at no extra cost to the owner 	

Item/Lot No.	Specification	Statement of Compliance
	<ul style="list-style-type: none"> • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation  <p style="text-align: center;">Brand: _____ Model: _____</p>	
	<p>f. Microphone Cable</p> <ul style="list-style-type: none"> • 100 meters / roll • 3 conductors • Good Cooper Screen • Ground with cotton shield • Other requirements: Name of brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation  <p style="text-align: center;">Brand: _____ Model: _____</p>	

DOCUMENTARY REQUIREMENTS

Instructions:

Submission of documentary requirements together with the sealed quotation, as follows:

- a. Notarized Omnibus Sworn Statement (using GPPB-prescribed form) with attached Notarized Special Power of Attorney (SPA) for Sole Proprietorship or Secretary's Certificate for Partnership/ Corporation, authorizing the representative, if any, to sign on behalf of the owner/company (for ABCs above P50,000.00)

Suppliers that have previously submitted the following requirements that are still valid may no longer resubmit a copy:

- b. Mayor's/Business Permit¹
- c. PhilGEPS Registration Number (Red Membership) or PhilGEPS Certificate (Platinum Membership)
- d. Latest Annual Income / Business Tax Return (for ABCs above P500,000.00)

NOTE: Submitted documents are subject to verification and validation of its authenticity, genuineness, validity, and completeness. Incomplete submission, concealment, falsification, or misrepresentation of any of the documents submitted, or the contents thereof is a ground for disqualification of submitted quotation.

¹ For individuals engaged under Sec. 53.6, 53.7 and 53.9 of the IRR of RA No. 9184, only the BIR Certificate of Registration shall be submitted in lieu of DTI Registration and Mayor's Permit.