Republic of the Philippines
SOCIAL SECURITY SYSTEM
East Avenue, Diliman Quezon City * Trunkline Number: (+632) 8709 7198
Email: usssaptayo@sss.gov.ph * Website: www.sss.gov.ph

22 October 2026

Dear Sir/Madam,

Please furnish us with your quotation on or before **OCTOBER 26, 2026 @ 01:30 PM** for the items listed in the attached **Request for Quotation (RFQ).**

Kindly accomplish the **RFQ Form No. 26-10-296 (1st Re-canvass 26-07-175)_1 LOT, SUPPLY, DELIVERY AND INSTALLATION OF AUDIO SYSTEM AND ACCESSORIES AT GROUND FLOOR EXTERIOR AND INTERIOR LOBBY OF THE SSS MAIN BUILDING** together with the **Supplier's Information** and indicate your confirmation on the **Terms and Conditions** by signing the **Certification.**

You may refer to the Instruction to Suppliers for the procedure on the submission of quotation and reminders.

Thank you.

Respectfully yours,

ROSALYN D. AZUL-CONDAT
Department Manager III, BACSD

PHILGEPS REF NO.: 105783
PUBLISHED DATE: 10/22/26
POSTED BY: ALEX

REQUEST FOR QUOTATION (RFQ) FORM

RFQ Number	RFQ Date	ABC	APP NO.
26-10-296 (1st Re-Canvass 26-07-175)	**October 22, 2026**	**₱ 1,619,574.50**	**2026-1853**

SUPPLY, DELIVERY AND INSTALLATION OF AUDIO SYSTEM AND ACCESSORIES AT GROUND FLOOR EXTERIOR AND INTERIOR LOBBY OF THE SSS MAIN BUILDING			
Item No.	**Qty.**	**P A R T I C U L A R S**	**Bid/Cost Breakdown** **Total Cost**
1	**1 LOT**	• **SUPPLY, DELIVERY AND INSTALLATION OF AUDIO SYSTEM AND ACCESSORIES AT GROUND FLOOR EXTERIOR AND INTERIOR LOBBY OF THE SSS MAIN BUILDING**	**₱_____** **(Inclusive of VAT)**
	Total Cost (Inclusive of VAT):		**₱_____**

Total Offered Quotation (Inclusive of VAT) in words:

_____

_____

Please completely fill-out and submit this form together with:
Annex A – Technical Specification / Statement of Compliance / Documentary Requirements
Annex B – Scope of Works
Annex C – Bill of Quantities
Annex C – Perspective

Validity of Quotation/Offer	• Ninety (90) calendar days from deadline of submission and opening of sealed quotation up to approval of award
Delivery Terms and Place	• Within Sixty (60) calendar days starting from the receipt of Approved Job Order/ Purchase Order • The supplier must deliver all goods to the SSS Main Office, East Avenue, Diliman, and Quezon City.
Payment Terms	• Government Terms • One-time payment. Processing of payment upon delivery of items/services and submission of complete billing documents. • Payment shall be directly credited to the Supplier's bank account. • SSS shall withhold the applicable taxes from the amount payable in accordance with the BIR Regulations. • The Official Receipt (OR) or Acknowledgement Receipt (AR) for payments received shall be submitted to the Cash Management Department within two (2) days from the receipt of notification of payment made, or from the date the payment is credited to your bank account, whichever is earlier.

BIDDER'S INFORMATION		
Business Name	**Address**	
Name of Company Representative	**Email Address**	**Telephone/Mobile Number**
PhilGEPS Registration No.	**SS Number**	**BIR TIN**

TERMS AND CONDITIONS

1. **For contract price amounting to P100,000.00 and above**, the winning Supplier shall be required to post a Performance Security from receipt of Notice of Award equivalent to % of Contract Price as follows:
   - 5% (Goods & Consulting Services) or 10% (Infrastructure) Cash, Cashier's/Manager's Check, Bank Draft/Guarantee, or
   - 30% Surety Bond callable upon demand.
2. If two (2) or more Suppliers submitted the same price quotation and have been post-qualified as the suppliers with Lowest Calculated and Responsive Quotations, the procuring unit shall use “draw lots” or similar method of chance to break the tie.
3. Alternative offer shall not be allowed. Any bid exceeding the ABC shall be a ground for disqualification.
4. Incompletely filled out Bid Breakdown shall be considered non-responsive and automatically disqualified but specifying a zero (0), dash (-), or the word “free” for the said item would mean that it is being offered for FREE to the SSS.
5. All prices must be rounded off to two decimal places. Any prices presented otherwise will be rounded off to two decimal places and arithmetically corrected during the evaluation process.
6. In case of discrepancy between the submitted quotation and the quotation after arithmetical correction, the supplier shall be informed of such discrepancy for confirmation of the new amount. **If the bidder fails to confirm the arithmetical corrections within three (3) calendar days from receipt of notification, the quotation as calculated shall be considered unconfirmed and result to disqualification of bidder.**
7. In case a prospective supplier/service provider submits a filled-out RFQ with a supporting document (i.e., a price quotation in a different format), both documents shall be considered provided that the terms and conditions stated therein is in conformity with the requirements of the RFQ. **In case of discrepancies, the submitted quotation shall be considered ineligible or not compliant.** Submissions not using the RFQ form shall be considered only if they fully address and certify compliance with all the stated requirements, terms, and conditions of this RFQ.
8. Quantity is subject to change but not to exceed the contract amount.
9. Award shall be on a **"LOT BASIS"** and the date of conduct/start of the project is subject to change.

INSTRUCTIONS TO SUPPLIERS

1. For clarification of details, please contact **Bids and Awards Committee – Secretariat Department at 8709-7198 local 3421 / 3425 / 3428 / 3470** or via e-mail **bac@sss.gov.ph/ bacsealedquotations@sss.gov.ph.**
2. Supplier should indicate “COMPLY” or “NOT COMPLY” in the STATEMENT OF COMPLIANCE COLUMN, if applicable. Failure to indicate compliance and non-compliance will mean automatic disqualification.
3. Sealed Quotations may be submitted through the following:

   a. DROP BOX located at Bids and Awards Committee – Secretariat Department, 2nd Floor, SSS Main Bldg., East Ave., Diliman, Quezon City. It shall be addressed to DM Rosalyn D. Azul-Condat – Department Manager III of the BACSD.
   Indicate in the sealed envelope the RFQ Number, company name, name of company representative, business address, and contact details.

   b. ELECTRONIC MAIL at **bacsealedquotations@sss.gov.ph** with the following requirements:
      i. Quotations and attachments should be in portable document format (pdf), compressed/zipped and protected by a password. (See attached Guide in Creating password protected zip file folder.)
      ii. File name of the zip file folder shall be by **RFQ number and Project Title.**
      iii. The Supplier who timely submitted its Sealed Quotation but who fails to provide its password on the date and time of opening shall be disqualified.
      iv. Passwords shall be made available only through email (**bacsealedquotations@sss.gov.ph**) and before the opening of bids which is scheduled on:

      DATE: **OCTOBER 26, 2026** TIME: **01:30 PM**

4. The winning supplier shall accomplish and sign the emailed or issued **Notice of Award** (NOA) within three (3) calendar days from receipt and immediately submit the signed copy to the PPMD, if applicable, upon issuance. Failure to comply may result in the cancellation of the award.

5. In compliance with **Republic Act No. 6713** (Code of Conduct and Ethical Standards for Public Officials and Employees), the SSS does not solicit or accept, directly or indirectly, any gift, gratuity, favor, entertainment, loan, or anything of monetary value from bidders or suppliers at any state of the procurement process, from RFQ issuance and canvassing through contact implementation. Bidders are cautioned against individuals or groups falsely claiming to represent the SSS and soliciting money, gifts, or other benefits for any purpose. **Do not give anything to these individuals or group.** Any form of solicitation by persons claiming to represent the SSS should be immediately reported to the **Head of the Procurement Management Division** at burgosee@sss.gov.ph or (02) 8709-7198 local 3390.

GENERAL CONDITIONS OF THE CONTRACT

1. The SUPPLIER shall deliver the goods in accordance with the description and quantity specifications of the Purchase Order/Job Order.
2. The SUPPLIER shall deliver the goods within the period indicated in the Purchase Order. A penalty of 1/10 of 1% of the total amount of the items shall be imposed for every day of delay in delivery.
3. The SUPPLIER shall deliver Goods/Services which must all be fresh stock, brand-new, unused, properly sealed, and which are not set to expire within two (2) years from date of delivery to the SSS, if applicable.
4. The SUPPLIER warrants that all the Goods/Services have no defects arising from design, materials, or workmanship or from any act or omission of the Supplier or the manufacturer that may develop under normal use of consumables, if applicable.
5. For Goods, the SUPPLIER shall replace any defective item within twenty-four (24) hours from the time that it was notified by the SSS of the defect. Defects detected only after the item is installed and used are covered by the replacement warranty which will be in effect for every item until its expiry date. Replacement of defective item shall have no cost on the SSS, if applicable.
6. To assure that manufacturing defects shall be corrected by the SUPPLIER, a warranty security shall be required from the SUPPLIER for a minimum of three (3) months in the case of expendable items, or a minimum period of one (1) year in the case of non-expendable items, after the acceptance of the delivered items. The obligation for the warranty shall be covered, at the Supplier's option, by either retention money in an amount equivalent to five percent (5%) of total purchase price, or a special bank guarantee equivalent to five percent (5%) of the total purchase price with validity period starting from the date of acceptance. The said amounts shall only be released after the lapse of the warranty period
7. If the SUPPLIER, having been notified, fails to remedy the defect(s) within the specified period, the SSS may proceed to take such remedial action as may be necessary, at the SUPPLIER's risk and expense and without prejudice to any other rights which the SSS may have against the SUPPLIER under these Terms and Conditions and under the applicable law.
8. The pricing of the Goods/Services shall be in Peso and inclusive of Twelve Percent (12%) Value-Added Tax (VAT).

MISCELLANEOUS PROVISIONS

1. **Confidentiality**. Neither Party shall, without the prior written consent of the other, disclose or make available to any person, make public, or use directly or indirectly, except for the performance and implementation of the works, any confidential information acquired from an information holder in connection with the performance of this Agreement, unless: (i) the information is known to the disclosing Party, as evidenced by its written records, prior to obtaining the same from the information holder and is not otherwise subject to disclosure restrictions on the disclosing Party, (ii) the information is disclosed to the disclosing Party by a third party who did not receive the same, directly or indirectly, from an information holder, and who has no obligation of secrecy with respect thereto, or (iii) required to be disclosed by law.
   The obligation of confidentiality by both Parties, as provided herein, shall survive the termination of this Agreement.
2. **Merger and Consolidation**. In case of merger, consolidation or change of ownership of the SUPPLIER with another company, it is the responsibility of the surviving company/consolidated company/acquiring entity to inform the SSS of the change in corporate structure/ownership. Failure to do so shall translate in such company assuming all liabilities of the acquired/merged company under this Agreement.
3. **Force Majeure.** The SUPPLIER shall not be liable for forfeiture of its performance security, liquidated damages, or termination for default if and to the extent that the SUPPLIER's delay

in performance or other failure to perform its obligations under this Agreement is the result of a force majeure.

For purposes of this Agreement the terms "force majeure" and "fortuitous event" may be used interchangeably. In this regard, a fortuitous event or force majeure shall be interpreted to mean an event which the SUPPLIER could not have foreseen, or which though foreseen, was inevitable. It shall not include ordinary unfavorable weather conditions; and any other cause the effects of which could have been avoided with the exercise of reasonable diligence by the SUPPLIER. Such events may include, but not limited to, acts of the SSS in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.

4. **Non-Assignment**. Neither Party may assign the Contract in whole or in part without the consent of the other Party.
5. **Waiver**. Failure by either Party to insist upon the other the strict performance of any of the terms and conditions hereof shall not be deemed a relinquishment or waiver of any subsequent breach or default of the terms and conditions hereof, which can only be deemed made if expressed in writing and signed by its duly authorized representative. No such waiver shall be construed as modification of any of the provisions of this Agreement or as a waiver of any past or future default or breach hereof, except as expressly stated in such waiver.
6. **Cumulative Remedies.** Any and all remedies granted to the Parties under the applicable laws and this Agreement shall be deemed cumulative and may, therefore, at the sole option and discretion, be availed of by the aggrieved Party simultaneously, successively, or independently.
7. **No Employer-Employee Relationship**. It is expressly and manifestly understood and agreed that the employees of the SUPPLIER assigned to perform the PROJECT are not employees of the SSS. Neither is there an employer-employee relationship between the SSS and the SUPPLIER.

   This Agreement does not create an employer-employee relationship between the SSS and the SUPPLIER including its personnel; that the PROJECT rendered by the personnel assigned by the SUPPLIER to the SSS in the performance of its obligation under this Agreement do not represent government service and will not be credited as such; that its personnel assigned to the SSS are not entitled to benefits enjoyed by SSS' officials and employees such as Personal Economic Relief Allowance (PERA), Representation and Transportation Allowance (RATA), ACA, etc.; that these personnel are not related within the third degree of consanguinity or affinity to the contracting officer and appointing authority of the SSS; that they have not been previously dismissed from the government service by reason of an administrative case; that they have not reached the compulsory retirement age of sixty-five (65); and that they possess the education, experience and skills required to perform the job. The SUPPLIER hereby acknowledges that no authority has been given by the SSS to hire any person as an employee of the latter. Any instruction given by the SSS or any of its personnel to the SUPPLIER's employees is to be construed merely as a measure taken by the former to ensure and enhance the quality of PROJECT performed hereunder. The SUPPLIER shall, at all times, exercise supervision and control over its employees in the performance of its obligations under this Agreement.
8. **Partnership**. Nothing in this Agreement shall constitute a partnership between the parties. No Party or its agents or employees shall be deemed to be the agent, employee or representative of any other Party.
9. **Compliance with SS Law.** The SUPPLIER shall report all its employees to the SSS for coverage and their contributions, as well as all amortizations for salary/education/calamity and other SSS loans shall be updated. Should the SUPPLIER fail to comply with its obligation under the provisions of the SS Law and Employees' Compensation Act, the SSS shall have the authority to deduct any unpaid SS and EC contributions, salary, educational, emergency and/or calamity loan amortizations, employer's liability for damages, including interests and penalties from the SUPPLIER's receivables under this Agreement.

   Further, prescription does not run against the SSS for its failure to demand SS contributions or payments from the SUPPLIER. Moreover, the SUPPLIER shall forever hold in trust SS contributions or payments of its employees until the same is fully remitted to the SSS.
10. **Compliance with Labor Laws.** The SUPPLIER, as employer of the personnel assigned to undertake the PROJECT, shall comply with all its obligations under existing laws and their implementing rules and regulations on the payment of minimum wage, overtime pay, and other labor-related benefits as well as remittances or payment of the appropriate amount or contributions/payment (SSS, EC, Pag-IBIG, PhilHealth and taxes) with concerned government agencies/offices.

    It is agreed further, that prior to the release of any payment by the SSS to the SUPPLIER, its President or its duly authorized representative, shall submit a sworn statement that all moneys due to all the employees assigned to the PROJECT as well as benefits by law and other related labor legislation have been paid by the SUPPLIER and that he/she assumed full responsibility thereof.

11. **Compliance with Tax Laws.** The SUPPLIER shall, in compliance with tax laws, pay the applicable taxes in full and on time and shall regularly present to the SSS within the duration of this Agreement, tax clearance from the Bureau of Internal Revenue (BIR) as well as copy of its income and business tax returns duly stamped by the BIR and duly validated with the tax payments made thereon, if applicable. Failure by the SUPPLIER to comply with the foregoing shall entitle the SSS to suspend payment of the Contract Price.
12. **Liquidated Damages.** If the SUPPLIER fails to satisfactorily deliver any or all of the Goods and/or to perform the Services within the period(s) specified in the PBD inclusive of duly granted time extensions if any, the SSS shall, without prejudice to its other remedies under this Agreement and under the applicable law, deduct from the Contract Price, as liquidated damages, the applicable rate of one tenth (1/10) of one (1) percent of the cost of the unperformed portion for every day of delay until actual delivery or performance. Once the amount of liquidated damages reaches ten percent (10%), the SSS may rescind or terminate this Agreement, without prejudice to other courses of action and remedies open to it.
13. **Hold Free and Harmless**. The SUPPLIER agrees to defend, indemnify, and hold the SSS free and harmless from any and all claims, damages, expenses, fines, penalties and/or liabilities of whatever nature and kind, whether in law or equity, that may arise by reason of the implementation of the Agreement. In addition, the SUPPLIER agrees to indemnify the SSS for any damage as a result of said implementation.
14. **Settlement of Disputes.** All actions and controversies that may arise from the Contract involving but not limited to demands for specific performance of the obligations as specified herein and/or in the interpretation of any provisions or clauses contained herein, shall, in the first instance, be settled within thirty (30) calendar days through amicable means, such as, but not limited to mutual discussion. Should the dispute remain unresolved by the end of the afore-mentioned period, the dispute shall be settled in accordance with applicable provisions of Republic Act No. 9285, otherwise known as the Alternative Dispute Resolution Act of 2004.
15. **Venue of Actions**. Any suit or proceeding arising out of or relating to the contract shall be instituted in the appropriate court in Quezon City, the Parties hereto waiving any other venue.
16. **Governing Law.** This Agreement shall be governed by and interpreted according to the laws of the Republic of the Philippines.
17. **Amendments.** This Agreement may be amended only in writing and executed by the Parties or their duly authorized representatives.
18. **Separability**. If any one or more of the provisions contained in this Agreement or any document executed in connection herewith shall be invalid, illegal or unenforceable in any respect under any applicable law, then: (i) the validity, legality and enforceability of the remaining provisions contained herein or therein shall not in any way be affected or impaired and shall remain in full force and effect; and (ii) the invalid, illegal or unenforceable provision shall be replaced by the parties immediately with a term or provision that is valid, legal and enforceable and that comes closest to expressing the intention of such invalid, illegal or unenforceable term or provision.
19. **Binding Effect.** This Agreement shall be binding upon the Parties hereto, their assignee/s and successor/s-in-interest.
20. **Non-Publicity**. No press release in oral, written or electronic form shall be issued covering this transaction without prior written approval of the SSS. Inclusion in any reference lit shall also be undertaken only upon prior written approval of the SSS.

CERTIFICATION

This is to certify that my company conforms with the above Terms and Conditions, and that the data/quotation indicated is true, correct, and valid.

_____
Owner/Company Representative
(Signature over Printed Name)

_____
Date

***Note**: The Supplier must sign over printed name on the CERTIFICATION above. Non-compliance with this instruction is a ground for disqualification of submitted quotation.*

ANNEX A. TECHNICAL SPECIFICATION

Suppliers/Bidders should indicate "**COMPLY**" or "**NOT COMPLY**" to each specification below. Please do not leave any portion blank as it will result to disqualification of quotation/bid.

SUPPLY, DELIVERY AND INSTALLATION OF AUDIO SYSTEM AND ACCESSORIES AT GROUND FLOOR EXTERIOR AND INTERIOR LOBBY OF THE SSS MAIN BUILDING

LOT NO.	TECHNICAL SPECIFICATIONS		STATEMENT OF COMPLIANCE
	AUDIO EQUIPMENT AND ACCESSORIES		
	Audio Mixer (8 Channels)	8+2 and 12+2 channel frame sizes	
		Built-in 24 bit digital effects processor	
		32 FX settings	
		1 FX send on each channel	
		1 configurable auxiliary bus	
		XLR-type and ¼" metal jack connector sockets	
		RCA phono stereo playback inputs and record outputs	
		3-band EQ with a swept mid on mono inputs	
		3-band EQ on stereo inputs	
		TRS insert sockets and inserts on all mono inputs	
		Ten-segment LED output metering	
		Headphone output	
		Custom Karaoke preset	
		Warranty: One (1) year warranty on all items from the date of completion of delivery. The supplier shall repair or replace any defective item or parts thereof at no extra cost to the owner	
		Other requirements: Name brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation	
	Dual Channel 31-Band Equalizer	Input Connectors: 1/4" TRS, female XLR (pin 2 hot)	
		Input Type: Electronically balanced/unbalanced, RF filtered	
		Input Impedance: Balanced 40k ohm, unbalanced 20k ohm	
		Max Input: >+21dBu balanced or unbalanced	
		CMRR: >40dB, typically >55dB at 1kHz	
		Output Connectors: 1/4" TRS, male XLR (pin 2 hot)	
		Output Type: Impedance-balanced/unbalanced, RF filtered	
		Output Impedance: Balanced 100 ohm, unbalanced 50 ohm	
		Max Output: >+21dBu balanced/unbalanced into 2k ohm or greater; >+18dBm balanced/unbalanced (into 600 ohm)	
		Bandwidth: 20Hz to 20kHz, +0.5/-1dB	
		Frequency Response: <10Hz to >50kHz, +0.5/-3dB	
		Dynamic Range: Typically >112dB	
		Signal to Noise Ratio: Typically >95dB	
		THD+Noise: <0.003%	
		Interchannel Crosstalk: <-90dB, 20Hz to 20kHz	
		Bypass Switch: Bypasses the graphic equalizer section in the signal path	
		Low cut Switch: Activates the 50Hz 12dB/octave	

		high-pass filter	
		Range Switch: Selects either +/- 6dB or +/-12dB slider boost/cut range	
		Operating Voltage: 100-240VAC 50/60Hz	
		Power Consumption: 15W	
		Power Connector: IEC receptacle	
		Features: • Dual 31-band, 1/3-octave Constant Q frequency bands • Switchable boost/cut ranges of ±6 or ±12 dB • Front panel bypass switch • ±12 dB input gain range • 4-segment LED ladders for monitoring output levels • XLR and TRS Inputs and Outputs • Frequency Response of <10Hz to >50kHz • Dynamic range of greater than 108dB	
		Warranty: One (1) year warranty on all items from the date of completion of delivery. The supplier shall repair or replace any defective item or parts thereof at no extra cost to the owner	
		Other requirements: Name brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation	
	Stereo 2/3 Way, Mono 4-Way Crossover with XLR Connectors	Input Connectors: XLR	
		Input Type: Electronically balanced/unbalanced, RF filtered	
		Input Impedance: Balanced >50k ohm, unbalanced >25k ohm	
		Max Input: >+22dBu balanced or unbalanced	
		CMRR: >40dB, typically >55dB at 1kHz	
		Output Connectors: XLR	
		Output Type: Impedance-balanced/unbalanced, RF filtered	
		Output Impedance: Balanced 60 ohm, unbalanced 30 ohm	
		Max Output: >+21dBu balanced/unbalanced into 2k ohms or greater	
		Bandwidth: 20Hz to 20kHz, +/-0.5dB	
		Frequency Response: < 3 Hz to > 90 kHz, +0/-3 dB	
		Signal to Noise Ratio: Ref: +4 dBu, 22 kHz measurement bandwidth	
		Signal-to-Noise (Stereo Mode): >94dB (Low Output), >93dB (Mid Output), >90dB (High Output)	
		Signal-to-Noise (Mono Mode): >94dB (Low Output, Low/Mid Output); >92dB (High/Mid Output); >88dB (High Output)	
		Dynamic Range: > 106 dB, unweighted, any output	
		THD+Noise: < 0.004% at +4 dBu, 1 kHz; < 0.04% at +20 dBu, 1 kHz	
		Interchannel Crosstalk: < -80 dB, 20 Hz to 20 kHz	
		Crossover Frequencies (Stereo Mode): Low/Mid: 45 to 960 Hz or 450 Hz to 9.6 kHz (x10 setting); Low/High: 45 to 960 Hz or 450 Hz to 9.6 kHz (x10 setting); Mid/High 450Hz to 9.6kHz (x10	

		setting)	
		Crossover Frequencies (Mono Mode): Low/Low-Mid: 45 to 960 Hz or 450 Hz to 9.6 kHz (x10 setting); Low-Mid/High-Mid: 450 Hz to 9.6 kHz; High-Mid/High: 450 Hz to 9.6 kHz	
		Mode Switch: Selects stereo/mono and 2/3/4-way operation	
		Operating Voltage: 100-120 VAC 50/60Hz; 120 VAC 60Hz 230 VAC 50/60Hz	
		Power Consumption: 15W	
		Features: • XLR balanced ins and outs • Mode switches for mono 4-way or stereo 2-way/3-way operation • Low frequency summed (subwoofer) output • x10 range switch on both channels • 40Hz high pass (low cut) filter both channels • Phase reverse switch on all outputs • Individual level controls on all outputs	
		Warranty: One (1) year warranty on all items from the date of completion of delivery. The supplier shall repair or replace any defective item or parts thereof at no extra cost to the owner	
		Other requirements: Name brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation	
	Amplifier, 70V/100V	Rated Power: 1000 watts	
		Output Mode: 4-16 ohms(Ω); 70V/ 100V	
		MIC Input: 10k ohms(Ω) 0.775V (0dB), Unbalanced	
		AUX Input: 10k ohms(Ω) 0.775V (0dB), Unbalanced	
		Frequency Response: 60Hz~15kHz (±3 dB)	
		THD: <0.5% at 1kHz, 1/3 rated power	
		S/N: >85 Db	
		Cooling: DC 12V Fan	
		Features: • Durability - Built with robust transformers for prolonged lifespan • Efficient Power Handling - Optimized power management for reduced energy consumption • Low frequency summed (subwoofer) output • x10 range switch on both channels	
		Warranty: One (1) year warranty on all items from the date of completion of delivery. The supplier shall repair or replace any defective item or parts thereof at no extra cost to the owner	
		Other requirements: Name brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation	
	Audio Feedback Suppression	Number of Inputs: 2	
		Input Connectors: Female XLR and ¼" TRS	
		Input type: Electronically balanced/ unbalanced,	

	and Processor with Full LCD Display	RF filtered	
		Input Impedance: Balanced 50kΩ, Unbalanced 25 kΩ	
		Max input line level: +20 dBu	
		CMRRL > 40dB, typically >55dB @ 1kHz	
		Number of Outputs: 2	
		Output Connectors: Male XLR and ¼" TRS	
		Output type: Electronically balanced/ unbalanced, RF filtered	
		Output Impedance: Balanced > 120kΩ, Unbalanced > 60 kΩ	
		Max Output line level: +20 dBu	
		A/D Dynamic Range: >113 dB A-weighted, >110 dB, unweighted, 22kHz BW	
		Type IV Dynamic Range: >119 dB A-weighted, 22kHz BW; >117dB, unweighted, 22kHz BW	
		A/D Conversion: 24-bit	
		Sample Rate: 48kHz	
		D/A Dynamic Range: 112 dB A-weighted, 109 dB unweighted	
		D/A Conversion: 24-bit	
		Dynamic Range: >109 dB A-weighted, >106 dB, unweighted, 22kHz BW	
		THD+Noise: 0.003% typical at +4 dBu, 1kHz	
		Frequency Response: 20Hz - 20kHz, +/- 0.5dB	
		Interchannel Crosstalk: >80 dB typical	
		Crosstalk input to output: >80 dB	
		Power Consumption: 9 W	
		Unit Weight: 4.5 lbs. (2.04 kg)	
		Dimensions: 1.75"(H) x 5.75"(D) x 19"(W)	
		Features: • Wizard setup function • Full LCD Display • 24 Programmable Filters per Channel • Stereo or Dual Independent Channel processing • Live and Fixed Filter Modes • Selectable Filter Lift Times • Application-specific filter types includes: Speech and Music Low, Med and High • Input channel metering • 24 LED per Channel Filter Metering • XLR and TRS inputs and outputs	
		Warranty: One (1) year warranty on all items from the date of completion of delivery. The supplier shall repair or replace any defective item or parts thereof at no extra cost to the owner	
		Other requirements: Name brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation	
	Full Range Column Loud Speakers Active complete with mounting accessories	Frequency Response(-3db): 80Hz-18kHz	
		Max SPL @ 1m: 116dB/122dB(PEAK)	
		Dispersion (H x V): 150° x 30°	
		Compression driver: 1 x 44mm HF	
		Woofer: 8 x 4" LF	
		Input signal: Balanced 20kΩ, Unbalanced 10kΩ	
		Input Connectors:4-screw termina, 2 x XLR	
		Total Power: 400W(RMS); 800W(MUSIC); 1600W(PEAK);	
		Voltage range: AC 220V-240V~, 50/60Hz (or AC	

		110V-120V~, 50/60Hz)	
		Grille: White Polyurethane painting for cabinet & White Powder coated grille.	
		Color: White	
		Dimension (W x D x H): 164 x 1138 x 233mm / (6.5 x 44.8 x 9.2in)	
		Features: • 8x4" high power transducer plus 1.75 compression driver • Sensitivity 92dB, Max SPL 116dB • Quick install U bracket included with multiple mounting points provided	
		Warranty: One (1) year warranty on all items from the date of completion of delivery. The supplier shall repair or replace any defective item or parts thereof at no extra cost to the owner	
		Other requirements: Name brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation	
	Full Range Horn Loud Speaker, Outdoor Waterproof complete with mounting accessories	12" x 15" Plastic Horn	
		2 Way Speaker Design	
		LF Driver: 6.5" Woofer	
		HF Driver: 1" Dome Tweeter	
		IP 66 Waterproof	
		Sensitivity: 97dB (1W/1m)	
		Frequency Range: 200Hz - 20KHz	
		Power Selections: 60/30/ 15W-100V	
		Mounting Type: Wall Mount	
		Warranty: One (1) year warranty on all items from the date of completion of delivery. The supplier shall repair or replace any defective item or parts thereof at no extra cost to the owner	
		Other requirements: Name brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation	
	Multi Input Audio-Video Direct Box (Passive)	Inputs:1/8” TRS , 1/4” TRS, Stereo RCA (Line Level), 1/4", Pressure Posts (Speaker level)	
		Outputs: 1 x XLR	
		Output Impedance: 150Ω Nominal @ 1kHz	
		Maximum Input Level: 100W rated @ 8Ω (Speaker)	
		Controls: Level, Filter, Ground lift	
		Filter: 4.8kHz High Cut	
		Frequency Response: 20 Hz - 20kHz (+/- 1 dB)	
		Dimensions: 1.85” (H) x 4.6” (W) x 4.4” (D)	
		Warranty: One (1) year warranty on all items from the date of completion of delivery. The supplier shall repair or replace any defective item or parts thereof at no extra cost to the owner	
		Other requirements: Name brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation	
	Power Control Switch - 10	Power input: 220 volts	
		No of outlets: 10 outlets	
		Maximum load: 15amps / 1800 watts	

	socket, Rack Mount	Plug Type: 3 Pin	
		10 lighted switches on front panel	
		Warranty: One (1) year warranty on all items from the date of completion of delivery. The supplier shall repair or replace any defective item or parts thereof at no extra cost to the owner	
		Other requirements: Name brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation	
	Male XLR connector	Connection type: XLR	
		Gender: Male	
		Connector: 3 pin	
		Other requirements: Name brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation	
	Female XLR connector	Connection type: XLR	
		Gender: Female	
		Connector: 3 pin	
		Other requirements: Name brand and model / Submit brochure of offered item for cross-referencing and evaluation upon submission of quotation	

ANNEX B. SCOPE OF WORKS

Suppliers/Bidders should indicate "**COMPLY**" or "**NOT COMPLY**" to each specification below. Please do not leave any portion blank as it will result to disqualification of quotation/bid.

SUPPLY, DELIVERY AND INSTALLATION OF AUDIO SYSTEM AND ACCESSORIES AT GROUND FLOOR EXTERIOR AND INTERIOR LOBBY OF THE SSS MAIN BUILDING

ITEM NO.	SPECIFICATIONS	STATEMENT OF COMPLIANCE
	I. Scope of Works The work contemplated under this contract shall consist of the furnishing of all materials, labor, tools and equipment, work permits including the satisfactory performance of all works necessary for the complete execution of all the work as shown on the plans, specifications and other contract documents. Any other materials and equipment necessary to complete the project shall be in the accountabilities of the contractor. Materials deemed necessary to complete the work but not specifically mentioned in the specifications, working drawings or in the other contract documents are inferred, and shall be supplied and installed by the contractor without extra cost to the owner. Such material shall be of the highest quality available, installed and applied in workmanlike manner at prescribed or appropriate locations. Testing, commissioning and configuration prior to proper turnover including knowledge transfer, training for End-user, Single Line Diagram, Manuals and After Service Sales. All cables, wires, and roughing-ins shall be embedded with complete accessories for indoor heavy-duty plastic moldings in tox screws for outdoor heavy-duty PVC in metal clamps or its equivalent. The whole project supply and installation must adhere to comply with the Philippine Electrical & Electronic Code, among others. All equipment and materials, delivered for the project but not utilized in the installation, shall be properly inventoried and turned over to the SSS EFMD or designated representative at the project's conclusion. The contractor shall ensure that this equipment and cables are in good condition, appropriately labeled, and securely stored until handover. Installation of Audio System, Main Lobby & Front Lobby 1. The proposed Audio/Video cabinet will be installed in the Information lobby G/F, and its contents will be as follows: an audio mixer, control equalizers, crossover frequency divider, power amplifier, rack mount power control switch, and others. 2. All column active speakers installed in the designated locations must have wall mounting brackets that may be rotated as needed and adjustable to point down, up, right, and left. The power supply and source signal cables are enclosed in PVC pipe or plastic molding cables that run to the proposed A/V cabinet.	

	3. For column active speakers 1–7, the XLR line signal must be balanced and connected in source channel 1 by cascading loop. 4. For column active speakers 8–14, the XLR line signal must be balanced and connected in source channel 2 by cascading loop 5. All horn passive speakers installed in the designated locations must have wall mounting brackets that may be rotated as needed and adjustable to point down, up, right, and left. And each horn speaker must have an individual power source speaker cable enclosed in a PVC pipe that runs to the proposed A/V cabinet. 6. For the horn passive speakers 1&2, power source 70V-100V from the amplifier for Zone 1 and Zone 2 connections. 7. For the horn passive speakers 3&4, power source 70V-100V from the amplifier for Zone 3 and Zone 4 connections. 8. The electrical box stainless enclosure is to be installed on the side of the wall where the plant is hidden, and its contents are three 18-AWG signal cables. These wires will be dug with PVC pipe run to the proposed AV cabinet, and each end of the cables will be placed with XLR male and female connectors.	
	II. WORKMANSHIP All required phases of work shall be done by skilled and competent men who regularly engage or specialize in the type of work specified. Workmanship shall be the very best trade practice.	
	III. SITE EXAMINATION Examine the site premises and all conditions apparent and visible therein. Consider all such conditions that may affect work. Measure every existing work/structure at site. Verify all given dimensions and deviations. It shall be understood that the work covers all exposed external surfaces regardless of measurements made. Measure every existing work/structure at site. Verify all given dimensions and deviations. It shall be understood that the work covers all exposed external surfaces regardless of measurements made.	
	IV. PROTECTION OF WORK PROPERTY Provide adequate protection for existing structures and other areas not affected by the work specified and the ground below. Place warning signs where work is being undertaken. Remove work materials damaged by failure to provide protection. Damages incurred by the contractor during the implementation must be restored	

	without any cost to SSS.	
	V. CLEANING Leave premises clean, neat and orderly. Remove all stains, spots, blemishes, soil dirt from all finished work. Remove all excess materials, used containers, tools, equipment and supplies out of the SSS premises during the progress upon completion of work	
	VI. SUBMITTALS All imported cabling and equipment components should be ended to end brand and must be approved and evaluated by the technical team of SSS EFMD prior to installation.	
	VII. QUALITY OF MATERIALS All replacement materials shall be new, free from defects, passed and conformed to International Standard and Philippine Standard set forth by Bureau of Product Standards – Department of Trade and Industry.	

DOCUMENTARY REQUIREMENTS

Instructions:

Submission of documentary requirements together with the sealed quotation, as follows:

a. Notarized Omnibus Sworn Statement (using GPPB-prescribed form) with attached Notarized Special Power of Attorney (SPA) for Sole Proprietorship or Secretary's Certificate for Partnership/ Corporation, authorizing the representative, if any, to sign on behalf of the owner/company (for ABCs above ₱ 50,000.00).

   For verification purposes, the supplier may be required to provide the e-mail address and contact number of the commissioned lawyer who notarized the submitted OSS, SPA, or Secretary's Certificate during evaluation or post-qualification procedures.

Suppliers who have previously been awarded contracts and have submitted the following requirements, provided that such documents remain valid, are no longer required to resubmit copies thereof:

a. Mayor's/Business Permit[1]
b. PhilGEPS Organization ID (Red Membership) or PhilGEPS Certificate of Registration (Platinum Membership)
c. Latest Annual Income / Business Tax Return (for ABCs above P500,000.00)

NOTE: Submitted documents are subject to verification and validation of its authenticity, genuineness, validity, and completeness. Incomplete submission, concealment, falsification, or misrepresentation of any of the documents submitted, or the contents thereof is a ground for disqualification of submitted quotation.

[1] For individuals engaged through the Scientific, Scholarly, or Artistic Work, Exclusive Technology and Media Services and Highly Technical Consultants Modes of Procurement, only the Bureau of Internal Revenue (BIR) Certificate of Registration shall be submitted in lieu of Department of Trade and Industry (DTI) Registration and Mayor's Permit. Item 4.5 GPPB Circular 06-2026.

ANNEX C. BILL OF QUANTITIES

Kindly fill-out the Bill of Quantities (BOQ). Incompletely filled out BOQ shall be considered non-responsive and automatically disqualified but specifying zero (0), dash (-), or the word “free” for the said item would mean that it is being offered for FREE to the SSS.

ITEM NO.	DESCRIPTION		QTY	UNIT	MATERIALS (Including Delivery Charge & VAT)		LABOR & EQPT		MARK - UP	TOTAL COST
					UNIT COST	AMOUNT	UNIT COST	AMOUNT		
(A)	(B)		(C)	(D)	(E)	(F) (C x E)	G	(H) C x G	I % X (F + H)	J F + H + I
I.	**AUDIO EQUIPMENT AND ACCESSORIES**									
	1.00	Audio Mixers (8 channels)	1.00	unit						
	2.00	Dual Channel 31-Band Equalizer	1.00	unit						
	3.00	Stereo 2/3 Way, Mono 4-Way Crossover with XLR Connectors	1.00	unit						
	4.00	Amplifier, 70V/100V	1.00	unit						
	5.00	Audio Feedback Suppression Processor with Full LCD Display	1.00	unit						
	6.00	Full Range Column Loud Speakers Active complete with mounting accessories	14.00	units						
	7.00	Full Range Horn Loud Speaker, Outdoor Waterproof, complete with mounting accessories	4.00	units						
	8.00	Multi Input Audio-Video Direct Box (Passive)	3.00	units						
	9.00	Power Control Switch - 10 socket, Rack Mount	1.00	unit						
	10.00	Male XLR connector	24.00	pcs						
	11.00	Female XLR connector	24.00	pcs						
	12.00	Microphone Cable 24AWG	5.00	spools						
	13.00	Speaker Drop Wire Outdoor 14AWG	6.00	spools						
	14.00	Audio Conductor Cables 18AWG stranded 2wires+ground Shielded	6.00	spools						
	15.00	Heavy Duty Flexible Royal Cord 12AWG (2cores)	6.00	spools						
	16.00	12U mixer rack case with wheels	1.00	pc						
	17.00	Electrical Box Enclosure Stainless Steel Weatherproof, 25cm x 16cm x 30cm	1.00	pc						
	18.0	Other items, Consumables & Miscellaneous Items to Complete the Project	1.00	lot						
	SUBTOTAL – AUDIO EQUIPMENT AND ACCESSORIES									
II	**ROUGHING-INS**									
	1.00	PVC Electrical Moulding, 1 1/2" x 8"	50.00	pcs.						

	2.00	PVC Electrical Moulding, 1" x 8"	50.00	pcs.						
	3.00	PVC Electrical Pipe, 3/4" x 10"	30.00	pcs.						
	4.00	Conduit Metal Clamp, 3/4"	300.00	pcs.						
	5.00	PVC Elbow Electrical), 90 deg., Long Sweep, 3/4"	20.00	pcs.						
	6.00	PVC Elbow (Electrical), 90 deg., 3/4"	20.00	pcs.						
	7.00	PVC Coupling (Electrical), 3/4"	10.00	pcs.						
	8.00	Screw with Tox, 1"	100.00	pcs.						
	9.00	Screw with Tox, 1 1/2"	100.00	pcs.						
	10.00	Nylon cable Tie, 8" length	2000.00	pcs.						
	11.00	Electrical Tape Armak (big)	20.00	rolls						
	12.00	Rubber Tape	15.00	pcs.						
	13.00	Electrical Flat Cord 16 AWG, Black, 150mtr.	2.00	rolls						
										SUBTOTAL – ROUGHING-INS
III	**TESTING AND COMMISSIONING**									
	1.0	Testing, commissioning and configuration including knowledge transfer, training for End-user, Single Line Diagram, Manuals and After Service Sales	**1.0**	**lot**						
										SUBTOTAL – TESTING AND COMMISSIONING
										TOTAL PROJECT COST

ANNEX D. PERSPECTIVE




AUDIO MIXER
Block Diagram
AUDIO SYSTEM
Main Lobby & Front Lobby
SSS Main Building
Prepared by: EFMD-FMS1
Prime M. Agustin
Irvin D. Abejamame
CONTROL EQUALIZER
POWER AMPLIFIER
Ch1
PROCESSOR CROSS OVER
Ch2
Zn1
Zn2
Zn3
Zn4
HORN LOUD SPEAKER
1-2
HORN LOUD SPEAKER
3-4
COLUMN LOUD SPEAKER
1-7
COLUMN LOUD SPEAKER
8-14

Full Range Column
Loud Speaker Active

Here..
Full Range Horn
Loud Speaker


Stainless Steel Electrical Box
Enclosure Weatherproof/Outdoor
Here..